THE JOURNAL OF HEAD TRAUMA REHABILITATION

MITCHELL ROSENTHAL, PhD NATHANIEL H. MAYER, MD, EDITORS

CUMULATIVE INDEX TO VOLUMES 7–12

AN ASPEN PUBLICATION®

The Journal of Head Trauma Rehabilitation®

The Journal of Head Trauma Rehabilitation (USPS 001-255) (ISSN: 0885-9701) is published bimonthly for $110.00 by Aspen Publishers, Inc., 7201 McKinney Circle, Frederick, MD 21704. Periodicals postage paid at Frederick, Maryland. **Postmaster:** Send address changes to *Journal of Head Trauma Rehabilitation*, 7201 McKinney Circle, Frederick, MD 21704.

Subscription rate is $110.00 (plus $8.75 postage and handling) per year in the United States and Canada (six issues), payable in advance. Subscribers may specify any issue to begin the subscription. **Subscribers in the United States and Canada:** Address customer service inquiries to Fulfillment, Aspen Publishers, Inc., 7201 McKinney Circle, Frederick, MD 21704, or call 1-800-234-1660. To place an order, call 1-800-638-8437. **Subscribers in Japan:** Address subscription inquiries to Nankodo Co LTD, 42-6, Hongo 3-Chome, Bunkyo-Ku, Tokyo 133, Japan. **Subscribers in all countries other than the United States, Canada, and Japan:** Address subscription inquiries to Swets Publishing Service, P.O. Box 825, 2160 SZ Lisse, The Netherlands.

Single copies: $23.00 each; enclose payment with order. **Four or more copies:** $18.00. **For quantities in bulk (25 or more), contact:** Aspen Publishers, Inc., Professional Sales Department, 200 Orchard Ridge Dr., Gaithersburg, MD 20878. Telephone 1-800-638-8437.

Advertising: Direct inquiries to James A. Snyder, The Capstone Group, Inc., 5211 Dunleigh Drive, Burke, VA 22015. Telephone: (703) 764-5949, Fax: (703) 764-0232, and E-mail jsnyder511@aol.com. The appearance of advertising herein does not constitute endorsement of those products and services by the authors, editors, or publishers of this journal.

Purpose of journal: JHTR is a **PEER-REVIEWED** journal that provides information on clinical management and rehabilitation of persons with head injuries for the practicing professional.

Information for authors: Readers interested in submitting articles for possible publication should send them to Mitchell Rosenthal, PhD, Rehabilitation Institute of Michigan, Wayne State University School of Medicine, 261 Mack Boulevard, Detroit, MI 48201. Detailed author guidelines are available on request. Aspen Publishers, Inc., requires manuscripts on disk.

Multimedia reprints: JHTR is available in one or more formats—microform, article or issue reprints, electronic—from UMI. Contact UMI at 800-521-0600 (313-761-4700) for further information on microform and electronic products. For article or issue reprints, contact the UMI InfoStore at 800-248-0360 (415-433-5500). To order 100 or more reprints, contact Professional Sales Department, Aspen Publishers, Inc., 200 Orchard Ridge Dr., Gaithersburg, MD 20878. Telephone 1-800-638-8437.

Indexing: Articles are cited in *Cumulative Index to Nursing & Allied Health Literature, Current Contents® (Social and Behavioral Sciences)/Research Alert®/ Social SciSearch®, EMBASE (Excerpta Medica), Exceptional Child Education Resources, Family Studies Database, OT BibSys,* and *Psychological Abstracts/PsycINFO/PsycLIT.*

Copyright and permissions: Copyright © 1998 by Aspen Publishers, Inc. All rights reserved. Aspen Publishers, Inc., grants permission for copies of articles in this issue to be made for personal or internal use, or for the personal or internal use of specific clients registered with the Copyright Clearance Center. This consent is given on the condition, however, that the copier pay a $2.00 fee for the photocopy through the Copyright Clearance Center, Inc. (CCC), for copying beyond that permitted by the U.S. Copyright Law. The $2.00 fee should be paid directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. 0885-9701/98 $2.00.

Clients registered with CCC's educational copying permissions service are likewise given consent to photocopy on the condition that a fee of $1.00 per copy of the article be paid through CCC.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Requests for permission to reprint material from this journal should be addressed to Permissions Department, Aspen Publishers, Inc., 200 Orchard Ridge Dr., Gaithersburg, MD 20878.

Drug and dosage selection: The authors have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with recommendations and practice current at the time of publication. However, we suggest that appropriate information sources be consulted when dealing with new and unfamiliar drugs. It remains the responsibility of every practitioner to evaluate the appropriateness of a particular opinion in the context of the actual clinical situation and with due consideration to any new developments in the field.

ISSN: 0885-9701

An Aspen Publication.®
Printed in the United States of America.

Journal staff:

Amy Martin, Acquisitions Editor
Lenda P. Hill, Managing Editor
Patricia Shyne, Marketing Manager
Jack Bruggeman, Publisher, Allied Health and Nursing

For more information resources, directories, articles, and a searchable version of Aspen's full catalog, visit Aspen's Internet site:
http://www.aspenpublishers.com

Editorial Board

Founding Editor: Sheldon Berrol, MD (1986–1991)

Editors:

Mitchell Rosenthal, PhD, ABPP, Professor and Associate Chairman of Physical Medicine and Rehabilitation, Adjunct Professor of Psychology, Wayne State University, Administrator, Research and Education, Rehabilitation Institute of Michigan, Project Director, Southeastern Michigan Traumatic Brain Injury System, Detroit, Michigan

Nathaniel H. Mayer, MD, Director, Drucker Brain Injury Center, Director, Motor Control Analysis Laboratory, MossRehab Hospital, Professor of Rehabilitation Medicine, Department of Physical Medicine and Rehabilitation, Temple University School of Medicine, Philadelphia, Pennsylvania

Associate Editors:

Bruce Caplan, PhD, Chief Psychologist, Department of Rehabilitation Medicine, Thomas Jefferson University Hospital, Professor, Department of Rehabilitation Medicine, Thomas Jefferson Medical College, Philadelphia, Pennsylvania

M. Elizabeth Sandel, MD, Medical Director, Kaiser Foundation Rehabilitation Center, Chief of Rehabilitation Medicine, Kaiser Foundation Hospital, Vallejo, California

Special Feature Editors:

Jean E. Bérubé, Esq, Paul Spanbock Fellow for Public Policy, Director of Government Relations, Brain Injury Association, Inc, Washington, DC

Catherine F. Bontke, MD, System Medical Director, Director of the Brain Injury Program, The Rehabilitation Hospital of Connecticut, Hartford, Connecticut

John D. Corrigan, PhD, Professor, Department of Physical Medicine and Rehabilitation, The Ohio State University, Columbus, Ohio

Mel B. Glenn, MD, Professor and Chairman, Department of Rehabilitation Medicine, Boston University School of Medicine, Chief, Rehabilitation Medicine, Boston University Medical Center and Boston City Hospital, Boston, Massachusetts

Janet F. Haas, MD, Staff Physiatrist, Drucker Brain Injury Center, MossRehab Hospital, Clinical Assistant Professor, Department of Physical Medicine and Rehabilitation, Temple University School of Medicine, Philadelphia, Pennsylvania

William J. Lynch, PhD, Director, Brain Injury Rehabilitation Unit, Veterans Affairs Medical Center, Palo Alto, California

Editorial Board:

Jeffrey T. Barth, PhD, Director, Neuropsychology Laboratory, Professor, Psychiatric Medicine, University of Virginia Medical School, Charlottesville, Virginia

Roberta De Pompei, PhD, Professor, School of Communicative Disorders, University of Akron, Akron, Ohio

Yehuda Ben-Yishay, PhD, Professor, Clinical Rehabilitation Medicine, Director, Head Trauma Program, Department of Rehabilitation Medicine, New York University Medical Center, Rusk Institute of Rehabilitation Medicine, New York, New York

Marcel Dijkers, PhD, Director of Research, Rehabilitation Institute of Michigan, Associate Professor of Physical Medicine and Rehabilitation, Wayne State University, Detroit, Michigan

Cynthia F. Berrol, PhD, Professor, Department of Kinesiology and Physical Education, California State University, Hayward, California

Jacques Donders, PhD, ABPP, Chief Psychologist, Mary Free Bed Hospital and Rehabilitation Center, Grand Rapids, Michigan

D. Nathan Cope, MD, Senior Vice President for Medical Affairs, Paradigm Health Corporation, Concord, California

David J. Fordyce, PhD, Rehabilitation and Neuropsychology, Physical Medicine and Rehabilitation, Virginia Mason Medical Center, Seattle, Washington

Rebecca Lynn Craik, PhD, PT, FAPTA, Chair and Associate Professor, Physical Therapy Department, Beaver College, Glenside, Pennsylvania

Wayne A. Gordon, PhD, Professor and Associate Director, Department of Rehabilitation Medicine, Mount Sinai Medical Center, New York, New York

Ernest R. Griffith, MD, Private Practice, Phoenix, Arizona, Medical Director, Traumatic Brain Injury Continuum, Meridian Point Rehabilitation Hospital

and Scottsdale Community Rehabilitation Services, Scottsdale, Arizona

Allen W. Heinemann, PhD, Professor, Physical Medicine and Rehabilitation, Northwestern University Medical School and Rehabilitation Institute of Chicago, Chicago, Illinois

Lawrence J. Horn, MD, Coghlin Chair and Professor, Physical Medicine and Rehabilitation, Medical College of Ohio, Toledo, Ohio

Harvey E. Jacobs, PhD, Center for Neurorehabilitation Services, Richmond, Virginia

Douglas I. Katz, MD, Director, Traumatic Brain Injury Program, Braintree Hospital Rehabilitation Network, Braintree, Massachusetts, Assistant Professor, Neurology, Boston University School of Medicine, Boston, Massachusetts

William E. Kiernan, PhD, Director, Institute for Community Inclusion, Children's Hospital, Adjunct Professor, Department of Counseling Psychology, University of Massachusetts at Boston, Boston, Massachusetts

Kenneth I. Kolpan, Esq, Attorney, Law Offices of Kenneth I. Kolpan, PC, Assistant Professor of Rehabilitation Medicine, Tufts University School of Medicine, Boston, Massachusetts

Jeffrey Scott Kreutzer, PhD, Professor, Department of Physical Medicine and Rehabilitation and Division of Neurological Surgery, Medical College of Virginia, Richmond, Virginia

Robert L. Mapou, PhD, Neuropsychology Director, Center for Neuro-Rehabilitation, Bethesda, Maryland, Clinical Associate Professor of Neurology (Psychology), Georgetown University School of Medicine, Washington, DC

Jane D. Mattson-Prince, PhD, OTR/L, CRC, President, Jane Mattson Associates, Inc, Stamford, Connecticut

Linda J. Michaud, MD, MEd, PT, Associate Professor, Clinical Physical Medicine and Rehabilitation and Clinical Pediatrics, Director, Pediatric Physical Medicine and Rehabilitation, University of Cincinnati Medical Center, Cincinnati, Ohio

Rosette C. Plotkin, PhD, Neuropsychologist, Department of Rehabilitation Medicine, Hospital of the University of Pennsylvania, Clinical Associate, School of Medicine, University of Pennsylvania, Philadelphia, Pennsylvania

George P. Prigatano, PhD, Chairman, Section of Neuropsychology, Barrow Neurological Institute, St. Joseph's Hospital and Medical Center, Phoenix, Arizona

Steven H. Putnam, PhD, Assistant Professor, Physical Medicine and Rehabilitation, Adjunct Assistant Professor of Psychology, Wayne State University, Staff Psychologist, Rehabilitation Institute of Michigan, Detroit, Michigan

Noel Rao, MD, Assistant Vice President, Medical Services, Marianjoy Rehabilitation Hospital and Clinics, Wheaton, Illinois, Associate Professor of Physical Medicine and Rehabilitation, Rush University School of Medicine, Chicago, Illinois

Maurice Rappaport, MD, PhD, Academic Administrator, Langley-Porter Psychiatric Institute, University of California, San Francisco, University of California Brain Function Study Unit, Agnews Developmental Center, San Jose, California

Joseph H. Ricker, PhD, ABPP (CN, RP), Assistant Professor, Physical Medicine and Rehabilitation, Wayne State University School of Medicine, Detroit, Michigan

Michael O. Seibel, DO, DPM, Clinical Associate Professor, University of North Texas, Health Sciences Center, Texas College of Osteopathic Medicine, Private Practice, Fort Worth, Texas

Marilyn Price Spivack, President, MPS Associates, Inc, Framingham, Massachusetts

John Whyte, MD, PhD, Director, Moss Rehabilitation Research Institute, MossRehab Hospital, Philadelphia, Pennsylvania

Steven L. Wolf, PhD, FAPTA, PT, Professor and Director of Research, Department of Rehabilitation Medicine, Associate Professor, Department of Anatomy and Cell Biology, Emory University School of Medicine, Atlanta, Georgia

Mark Ylvisaker, PhD, Assistant Professor, Department of Communication Disorders, The College of Saint Rose, Albany, New York

Nathan David Zasler, MD, Executive Medical Director, National NeuroRehabilitation Consortium, Inc, Director, Concussion Care Center of Virginia, Richmond, Virginia

Barbara Zoltan, MA, OTR, Consultant/Private Practice, Saratoga, California, Lecturer, Department of Occupational Therapy, San Jose State University, San Jose, California

The Journal of Head Trauma Rehabilitation®

Cumulative Contents to Volumes 7 through 12

7:1 March 1992
Quality, Outcome and Value
Danese D. Malkus, MA, CCC-SLP and
Randall W. Evans, PhD, Issue Editors

7:2 June 1992
The Neurology of Head Injury
Douglas I. Katz, MD and Michael P. Alexander, MD,
Issue Editors

7:3 September 1992
Technology and Head Injury Rehabilitation
Ned L. Kirsch, PhD, and Simon P. Levine, PhD,
Issue Editors

7:4 December 1992
Smell and Taste Dysfunction
Nathan D. Zasler, MD, and Richard M. Constanzo, PhD,
Issue Editors

8:1 March 1993
Executive Function Disorders
Nathaniel H. Mayer, MD, and Myrna F. Schwartz, PhD,
Issue Editors

8:2 June 1993
The Traumatic Brain Injury Model Systems of Care
Mitchell Rosenthal, PhD, Issue Editor

8:3 September 1993
Mild Traumatic Brain Injury
Jeffrey T. Barth, PhD, and
Stephen N. Macchiocchi, PhD, Issue Editors

8:4 December 1993
Economics of Traumatic Brain Injury
William J. Haffey, PhD, and Deborah Abrams, PhD,
Issue Editors

9:1 March 1994
Trauma Center Intervention: Improving Functional Outcomes
Linda E. MacKay, MA, CCC-Sp/L, and
Anthony S. Morgan, MD, FACS, Issue Editors

9:2 June 1994
Public Policy Issues
William E. Reynolds, DDS, MPH, and
Bruce Rosen, CSW, MBA, Issue Editors

9:3 September 1994
Psychopharmacology
John Whyte, MD, PhD, and D. Nathan Cope, MD,
Issue Editors

9:4 December 1994
Focus on Clinical Research
Mitchell Rosenthal, PhD, Issue Editor

10:1 February 1995
Outcome Evaluation
Mark V. Johnson, PhD, and Karl M. Hall, Issue Editors

10:2 April 1995
Family Intervention
Edward A. Maitz, PhD, and Marie M. Cavallo, MA,
Issue Editors

10:3 June 1995
Focus on Clinical Research
Bruce Caplan, PhD, Associate Editor

10:4 August 1995
Moving into the Community: Empirical Findings and Innovative Programs
Wayne A. Gordon, PhD, Issue Editor

10:5 October 1995
Pediatric Brain Injury
Linda J. Michaud, MD, Issue Editor

10:6 December 1995
Issues for Practicing Clinicians
M. Elizabeth Sandel, MD, Associate Editor

11:1 February 1996
Behavior Management
Harvey E. Jacobs, PhD, Issue Editor

11:2 April 1996
Attention and Memory
Catherine A. Mateer, PhD, and Robert L. Mapou, PhD, Issue Editors

11:3 June 1996
Focus on Clinical Research
Bruce Caplan, PhD, Associate Editor

11:4 August 1996
Musculoskeletal Consequences of the Brain
Mary Ann Keenan, MD, and Mark Lazarus, MD, Issue Editor

11:5 October 1996
The NIDRR TBI Model System Program
Bruce Caplan, PhD, Associate Editor

11:6 December 1996
Issues for Practicing Clinicians 1996
M. Elizabeth Sandel, MD, Associate Editor

12:1 February 1997
Ethics and Managed Care in Rehabilitation Medicine
Janet F. Haas, MD, and Jane Mattson Prince, PhD, Issue Editors

12:2 April 1997
Managing Transitions in the Educational System
Roberta DePompei, PhD, and Jean Blosser, EdD, Issue Editors

12:3 June 1997
Focus on Clinical Research 1997
Bruce Caplan, PhD, Associate Editor

12:4 August 1997
Disorders of Consciousness
Joseph T. Giancino, PhD, Issue Editor

12:5 October 1997
Community Based Employment
Dale F. Thomas, PhD, CRC, and Frederick E. Menz, PhD, Issue Editors

12:6 December 1997
Issues for Practicing Clinicians 1997
M. Elizabeth Sandel, MD, Associate Editor

The Journal of Head Trauma Rehabilitation®

Author Index

A

Abrams D: Economics of traumatic brain injury (Preface), 8(4):viii

Abrams D, Barker LT, Haffey W, Nelson H: The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, 8(4):59

Adams R *See* Kay T

Adler RK *See* Banja JD

Agosti RM, Katz DI: New antiepileptic drugs, 11(4):100

Ahearn R *See* Keenan MAE

Alavi A *See* Newberg AB

Alexander J *See* Gevins A

Alexander MA *See* McLean DE

Alexander MP:

Neurology of head injury (Preface), 7(2):vii

Neuropsychiatric correlates of persistent postconcussive syndrome, 7(2):60

See also Katz DI; Mills VM

Almli CR, Finger S: Brain injury and recovery of function: Theories and mechanisms of functional reorganization, 7(2):70

Altman IM *See* Prigatano GP

Alves W, Macciocchi SN, Barth JT: Postconcussive symptoms after uncomplicated mild head injury, 8(3):48

Amin K *See* Prigatano GP

Anderson JA, McClellan BA, Pagliarello G, Nelson WR: The relative influence of alcohol and seatbelt usage on severity of injury from motor vehicle crashes (Abstract by Gansner RK), 7(1):98

Anderson T *See* Kay T

Angell M: The beginning of health care reform: the Clinton plan (Abstract by Haas JF), 9(3):116

Annaswamy TM *See* Kerrigan DC

Ansell BJ: Slow-to-recover patients: Improvement to rehabilitation readiness, 8(3):88

Antonak C *See* Antonak RF

Antonak RF, Livneh H, Antonak C: A review of research on psychosocial adjustment to impairment in persons with traumatic brain injury, 8(4):87

Arndt S *See* Federoff J; Jorge R

Arnett JA *See* Mysiw WJ

Ashley MJ, Persel CS, Krych DK: Changes in reimbursement climate: Relationship among outcome, cost, and payor type in the postacute rehabilitation environment, 8(4):30

Ashton R *See* Fleming JM

Ashwal S, Holshouser BA: New neuroimaging techniques and their potential role in patients with acute brain injury, 12(4):13

Avila D: The Americans with Disabilities Act: A rejoinder, 9(1):103

B

Bachman DL: The diagnosis and management of common neurologic sequelae of closed head injury, 7(2):50

Bailey JS *See* Mozzoni MP

Banes L *See* Banja JD

Banja JD:

Allocating rehabilitation according to need, 11(3):84

Does the Americans with Disabilities Act protect persons in the persistent vegetative state?, 8(4):108

Ethics, fraud, and the misallocation of rehabilitation resources, 7(3):114

The myth of value-free research, 10(3):96

Outcomes and values, 9(2):111

Patient rights, ethics committees, and the 1992 Joint Commission standards: Implications for traumatic brain injury programs, 7(4):46

Risk assessment and patient autonomy, 9(4):70

Tragedy and traumatic brain injury, 7(4):112

Values, function, and managed care: An ethical analysis, 12(1):60

"You wouldn't want to live like that...", 12(6):92

See also Cervelli L

Banja JD, Adler RK, Stringer AY: Ethical dimensions of caring for defiant patients: A case study, 11(6):93

Banja JD, Banes L: Moral sensitivity, sodomy laws, and traumatic brain injury rehabilitation, 8(1):116

Banja JD, Moore G: Shifting burdens in managed care: But to whom?, 12(3):91

Barker LT *See* Abrams D

Barry P, Schafer A: Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, 8(4):48

Barth JT:

Mild traumatic brain injury (Preface), 8(3):vii

See also Alves W

Barth JT, Francis JP: *Minor Head Trauma: Assessment, Management, and Rehabilitation,* by Mandel S, Sataloff RT, Schapiro S (Book Review), 9(4):91

Bartha M *See* High WM, Jr

Bat-ami M *See* Freeman MR

Beatty WW, Scott JG, Moreland VJ, Rankin EJ: Head injury effects on a new measure of remote memory: The Famous Tunes Test, 10(3):59

Becker H, Harrell WT, Keller L: A survey of professional and paraprofessional training needs for traumatic brain injury rehabilitation, 8(1):88

Bell KR: *Medical Rehabilitation of Traumatic Brain Injury,* by Horn LJ, Zasler ND (Book Review), 12(2):92

Benedict RHB, Wechsler FS: Evaluation of memory retraining in patients with traumatic brain injury: Two single-case experimental designs, 7(4):83

Benton AL *See* Levin HS

Bergquist S *See* Kreutzer JS

Bergquist TF *See* Novack TA

Bergquist TF, Boll TJ, Corrigan JD, Harley JP, Malec JF, Millis SR, Schmidt MF: Neuropsychological rehabilitation: Proceedings of a consensus conference, 9(4):50

Berninger VW *See* Bragg RM

Berrol C: *Educational Dimensions of Acquired Brain Injury,* by Savage RC, Wolcott GF (Book Review), 10(3):103

Berrol S:

From the editor, 7(1):vi

See also Kay T

Beukelman DR *See* Dongilli PA, Jr

Bigler ED *See* Gale SD

Binder H *See* Oder W

Binder L, Rohling M:

Money matters: A meta-analytic review of the effects of financial incentives on recovery after closed-head injury (Abstract by Herman CD), 11(4):96

Rehabilitation of Post-Concussive Disorders, by Horn LJ, Zasler ND (Book Review), 8(2):114

Blatter DD *See* Gale SD

Blosser J: Managing transition in the educational system (Preface), 12(2):vi

Blosser J, DePompei R:

Fostering effective family involvement through mentoring, 10(2):46

Pediatric Traumatic Brain Injury: Proactive Intervention (Book Review by Nierenberg B), 11(5):97

Blosser J, Pearson S: Transition coordination for students with brain injury: A challenge schools can meet, 12(2):21

Blumenthal D: Quality of care: What is it? (Abstract by Haas JF), 12(3):99

Blumenthal D, Meyer GS: The future of the academic medical center under health care reform (Abstract by Haas JF), 9(4):88

Boake C:

Do patients with mild brain injuries have posttraumatic stress disorder, too? (Controversies), 11(1):98

See also High WM, Jr

Bogdan A *See* Condeluci A

Bogen D *See* Ried S

Bogner JA *See* Mysiw WJ

Bogner JA, Corrigan JD, Spafford DE, Lamb-Hart GL: Integrating substance abuse treatment and vocational rehabilitation after traumatic brain injury, 12(5):57

Boll TJ *See* Bergquist TF; La Marche JA

Bontke CF:

Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy (Controversies), 8(4):106

Do patients with mild brain injuries have posttraumatic stress disorder, too? (Controversies), 11(1):100

Managed care in traumatic brain injury rehabilitation: Physiatrists' concerns and ethical dilemmas, 12(1):37

Sensory stimulation: Accepted practice or expected practice? (Controversies), 7(4):120

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification? (Controversies), 11(6):87

Should we withhold food from patients in a persistent vegetative state? (Controversies), 9(4):68

See also Dahmer ER

Bontke CF, Lehmkuhl LD, Englander J, Mann N, Ragnarsson KT, Zasler ND, Graves DE, Thoi LL, Jung C: Medical complications and associated injuries of persons treated in the traumatic brain injury model systems programs, 8(2):34

Borg-Stein J, Stein J: Pharmacology of botulinum toxin and implications for use in disorders of muscle tone, 8(3):103

Botte MJ *See* Gellman H

Botterbusch KF *See* Thomas DF

Bouma GJ, Muizelaar JP, Stinger WA, Sund CC, Fatouros P, Young HF: Ultra-early evaluation of regional cerebral blood flow in severely head-injured patients using Xenon-enhanced computerized tomography (Abstract by Reinhard D), 8(3):115

Bouman DE *See* Springer JA

Boyeson MG, Harmon RL: Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, 9(3):78

Bragg RM, Klockars AJ, Berninger VW: Comparison of families with and without adolescents with traumatic brain injury, 7(3):94

Brett AS *See* Emanuel EJ

Brickett P *See* Gevins A

Britton KE *See* Newton MR

Brook RH, McGlynn EA, Cleary PD: Quality of health care, Part 2: Measuring quality of care (Abstract by Haas JF), 12(3):101

Brooks CA, Lindstrom J, McCray J, Whiteneck GG: Cost of medical care for a population-based sample of persons surviving traumatic brain injury, 10(4):1

Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J: Managing costs and outcome of patients with traumatic brain injury in an HMO setting, 8(4):15

Bryant RA *See* Lahz S

Brzuzy S, Corrigan JD: Predictors of living independently after moderate to severe traumatic brain injury: A comparison study, 11(3):74

Buckle L *See* Stuss DT

Buckwalter JG *See* Rizzo AA

Buffington ALH, Malec JF: The vocational rehabilitation continuum: Maximizing outcomes through bridging the gap from hospital to community-based services, 12(5):1

Bunning S *See* Kendall E

Bushnell DL *See* Varney NR

C

Caldwell SG *See* Novack TA

Calub CJ *See* DeBoskey DS

Caplan A: The ethics of gatekeeping in rehabilitation medicine, 12(1):29

Caplan B:

Brain Injury and Neuropsychological Rehabilitation: International Perspectives, by Christensen A-L, Uzzell BP (Book Review), 10(1):103

Brain Injury Rehabilitation: A Neurofunctional Approach, by Giles GM, Clark-Wilson J (Book Review), 10(1):102

Clinical Management of Memory Problems, by Wilson B, Moffat N (Book Review), 9(2):119

From the editor, 10(3):v; 11(3):vi; 11(5):v; 12(3):vii

Head Trauma: Strategies for Educational Reintegration, by Gerring J, Carney J (Book Review), 9(2):119

Legal Neurology and Malingering: Cases and Techniques, by Gorman W (Book Review), 10(1):102

See also Woessner R

Cardenas DD: Cognition-enhancing drugs, 8(4):112

Carnevale GJ: Natural-setting behavior management for individuals with traumatic brain injury: Results of a three-year caregiver training program, 11(1):27

Carney J *See* Gerring J

Casey KF, McIntosh T: The role of novel pharmacotherapy in brain injury, 9(1):82

Cash AW *See* La Marche JA

Cassidy JW: Neuropharmacological management of destructive behavior after traumatic brain injury, 9(3):43

Cataldo MD *See* Slifer KJ

Cavallo MM:

Family intervention (Preface), 10(2):vi

See also Kay T

Cavallo MM, Saucedo C: Traumatic brain injury in families from culturally diverse populations, 10(2):66

Cawley MF *See* McLean DE

Cerra-Tyl D *See* Venzie DR

Cervelli L, Banja JD: Ethical dilemmas resulting from insurance coverage for catastrophic rehabilitative care, 10(1):90

Chapman P *See* Powell JN; Schwartz Cowley R

Chapman SB, Levin HS, Matejka J, Harward H, Kufera JA: Discourse ability in children with brain injury: Correlations with psychosocial, linguistic, and cognitive factors, 10(5):36

Chassin MR: Quality of health care. Part 3: Improving the quality of care (Abstract by Haas JF), 12(3):102

Chiapello D *See* Prigatano GP

Childs A *See* Michals ML

Childs NL, Cranford RE: Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, 12(4):70

Chittum R *See* Zhou J

Christensen A-L, Uzzell BP: *Brain Injury and Neuropsychological Rehabilitation: International Perspectives* (Book Review by Caplan B), 10(1):103

Cicerone KD:

Cognitive Rehabilitation in Perspective, by Wood RL, Fussey I (Book Review), 7(2):112

Questions and answers, 10(6):78

See also Kay T

Cicerone KD, Kalmar K:

Letter to the editors, 11(3):vii

Persistent postconcussion syndrome: The structure of subjective complaints after mild traumatic brain injury, 10(3):1

Cifu DX *See* Englander J; High WM, Jr; Kreutzer JS

Clark C *See* Klonoff H

Clark-Wilson J *See* Giles GM

Cleary PD *See* Brook RH

Cleary S *See* Englander J

Clemmons D *See* Curl RM

Clifford JO *See* Rappaport M

Clifton GL: 1996 Sheldon Berrol, MD Senior Lectureship: Prospects for improving outcome by research, 12(5):88

Clinchot DM *See* Mysiw WJ

Coelho CA, Liles BZ, Duffey RJ: Impairments of discourse abilities and executive functions in traumatically brain injured adults (Abstract by Haas JF), 12(3):99

Coffey M *See* Tate R

Cohen RF *See* Cowell LC

Colbert B *See* Pace GM

Cole CM *See* Emory LE

Condeluci A, Ferris LL, Bogdan A: Outcome and value: The survivor perspective, 7(4):37

Constantinidou F, Neils J: Stimulus modality and verbal learning after moderate to severe closed head injury, 10(4):90

Contant CF *See* Hannay HJ

Cook RG *See* Curl RM

Cooley E *See* Glang A; Singer GHS

Cope DN, O'Lear J:

A clinical and economic perspective on head injury rehabilitation, 8(4):1

Handbook of Head Trauma: Acute Care to Recovery, by Long CJ, Ross LK (Book Review), 9(1):111

An integration of psychopharmacological and rehabilitation approaches to traumatic brain injury rehabilitation, 9(3):1

Neuropsychiatry of Traumatic Brain Injury, by Silver JM, Yudofsky SC, Hales RE (Book Review), 10(6):98

Psychopharmacology (Preface), 9(3):vii

See also Hall KM

Cope DN, Wolfson B: Crisis intervention with the family in the trauma setting, 9(1):67

Cornblatt R *See* Wroblewski BA

Corrigan JD *See* Bergquist TF; Bogner JA; Brzuzy S; Mysiw WJ

Corrigan JD, Deming R: Psychometric characteristics of the Community Integration Questionnaire: Replication and extension, 10(4):41

Corrigan JD, Rust E, Lamb-Hart GL: The nature and extent of substance abuse problems in persons with traumatic brain injury, 10(3):29

Costanzo RM: Smell and taste dysfunction (Preface), 7(1):vii

Costanzo RM, Zasler ND: Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, 7(1):15

Courtney L *See* High WM, Jr

Cowan DM *See* Richter KJ

Cowell LC, Cohen RF: Amantadine: A potential adjuvant therapy following traumatic brain injury, 10(6):91

Cowen TD, Meythaler JM, DeVivo MJ, Ivie CS, Lobow J, Novack TA: Influence of early variables in traumatic brain injury on Functional Independence Measure scores and rehabilitation length of stay and charges (Abstract by Haas JF), 12(3):97

Cranford RE *See* Childs NL

Crismon ML *See* Michals ML

Cunningham M *See* Prigatano GP

Curl RM, Fraser RT, Cook RG, Clemmons D: Traumatic brain injury vocational rehabilitation: Preliminary findings for the coworker as trainer project, 11(1):75

Curran C *See* Ponsford JL

Cutillo B *See* Gevins A

D

Dabney K *See* McLean DE

Dahlberg C *See* Kay T

Dahmer ER, Shilling MA, Hamilton BB, Bontke CF, Englander J, Kreutzer JS, Ragnarsson KT, Rosenthal M: A model systems database for traumatic brain injury, 8(2):12

Davidson TM *See* Murphy C

DeBoskey DS, Hecht JS, Calub CJ: *Educating Families of the Head Injured (A Guide to Medical, Cognitive and Social Issues)* (Book Review by Kay T), 8(4):115

Deecke L *See* Oder W

Delaney SM *See* Glisky EL

Dell Orto AE, Power PW: *Head Injury and the Family: A Life and Living Perspective* (Book Review by Sachs PR), 11(3):96

Delmonico R *See* Kreutzer JS; Sander AM

DeLorenzo JP *See* Ylvisaker M

Deming R *See* Corrigan JD

DePompei R:

Cognitive-Communicative Abilities Following Brain Injury: A Functional Approach, by Hartley LL (Book Review), 11(3):94

Managing transition in the educational system (Preface), 12(2):vi

See also Blosser J; Harris JR

Desmond J *See* Gevins A

DeVivo MJ *See* Cowen TD

Dicker BG: Profile of those at risk for minor head injury, 7(1):83

Dicowden M *See* Freeman MR

Digre PG, Kamen D, Vaughn S, Weinand A, Helgeson S: Selected states' public policy responses to traumatic brain injury, 9(2):12

Dijkers M:

Measuring the long-term outcomes of traumatic brain injury: A review of the Community Integration Questionnaire, 12(6):74

See also Rosenthal M

Dikkes P *See* Kinney HC

Dikmen SS, Levin HS: Methodological issues in the study of mild head injury, 8(3):30

Dikmen SS, Machamer JE: Neurobehavioral outcomes and their determinants, 10(1):74

Dimitrov M, Grafman J, Hollnagel C: The effects of frontal lobe damage on everyday problem solving (Abstract by Haas JF), 12(5):98

DiPasquale MC *See* Phipps EJ

DiPasquale MC, Whyte J: The use of quantitative data in treatment planning for minimally conscious patients, 11(6):9

DiScala C, Osberg JS, Savage RC: Children hospitalized for traumatic brain injury: Transition to postacute care, 12(2):1

Dixon CE, Taft WC, Hayes RL: Mechanisms of mild traumatic brain injury, 8(3):1

Dobkin E *See* Palter MD

Dolan JM: Should we withhold food from patients in a persistent vegetative state? (Controversies), 9(4):62

Donders J: *Students with Acquired Brain Injury: The School's Response*, by Glang A, Singer GHS, Todis B (Book Review), 12(6):98

Dongilli PA, Jr, Hakel ME, Beukelman DR: Recovery of functional speech following traumatic brain injury, 7(2):91

Dornan J *See* Ip R

Doty RL: Diagnostic tests and assessment, 7(1):47

Dougherty CJ: Managed care and (un)informed consent, 12(1):21

Doyle M *See* Fried-Oken M

Duffey RJ *See* Coelho CA

Duhaime A-C *See* Ewing-Cobbs L; Michaud LJ

Duke LW *See* Novack TA

Durgin CJ, Schmidt ND, Fryer LJ: *Staff Development and Clinical Intervention in Brain Injury Rehabilitation* (Book Review by Jaffe KM), 9(4):93

DuRousseau D *See* Gevins A

Dywan J, Segalowitz SJ: Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, 11(2):79

E

Edwards AD: *Speech Synthesis: Technology for Disabled People* (Book Review by Tonkovich JD), 7(2):114

Eichelberger MR *See* Papero PH

Eisenberg HM *See* Levin HS

Elovic E:

Atypical antipsychotics: Risperidone and clozapine, 11(3):89

See also Glenn MB

Emanuel EJ, Brett AS: Managed competition and the patient-physician relationship (Abstract by Haas JF), 9(4):85

Emory LE, Cole CM, Meyer WJ, III: Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, 10(3):47

Englander J *See* Bontke CF; Dahmer ER; Rosenthal M

Englander J, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C: The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, 11(5):15

Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD: Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, 8(2):101

Esquenazi A *See* Mayer NH

Esselman P *See* Fann J

Evans JJ *See* Wilson B

Evans RW:

Quality, outcome, and value (Preface), 7(4):vii

See also Ling JS

Ewing-Cobbs L, Duhaime A-C, Fletcher JM: Inflicted and noninflicted traumatic brain injury in infants and preschoolers, 10(5):13

Ezrachi O *See* Hannay HJ; Kay T

F

Fann J, Katon W, Uomoto J, Esselman P: Psychiatric disorders and functional disability in outpatients with traumatic brain injuries (Abstract by Herman CD), 11(3):93, 11(4):96

Farmer JE *See* Springer JA

Farrell AD *See* Leininger BE

Fatouros P *See* Bouma GJ

Fay GC *See* Jaffe KM

Federoff J, Starkstein S, Forrester A, Geisler F, Jorge R, Arndt S, Robinson R: Depression in patients with acute traumatic brain injury (Abstract by Herman CD), 8(3):117

Feeney TJ *See* Ylvisaker M

Feeney TJ, Ylvisaker M: Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, 10(3):67

Felicetti T *See* Venzie DR

Fernandez CC *See* Kreutzer JS; Sander AM

Ferris LL *See* Condeluci A

Filidei M *See* Gevins A

Filley CM *See* Giacino JT

Finger S *See* Almli CR

Finlayson MAJ, Garner SH: *Brain Injury Rehabilitation: Clinical Considerations* (Book Review by Hills EC, Sandel ME), 10(5):99

Fisher JM *See* McCaffrey RJ; Orsillo SM

FitzpatrickDeSalme EJ *See* Schwartz MF

Flanagan S *See* Tate R

Flanagan S, Gordon WA: *Community-Based Employment Following Traumatic Brain Injury*, by Thomas D, Menz F, McAlees D (Book Review), 11(1):103

Fleming JM, Strong J, Ashton R, Hassell M: A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, 12(3):27

Fletcher JM *See* Ewing-Cobbs L

Ford MR, Khalil M:

Evoked potential findings in mild traumatic brain injury 1: Middle latency component augmentation and cognitive component attenuation, 11(3):1

Evoked potential findings in mild traumatic brain injury 2: Scoring system and individual discrimination, 11(3):16

Fordyce DJ: *A Practical Guide to Head Injury Rehabilitation: A Focus on Postacute Residential Treatment,* by Wesolowski MD, Zencius AH (Book Review), 10(3):101

Forrester A *See* Federoff J; Jorge R

Francis JP *See* Barth JT

Francisco GE: Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification? (Controversies), 11(6):83

Fraser RT *See* Curl RM

Freeman MR, Mittenberg W, Dicowden M, Bat-ami M: Executive and compensatory memory retraining in traumatic brain injury (Abstract by Haas JF), 9(4):86

Frey WR: Quality management: Protecting and enhancing quality in brain injury rehabilitation, 7(4):1

Fried-Oken M, Doyle M: Language representation for the augmentative and alternative communication of adults with traumatic brain injury, 7(3):59

Fry R *See* Kreutzer JS

Fryer LJ *See* Durgin CJ

Fussey I *See* Wood RL

G

Gage RJ *See* Novack TA

Gale SD, Johnson SC, Bigler ED, Blatter DD: Trauma-induced degenerative changes in brain injury: A morphometric analysis of three patients with preinjury and postinjury MR scans (Abstract by Haas JF), 11(6):100

Gansner RK: The relative influence of alcohol and seatbelt usage on severity of injury from motor vehicle crashes, by Anderson JA, McClellan BA, Pagliarello G, Nelson WR (Abstract), 7(1):98

Garner SH *See* Finlayson MAJ

Garvin LJ *See* Schmidt MF

Gasquoine PG, Gibbons TA: Lack of awareness of impairment in institutionalized, severely and chronically disabled survivors of traumatic brain injury: A preliminary investigation, 9(4):16

Geary PJ *See* Ylvisaker M

Geisler F *See* Federoff J; Jorge R

Gellman H, Keenan MAE, Botte MJ: Recognition and management of upper extremity pain syndromes in the patient with brain injury, 11(4):23

Gerber DJ *See* Kay T

Gerber DJ, Schraa JC: Mild traumatic brain injury: Searching for the syndrome, 10(4):28

Gerring J, Carney J: *Head Trauma: Strategies for Educational Reintegration* (Book Review by Caplan B), 9(2):119

Gerson AC *See* Slifer KJ

Gervasio AH *See* Serio CD

Gervasio AH, Kreutzer JS:

Kinship and family members' psychological distress after traumatic brain injury: A large sample study, 12(3):14

Sexuality and the Person with Traumatic Brain Injury: A Guide for Families, by Griffith ER, Lemberg S (Book Review), 9(1):112

Gevins A, Le J, Brickett P, Cutillo B, Ward M, Reutter B, Alexander J, Desmond J, Leong H, Johnston J, Illes J, McLaughlin J, DuRousseau D, Raffaelli P, Filidei M: The future of high-resolution EEGs in assessing neurocognitive effects of mild head injury, 7(2):78

Giacino JT: Disorders of consciousness (Preface), 12(4):vii

Giacino JT, Kalmar K: The vegetative and minimally conscious states: A comparison of clinical features and functional outcome, 12(4):36

Giacino JT, Zasler ND: Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, 10(1):40

Giacino JT, Zasler ND, Katz DI, Kelly JP, Rosenberg JH, Filley CM: Development of practice guidelines for assessment and management of the vegetative and minimally conscious states, 12(4):79

Gianutsos R: The computer in cognitive rehabilitation: It's not just a tool anymore, 7(3):26

Gibbons TA *See* Gasquoine PG

Giles GM, Clark-Wilson J: *Brain Injury Rehabilitation: A Neurofunctional Approach* (Book Review by Caplan B), 10(1):102

Gizzi M: The efficacy of vestibular rehabilitation for patients with head trauma, 10(6):60

Glang A *See* Singer GHS

Glang A, Singer G, Cooley E, Tish N: Tailoring direct instruction techniques for use with elementary students with brain injury, 7(4):93

Glang A, Singer GHS, Todis B: *Students with Acquired Brain Injury: The School's Response* (Book Review by Donders J), 12(6):98

Glang A, Todis B, Cooley E, Wells J, Voss J: Building social networks for children and adolescents with traumatic brain injury: A school-based intervention, 12(2):32

Glenn MB:

Etidronate disodium: Effects on heterotopic ossification and osteoporosis, 8(3):99

Zolpidem for the treatment of insomnia, 11(2):96

See also Wroblewski BA

Glenn MB, Elovic E: Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, 12(6):40

Glisky EL: Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, 7(3):1

Glisky EL, Delaney SM: Implicit memory and new semantic learning in posttraumatic amnesia, 11(2):31

Godfrey HPD, Knight RG, Partridge FM: Emotional adjustment following traumatic brain injury: A stress-appraisal-coping formulation, 11(6):29

Goka R *See* Kay T

Goldenberg G *See* Oder W

Goldenberg G, Oder W, Spatt J, Podreka I: Cerebral correlates of disturbed executive function and memory in survivors of severe closed head injury: A SPECT study (Abstract by Reinhard DL), 9(1):109

Goldfader MA *See* Smith KR

Goldman A *See* Ried S

Goldman-Rakic PS: Specification of higher cortical functions, 8(1):13

Goldstein FC, Levin HS: Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, 10(1):57

Goodall P, Lawyer HL, Wehman P: Vocational rehabilitation and traumatic brain injury: A legislative and public policy perspective, 9(2):61

Goode R *See* Kinney HC

Gordon WA:

Moving into the community (Preface), 10(4):v

See also Hall KM; High WM, Jr; Kreutzer JS; Lehmkuhl LD; Milliren JW; Willer B

Gordon WA, Mann N, Willer B: Demographic and social characteristics of the traumatic brain injury model system database, 8(2):26

Gorman W: *Legal Neurology and Malingering: Cases and Techniques* (Book Review by Caplan B), 10(1):102

Gotschall CS *See* Papero PH

Goulding PM *See* Smith KR

Grafman J *See* Dimitrov M

Grafman J, Sirigu A, Spector L, Hendler J: Damage to the prefrontal cortex leads to decomposition of structured event complexes, 8(1):73

Gramling SE *See* Leininger BE

Graves DE *See* Bontke CF

Greenwood, RJ *See* Newton MR

Griffin C *See* Jacobs HE

Griffith ER, Lemberg S: *Sexuality and the Person with Traumatic Brain Injury: A Guide for Families* (Book Review by Gervasio AH, Kreutzer JS), 9(1):112

Gross A *See* Reimer W

Guercio J *See* Zhou J

H

Haas JF:

The beginning of health care reform: the Clinton plan, by Angell M (Abstract), 9(3):116

Behavioural and psychosocial sequelae of severe closed head injury and regional cerebral blood flow: A SPECT study, by Oder W, Goldenberg G, Spatt J, Podreka I, Binder H, Deecke L (Abstract), 8(3):116

Cholinergic and opioid mediation of traumatic brain injury, by Lyeth BG, Hayes RL (Abstract), 9(1):108

Conceptual basis of outcome measures, by Keith RA (Abstract), 10(6):88

The diagnosis and initial management of head injury, by White RJ, Likavec MJ (Abstract), 8(3):118

Diagnostic accuracy in head-injured patients: An emergency department audit, by Tulloh BR (Abstract), 10(2):96

The effects of frontal lobe damage on everyday problem solving, by Dimitrov M, Grafman J, Hollnagel C (Abstract), 12(5):98

Ethics and managed care in rehabilitation medicine (Preface), 12(1):vii

Executive and compensatory memory retraining in traumatic brain injury, by Freeman MR, Mittenberg W, Dicowden M, Bat-ami M (Abstract), 9(4):86

Executive functioning following mild closed head injury, by Stablum F, Mogentale C, Umilta C (Abstract), 12(5):99

The framework of health care reform, by Starr P (Abstract), 9(3):117

The future of the academic medical center under health care reform, by Blumenthal D, Meyer GS (Abstract), 9(4):88

Health care reform: The role of physicians, by Inglehart JK (Abstract), 9(4):89

Health policy report: Republicans and the new politics of health care, by Inglehart JK (Abstract), 10(6):89

The impact of recent changes in health care insurance on medical practice, 12(1):1

Impairments of discourse abilities and executive functions in traumatically brain injured adults, by Coelho CA, Liles BZ, Duffey RJ (Abstract), 12(3):99

Influence of early variables in traumatic brain injury on Functional Independence Measure scores and rehabilitation length of stay and charges, by Cowen TD, Meythaler JM, DeVivo MJ, Ivie CS, Lobow J, Novack TA (Abstract), 12(3):97

Longterm outcome of head injuries: a 23-year follow-up study of children with head injuries, by Klonoff H, Clark C, Klonoff PS (Abstract), 9(1):106

Managed competition and the patient-physician relationship, by Emanuel EJ, Brett AS (Abstract), 9(4):85

Men, women, and health insurance, by Miles S, Parker K (Abstract), 12(4):95

N of 1 study: Amantadine for the amotivational syndrome in a patient with traumatic brain injury, by Van Reekum R, Bayley M, Garner S, et al (Abstract), 10(6):90

Neurobehavioral outcome of closed head injury: Implications for clinical trials, by Levin H (Abstract), 11(4):98; 12(3):96

The neuro-psychological spectrum in traumatically head-injured persons, by Reimer W, Van Patten K, Templer DI, Schuyler B, Gross A, Yanovsky A (Abstract), 11(2):104

New magnetic resonance imaging techniques for the evaluation of traumatic brain injury, by Smith DH, Meaney DF, Lenkinski RE, et al (Abstract), 11(6):100

Outcomes for traumatically brain-injured patients following post-acute rehabilitation programs, by Mills VM, Nesbeda T, Katz DI, Alexander MP (Abstract), 9(4):87

The plastic brain, by Hallett M (Abstract), 11(6):101

Prediction of employment status 2 years after traumatic brain injury, by Ponsford JL, Olver JH, Curran C (Abstract), 10(6):86

A profile of outcome: Two years after traumatic brain injury, by Ponsford JL, Olver JH, Curran C (Abstract), 10(6):87

Psychosocial and emotional sequelae of individuals with traumatic brain injury: A literature review and recommendations, by Morton MV, Wehman P (Abstract), 11(2):104

Quality of care: What is it?, by Blumenthal D (Abstract), 12(3):99

Quality of health care. Part 2: Measuring quality of care, by Brook RH, McGlynn EA, Cleary PD (Abstract), 12(3):101

Quality of health care. Part 3: Improving the quality of care, by Chassin MR (Abstract), 12(3):102

Recovery and compensatory strategies in head injured memory impaired people several years after insult, by Wilson B (Abstract), 9(4):86

Recovery trends over three years following pediatric traumatic brain injury, by Jaffe KM, Polissar NL, Fay GC, Liao S (Abstract), 10(6):85

Trauma-induced degenerative changes in brain injury: A morphometric analysis of three patients with preinjury and postinjury MR scans, by Gale SD, Johnson SC, Bigler ED, Blatter DD (Abstract), 11(6):100

Traumatic brain injury: Factors predicting return to work or school, by Ip R, Dornan J, Schentag C (Abstract), 11(4):97

Traumatic brain injury: Predicting course of recovery and outcome for patients admitted to rehabilitation, by Katz DI, Alexander MP (Abstract), 10(6):85

See also Prince JM

Haffey WJ:

Economics of traumatic brain injury (Preface), 8(4):viii

Head Injury: A Family Matter, by Williams JM, Kay T (Book Review), 7(1):101

See also Abrams D

Haider T *See* Keenan MAE

Hakel ME *See* Dongilli PA, Jr

Hales RE *See* Silver JM

Hall KM:

Outcome evaluation (Preface), 10(1):vii

See also Englander J; Harrison-Felix C; High WM, Jr; Lehmkuhl LD

Hall KM, Cope DN: The benefit of rehabilitation in traumatic brain injury: A literature review, 10(1):1

Hall KM, Hamilton BB, Gordon WA, Zasler ND: Characteristics and comparisons of functional assessment indices: Disability Rating Scale, Functional Independence Measure, and Functional Assessment Measure, 8(2):60

Hall KM, Mann N, High WM, Jr, Wright J, Kreutzer JS, Wood D: Functional measures after traumatic brain injury: Ceiling effects of FIM, FIM+FAM, DRS, and CIQ, 11(5):27

Hallett M: The plastic brain (Abstract by Haas JF), 11(6):101

Halson D *See* Kendall E

Hamilton BB *See* Dahmer ER; Hall KM

Hammond FM: Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification? (Controversies), 11(6):80

Hannay HJ, Ezrachi O, Contant CF, Levin HS: Outcome measures for patients with head injuries: Report of the Outcome Measures Subcommittee, 11(6):41

Harley JP *See* Bergquist TF

Harley P *See* Kay T

Harmon RL *See* Boyeson MG

Harrell WT *See* Becker H

Harrington DE *See* Kay T

Harris JR, DePompei R: Provision of services for students with traumatic brain injury: A survey of Ohio colleges, 12(2):67

Harrison-Felix C *See* Rosenthal M

Harrison-Felix C, Newton CN, Hall KM, Kreutzer JS: Descriptive findings from the traumatic brain injury model systems national data base, 11(5):1

Hart T *See* Jacobs HE

Hart T, Jacobs HE: Rehabilitation and management of behavioral disturbances following frontal lobe injury, 8(1):1

Hartley LL: *Cognitive-Communicative Abilities Following Brain Injury: A Functional Approach* (Book Review by DePompei R), 11(3):94

Harward H *See* Chapman SB

Hassell M *See* Fleming JM

Hatlerman-Holmes P *See* Smith KR

Hayes RL *See* Dixon CE; Lyeth BG

Hayes RL, Jenkins LW, Lyeth BG: Neurochemical aspects of head injury: Role of excitatory neurotransmission, 7(2):16

Hays RM *See* Shurtleff HA

Hecht JS *See* DeBoskey DS

Heinemann AW *See* Schmidt MF

Heinemann AW, Whiteneck GG: Relationships among impairment, disability, handicap, and life satisfaction in persons with traumatic brain injury, 10(4):54

Helgeson S *See* Digre PG

Hendler J *See* Grafman J

Herman CD:

Antidepressant pharmacotherapy and treatment of depression in patients with severe traumatic brain injury: A controlled prospective study, by Wroblewski BA, Joseph A, Cornblatt R (Abstract), 12(4):95

Comparison between acute- and delayed-onset depression following traumatic brain injury, by Jorge R, Robinson R, Arndt S, Forrester A, Geisler F, Starkstein S (Abstract), 9(1):108

Depression in patients with acute traumatic brain injury, by Federoff J, Starkstein S, Forrester A, Geisler F, Jorge R, Arndt S, Robinson R (Abstract), 8(3):117

A meta-analytic review of the effects of financial incentives on recovery after closed-head injury, by Binder L, Rohling M (Abstract), 11(4):96

Psychiatric disorders and functional disability in outpatients with traumatic brain injuries, by Fann J, Katon W, Uomoto J, Esselman P (Abstract), 11(3):93, 11(4):96

Secondary mania following traumatic brain injury, by Jorge R, Robinson R, Starkstein S, Arndt S, Forrester A, Geisler F (Abstract), 9(1):107

Heywood PG *See* Zasler ND

High WM, Jr *See* Hall KM

High WM, Jr, Boake C, Lehmkuhl LD: Critical analysis of studies evaluating the effectiveness of rehabilitation after traumatic brain injury, 10(1):14

High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L: Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, 10(4):64

High WM, Jr, Hall KM, Rosenthal M, Mann N, Zafonte R, Cifu DX, Boake C, Bartha M, Ivanhoe C, Yablon S, Newton CN, Sherer M, Silver B, Lehmkuhl LD: Factors affecting hospital length of stay and charges following traumatic brain injury, 11(5):85

Hills EC, Sandel ME: *Brain Injury Rehabilitation: Clinical Considerations*, by Finlayson MAJ, Garner SH (Book Review), 10(5):99

Hilt J *See* Kay T

Hobbs A *See* Bryant ET

Hollnagel C *See* Dimitrov M

Holshouser BA *See* Ashwal S

Horn LJ:

Sensory stimulation: Accepted practice or expected practice? (Controversies), 7(4):117

See also Kay T

Horn LJ, Zasler ND:

Medical Rehabilitation of Traumatic Brain Injury (Book Review by Bell KR), 12(2):92

Rehabilitation of Post-Concussive Disorders (Book Review by Binder LM), 8(2):114

Horstmann HM *See* Levine SP

Hosack KR, Rocchio CA: Serving families of persons with severe brain injury in an era of managed care, 10(2):57

Hsu JD *See* Peter KS

Humphreys GW *See* Riddoch MJ

I

Illes J *See* Gevins A

Inglehart JK:

Health care reform: The role of physicians (Abstract by Haas JF), 9(4):89

Health policy report: Republicans and the new politics of health care (Abstract by Haas JF), 10(6):89

Ip R, Dornan J, Schentag C: Traumatic brain injury: Factors predicting return to work or school (Abstract by Haas JF), 11(4):97

Ivanhoe C:

Should we withhold food from patients in a persistent vegetative state? (Controversies), 9(4):66

See also Englander J; High WM, Jr

Ivie CS *See* Cowen TD

J

Jacobs HE:

Behavioral technologies (Preface), 11(1):vi

The Clubhouse: Addressing work-related behavioral challenges through a supportive social community, 12(5):14

Work Worth Doing: Advances in Brain Injury Rehabilitation, by McMahon BT, Shaw LR (Book Review), 9(4):95

See also Hart T

Jacobs HE, Hart T, Mory KD, Griffin C, Martin BA, Probst J: Single-subject evaluation designs in rehabilitation: Case studies on inpatient units, 11(1):86

Jaffe KM: *Staff Development and Clinical Intervention in Brain Injury Rehabilitation*, by Durgin CJ, Schmidt ND, Fryer LJ (Book Review), 9(4):93

Jaffe KM, Polissar NL, Fay GC, Liao S: Recovery trends over three years following pediatric traumatic brain injury (Abstract by Haas JF), 10(6):85

Jasin P *See* O'Dell MW

Jenkins J *See* Bryant ET

Jenkins LW *See* Hayes RL

Jennett B: A quarter century of the vegetative state: An international perspective, 12(4):1

Johnson DL *See* Papero PH

Johnson K *See* Zhou J

Johnson P *See* Malkmus DD; Thomas-Stonell N

Johnson SC *See* Gale SD

Johnston J *See* Gevins A

Johnston MV: Outcome evaluation (Preface), 10(1):vii

Johnston MV, Wilkerson DL: Program evaluation and quality improvement systems in brain injury rehabilitation, 7(4):68

Jorge R *See* Federoff J

Jorge R, Robinson R, Arndt S, Forrester A, Geisler F, Starkstein S: Comparison between acute- and delayed-onset depression following traumatic brain injury (Abstract by Herman CD), 9(1):108

Jorge R, Robinson R, Starkstein S, Arndt S, Forrester A, Geisler F: Secondary mania following traumatic brain injury (Abstract by Herman CD), 9(1):107

Joseph A *See* Wroblewski B

Joseph AB, Wroblewski B: Depression, antidepressants, and traumatic brain injury, 10(2):90

Jung C *See* Bontke CF

Jutai J *See* Thomas-Stonell N

K

Kahn D *See* Varney NR

Kaitz ES *See* McLean DE

Kalmar K *See* Cicerone KD; Giacino JT

Kamen D *See* Digre PG

Kane AC *See* Slifer KJ

Kanyer B: Meeting the seating and mobility needs of the client with traumatic brain injury, 7(3):81

Kaplan MS: Tizanidine: Another tool in the management of spasticity, 12(5):93

Kaschalk SM *See* Richter KJ

Katon W *See* Fann J

Katz DI:

Neurology of head injury (Preface), 7(2):vii

Neuropathology and neurobehavioral recovery from closed head injury, 7(2):1

See also Agosti RM; Giacino JT; Mills VM

Katz DI, Alexander MP: Traumatic brain injury: Predicting course of recovery and outcome for patients admitted to rehabilitation (Abstract by Haas JF), 10(6):85

Katz SD *See* Kolessar DJ

Kay T:

Educating Families of the Head Injured (A Guide to Medical, Cognitive and Social Issues), by DeBoskey DS, Hecht JS, Calub CJ (Book Review), 8(4):115

Living with Head Injury, by Senelick RC, Ryan CE (Book Review), 8(4):115

Neuropsychological treatment of mild traumatic brain injury, 8(3):74

Questions and answers, 10(6):78

See also Williams JM

Kay T, Cavallo MM, Ezrachi O, Vavagiakis P: The Head Injury Family Interview: A clinical and research tool, 10(2):12

Kay T, Harrington DE, Adams R, Anderson T, Berrol S, Cicerone K, Dahlberg C, Gerber D, Goka R, Harley P, Hilt J, Horn L, Lehmkuhl D, Malec J, 8(3):86

Keenan CJ *See* McLean DE

Keenan MAE:

Musculoskeletal consequences of brain injury (Preface), 11(4):vii

See also Gellman H; Kolessar DJ; Peter KS

Keenan MAE, Ahearn R, Lazarus M, Perry J: Selective release of spastic elbow flexors in the patient with brain injury, 11(4):57

Keenan MAE, Haider T: The formation of heterotopic ossification after traumatic brain injury: A biopsy study with ultrastructural analysis, 11(4):8

Keith RA: Conceptual basis of outcome measures (Abstract by Haas JF), 10(6):88

Keller L *See* Becker H

Kelly JP *See* Giacino JT; Schmidt MF

Kendall E, Shum D, Halson D, Bunning S, Teh M: The assessment of social problem-solving ability following traumatic brain injury, 12(3):68

Kerns KA *See* Singer GHS

Kerrigan DC, Annaswamy TM: The functional significance of spasticity as assessed by gait analysis, 12(6):29

Khalil M *See* Ford MR

Kinney HC, Korein J, Panigraphy A, Dikkes P, Goode R: Neuropathological findings in the brain of Karen Ann Quinlan (Abstract by Haas JF), 10(1):98

Kirchner P *See* Varney NR

Kirsch NL:

Technology and head injury rehabilitation (Preface), 7(3):vii

See also Levine SP

Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M: Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, 7(3):13

Kitik BA *See* Schwartz Cowley R

Klockars AJ *See* Bragg RM

Klonoff H, Clark C, Klonoff PS: Longterm outcome of head injuries: a 23-year follow-up study of children with head injuries (Abstract by Haas JF), 9(1):106

Klonoff PS *See* Klonoff H; Prigatano GP

Klonoff PS, Lage GA: Suicide in patients with traumatic brain injury: Risk and prevention, 10(6):16

Kneipp S: A model for team meetings in nonresidential community-integrated programs, 10(6):50

Knight RG *See* Godfrey HPD

Kolessar DJ, Katz SD, Keenan MA: Functional outcome following surgical resection of heterotopic ossification in patients with brain injury, 11(4):78

Kolpan KI:

To be seen or not to be seen—That is the question, 7(1):96

Getting involved in litigation, 12(2):82

"Greetings," 8(3):110

Hedonic damages, 7(2):109

"I dare you," 12(4):93

Memory books, 11(4):104

No reported loss of consciousness, 10(5):93

Private pain—public disclosure, 8(3):112

Representing the person with severe brain injury, 10(2):101

Seat belts, 7(3):112

Seeing is believing, 11(6):98

What is an attorney to do?, 9(2):109

Your life is an open book, 11(2):102

Korein J *See* Kinney HC

Kregel J *See* Wehman PH

Kreutzer JS *See* Dahmer ER; Hall KM; Harrison-Felix C; Sander AM; Serio CD; Wehman PH; Willer B

Kreutzer JS, Gordon WA, Rosenthal M, Marwitz J: Neuropsychological characteristics of patients with brain injury: Preliminary findings from a multicenter investigation, 8(2):47

Kreutzer JS, Sander AM, Fernandez CC: Misperceptions, mishaps, and pitfalls in working with families after traumatic brain injury, 12(6):63

Kreutzer JS, Serio CD, Bergquist S: Family needs after brain injury: A quantitative analysis, 9(3):104

Kreutzer JS, West M, Sherron P, Wehman PH, Fry R: Computer technology in vocational rehabilitation, 7(3):70

Kreutzer JS, Witol AD, Sander AM, Cifu DX, Marwitz JH, Delmonico R: A prospective longitudinal multicenter analysis of alcohol use patterns among persons with traumatic brain injury, 11(5):58

Krych DK *See* Ashley MJ

Kufera JA *See* Chapman SB

L

La Marche JA, Reed LK, Rich MA, Cash AW, Lucas LH, Boll TJ: The interactive community-based model of vocational rehabilitation, 10(4):81

Laborde A, Whyte J: Two-dimensional quantitative data analysis: Assessing the functional utility of psychostimulants, 12(4):90

Lage GA *See* Klonoff PS

Lahz S, Bryant RA: Pain coping strategies following traumatic brain injury, 12(3):85

Laing LC *See* McCaffrey RJ

Lajiness-O'Neill R *See* Kirsch NL

Lamb-Hart GL *See* Bogner JA; Corrigan JD

Lawler KA, Terregino CA: Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, 11(6):18

Lawyer HL *See* Goodall P

Lazar MF, Menaldino S: Cognitive outcome and behavioral adjustment in children following traumatic brain injury: A developmental perspective, 10(5):55

Lazar RB: Felbamate: Is there a role in the prevention and management of posttraumatic epilepsy?, 10(1):87

Lazarus M:

Musculoskeletal consequences of brain injury (Preface), 11(4):vii

See also Keenan MAE

Le J *See* Gevins A

Lehmkuhl LD *See* Bontke CF; Englander J; High WM, Jr; Kay T

Lehmkuhl LD, Hall KM, Mann N, Gordon WA: Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, 8(2):88

Leibowitz MD: Neuropsychological deficits in symptomatic minor head injury patients after concussion and mild concussion, by Leininger BE, Gramling SE, Farrell AD, et al (Abstract), 7(1):98

Leininger BE, Gramling SE, Farrell AD, et al: Neuropsychological deficits in symptomatic minor head injury patients after concussion and mild concussion (Abstract by Leibowitz MD), 7(1):98

Lemberg S *See* Griffith ER

Lenkinski RE *See* Smith DH

Leong H *See* Gevins A

Leopold DA: Evaluation by the otorhinolaryngologist, 7(1):42

Levin HS:

Neurobehavioral outcome of closed head injury: Implications for clinical trials (Abstract by Haas JF), 11(4):98; 12(3):96

See also Chapman SB; Dikmen SS; Goldstein FC; Hannay HJ

Levin HS, Benton AL, Muizelaar JP, Eisenberg HM: *Catastrophic Brain Injury* (Book Review by Caplan B), 12(4):97

Levine SP:

Technology and head injury rehabilitation (Preface), 7(3):vii

See also Kirsch NL

Levine SP, Horstmann HM, Kirsch NL: Performance considerations for people with cognitive impairment in accessing assistive technologies, 7(3):46

Levinson R: The Planning and Execution Assistant and Trainer (PEAT), 12(2):85

Lezak MD: Newer contributions to the neuropsychological assessment of executive functions, 8(1):24

Liao S *See* Jaffe KM

Lichtenberg P *See* Reeder KP

Likavec MJ *See* White RJ

Liles BZ *See* Coelho CA

Lindstrom J *See* Brooks CA

Ling JS, Evans RW: The influence of outcome studies on rehabilitation policy, 12(1):51

Livneh H *See* Antonak RF

Lobow J *See* Cowen TD

Logeman JA, Pepe J, Mackay LE: Disorders of nutrition and swallowing: Intervention strategies in the trauma center, 9(1):43

Long CJ, Ross LK: *Handbook of Head Trauma: Acute Care to Recovery* (Book Review by Cope DN), 9(1):111

Lucas LH *See* La Marche JA

Lyeth BG *See* Hayes RL

Lyeth BG, Hayes RL: Cholinergic and opioid mediation of traumatic brain injury (Abstract by Haas JF), 9(1):108

Lynch WJ:

- Computer-administered cognitive assessment update, 11(2):99
- Ecological validity of cognitive rehabilitation software, 7(3):36
- Hardware update: The Eyegaze Computer System™, 9(4):77
- Microcomputer-assisted neuropsychological test analysis, 10(2):97
- Selecting patients and software for computer-assisted cognitive retraining: Part 1: Screening candidates for treatment, 7(1):92
- Selecting patients and software for computer-assisted cognitive retraining: Part 2: Key patient variables to consider, 7(2):106
- Software update, 9(2):105
- Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, 7(4):109
- Update on a computer-based language prosthesis for aphasia therapy, 8(3):107
- You must remember this: Assistive devices for memory impairment, 10(1):94

Lyons N *See* O'Dell MW

M

Macciocchi SN:

- Mild traumatic brain injury (Preface), 8(3):vii
- *See also* Alves W

Machamer JE *See* Dikmen SS

Machulda MM *See* Malec JF

Mackay LE:

- Benefits of a formalized traumatic brain injury program within a trauma center, 9(1):11
- Trauma center intervention: Improving functional outcomes (Preface), 9(1):vii
- *See also* Logeman JA; Schwartz Cowley R

Maher-Maxwell N *See* Ylvisaker M

Maitz EA: Family intervention (Preface), 10(2):vi

Maitz EA, Sachs PR: Treating families of individuals with traumatic brain injury from a family systems perspective, 10(2):1

Malec JF *See* Bergquist TF; Buffington ALH; Kay T

Malec JF, Machulda MM, Moessner AM: Differing problem perceptions of staff, survivors, and significant others after brain injury, 12(3):1

Malec JF, Thompson JM: Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, 9(4):1

Malkmus DD: Quality, outcome, and value (Preface), 7(4):vii

Malkmus DD, Johnson P: Dedicated management of outcome, quality, and value: Internal case management, 7(4):57

Mandel S, Sataloff RT, Schapiro S: *Minor Head Trauma: Assessment, Management, and Rehabilitation* (Book Review by Barth JT, Francis JP), 9(4):91

Mann N *See* Bontke CF; Englander J; Gordon WA; Hall KM; High WM, Jr; Lehmkuhl LD

Mapou RL:

- Attention and memory (Preface), 11(2):v
- Understanding, evaluating, and managing attention disorders following traumatic brain injury, 11(2):1

Martin BA *See* Jacobs HE

Marwitz JH *See* Kreutzer JS

Massagli TL *See* Shurtleff HA

Mateer CA:

- Attention and memory (Preface), 11(2):v
- Understanding, evaluating, and managing attention disorders following traumatic brain injury, 11(2):1
- *See also* Sohlberg MM

Matejka J *See* Chapman SB

Mayer NH:

- From the editor, 8(2):vi; (8):vi; 9(1):vi; 9(3):v; 10(1):vi; 10(2):v; 10(5):v; 11(4):v; 12(1):v; 12(4):ix
- Executive function disorders (Preface), 8(1):v
- Motorcycle helmet-use laws and head injury prevention, by Sosin DM, Sacks JJ (Abstract), 7(3):117
- A study comparing SPECT with CT and MRI after closed head injury, by Newton MR, Greenwood RJ, Britton KE, et al (Abstract), 7(3):118
- *See also* Schwartz MF

Mayer NH, Esquenazi A, Wannstedt G: Surgical planning for upper motoneuron dysfunction: The role of motor control evaluation, 11(4):37

McAlees D *See* Thomas DF

McCaffrey RJ *See* Orsillo SM

McCaffrey RJ, Williams AD, Fisher JM, Laing LC: Forensic issues in mild head injury, 8(3):38

McClellan BA *See* Anderson JA

McCray J *See* Brooks CA

McDowell SK: A role for dopamine in executive function deficits, 11(6):89

McGlynn EA *See* Brook RH

McIntosh T *See* Casey KF

McIntosh T, Smith DH: Therapeutic strategies in current clinical trials, 10(6):1

McLaughlin J *See* Gevins A

McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA: Medical and surgical complications of pediatric brain injury, 10(5):1

McMahon BT, Shaw LR: *Work Worth Doing: Advances in Brain Injury Rehabilitation* (Book Review by Jacobs HE), 9(4):95

McMorrow MJ *See* Zhou J

McNeny R *See* Zasler ND

Meaney DF *See* Smith DH

Menaldino S *See* Lazar MF

Menefee L *See* Varney NR

Menz F:

Community-based employment (Preface), 12(5):vii

See also Thomas DF

Meserve N *See* Ylvisaker M

Meyer GS *See* Blumenthal D

Meyer WJ, III *See* Emory LE

Meythaler JM:

Intrathecal baclofen for spastic hypertonia in brain injury, 12(1):87

See also Cowen TD

Michals ML, Crismon ML, Misko JS, Childs A: A double-blind, sham-controlled evaluation of cranial electrotherapy stimulation in posttraumatic memory impairment, 8(4):77

Michaud LJ: Pediatric brain injury (Preface), 10(5):vi

Michaud LJ, Duhaime A-C: gunshot wounds to the brain in children, 10(5):25

Miles S, Parker K: Men, women, and health insurance (Abstract by Haas JF), 12(4):95

Milliren JW, Gordon WA: The development of an integrated rehabilitation system for persons with traumatic brain injury: The evolution of public policy in New York, 9(2):27

Millis SR *See* Bergquist TF; Nabors NA

Mills VM, Nesbeda T, Katz DI, Alexander MP: Outcomes for traumatically brain-injured patients following post-acute rehabilitation programs (Abstract by Haas JF), 9(4):87

Misko JS *See* Michals ML

Mittenberg W *See* Freeman MR

Moessner AM *See* Malec JF

Moffat N *See* Wilson B

Mogentale C *See* Stablum F

Montgomery MW *See* Schwartz MF

Moore DE *See* O'Dell MW

Moore G *See* Banja JD

Moore TJ: The treatment of malunion of tibial fractures in patients with traumatic brain injury, 11(4):31

Mora M *See* Prigatano GP

Moreland VJ *See* Beatty WW

Morgan AS:

The trauma center as a continuum of care for persons with severe brain injury, 9(1):1

Trauma center intervention: Improving functional outcomes (Preface), 9(1):vii

See also Palter MD

Morton MV, Wehman P: Psychosocial and emotional sequelae of individuals with traumatic brain injury: A literature review and recommendations (Abstract by Haas JF), 11(2):104

Mory KD *See* Jacobs HE

Mott AE: General medical evaluation, 7(1):25

Mozzoni MP, Bailey JS: Improving training methods in brain injury rehabilitation, 11(1):1

Muizelaar JP *See* Bouma GJ; Levin HS

Mullins K *See* Ylvisaker M

Multi-society Task Force on PVS: Medical aspects of the persistent vegetative state (Abstract by Haas HF), 10(1):99, 100

Murphy C, Davidson TM: Geriatric issues: Special considerations, 7(1):76

Murray R *See* Shum D

Mysiw WJ, Bogner JA, Arnett JA, Clinchot DM, Corrigan JD: The Orientation Group Monitoring System for measuring duration of posttraumatic amnesia and assessing therapeutic interventions, 11(6):1

N

Nabors NA *See* Rosenthal M

Nabors NA, Millis SR, Rosenthal M: Use of the Neurobehavioral Cognitive Status Examination (Cognistat) in traumatic brain injury, 12(3):79

Nathan M *See* Varney NR

Neger RE: Questions and answers, 10(6):80

Neils J *See* Constantinidou F

Nelson H *See* Abrams D

Nelson WR *See* Anderson JA

Nesbeda T *See* Mills VM

Neumann U *See* Rizzo AA

Newberg AB, Alavi A: Neuroimaging in patients with traumatic brain injury, 11(6):65

Newton CN *See* Harrison-Felix C; High WM, Jr

Newton MR, Greenwood RJ, Britton KE, et al: A study comparing SPECT with CT and MRI after closed head injury (Abstract by Mayer NH), 7(3):118

Nierenberg B: *Pediatric Traumatic Brain Injury: Proactive Intervention*, by Blosser J, DePompei R (Book Review), 11(5):97

Nixon C *See* Singer GHS

Novack TA *See* Cowen TD

Novack TA, Caldwell SG, Duke LW, Bergquist TF, Gage RJ: Focused versus unstructured intervention for attention deficits after traumatic brain injury, 11(3):52

O

O'Brien KP *See* Prigatano GP

O'Dell MW, Jasin P, Stivers M, Lyons N, Schmidt S, Moore DE: Interrater reliability of the Coma Recovery Scale, 11(3):61

Oder W *See* Goldenberg G

Oder W, Goldenberg G, Spatt J, Podreka I, Binder H, Deecke L: Behavioural and psychosocial sequelae of severe closed head injury and regional cerebral blood flow: A SPECT study (Abstract by Haas JF), 8(3):116

O'Hare P *See* Englander J

O'Keefe J: Long-term care and support services for persons with traumatic brain injury, 9(2):49

O'Lear J *See* Cope DN

Olver JH *See* Ponsford JL

Orsillo SM, McCaffrey RJ, Fisher JM: Siblings of head-injured individuals: A population at risk, 8(1):102

Osberg JS *See* DiScala C

P

Pace GM, Colbert B: Role of behavior analysis in home and community-based neurological rehabilitation, 11(1):18

Page TJ *See* Treadwell K

Pagliarello G *See* Anderson JA

Palter MD, Dobkin E, Morgan AS, Previost S: Intensive care management of severe head injury, 9(1):20

Panigraphy A *See* Kinney HC

Papastrat LA: Outcome and value following brain injury: A financial provider's perspective, 7(4):11

Papero PH, Snyder HM, Gotschall CS, Johnson DL, Eichelberger MR: Relationship of two measures of injury severity to pediatric psychological outcome 1–3 years after acute head injury, 12(3):51

Parker K *See* Miles S

Partridge FM *See* Godfrey HPD

Pearson S *See* Blosser J

Pepe J *See* Logeman JA

Perry J *See* Keenan MAE

Persel CS *See* Ashley MJ

Peter KS, Hsu JD, Keenan MAE, Romansky SG: Histology and intramuscular pressure in spastic muscle, 11(4):1

Phipps EJ, DiPasquale MC, Blitz CL, Whyte J: Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and quantitative evaluations, 12(4):52

Pinzur MS: Surgical correction of lower extremity problems in patients with brain injury, 11(4):69

Podreka I *See* Goldenberg G; Oder W

Polissar NL *See* Jaffe KM

Ponsford JL, Olver JH, Curran C:

Prediction of employment status 2 years after traumatic brain injury (Abstract by Haas JF), 10(6):86

A profile of outcome: Two years after traumatic brain injury (Abstract by Haas JF), 10(6):87

Poppen R *See* Zhou J

Powell JN, Chapman P: The impact of early orthopedic management on patients with traumatic brain injury, 9(1):57

Power PW *See* Dell Orto AE

Powers LE *See* Singer GHS

Previost S *See* Palter MD

Prigatano GP: 1994 Sheldon Berrol, MD, Senior Lectureship: The problem of lost normality after brain injury, 10(3):87

Prigatano GP, Klonoff PS, O'Brien KP, Altman IM, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M: Productivity after neuropsychologically oriented milieu rehabilitation, 9(1):91

Prince JM:

Ethics and managed care in rehabilitation medicine (Preface), 12(1):vii

Haas JF: A vision for the future: An interview with Gerben DeJong, PhD, 12(1):71

Probst J *See* Jacobs HE

R

Racino JA, Williams JM: Living in the community: An examination of the philosophical and practical aspects, 9(2):35

Raffaelli P *See* Gevins A

Ragnarsson KT *See* Bontke CF; Dahmer ER

Ragnarsson KT, Thomas JP, Zasler ND: Model systems of care for individuals with traumatic brain injury, 8(2):1

Rankin EJ *See* Beatty WW

Rappaport M, Clifford JO: Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, 9(2):94

Raskin SA *See* Sohlberg MM

Raskin SA, Sohlberg MM: The efficacy of prospective memory training in two adults with brain injury, 11(3):32

Ratcliff G: *Cognitive Neuropsychology and Cognitive Rehabilitation,* by Riddoch MJ, Humphreys GW (Book Review), 10(6):95

Rattok J: Do patients with mild brain injuries have posttraumatic stress disorder, too? (Controversies), 11(1):95

Ray JS: Questions and answers, 10(6):80

Reed LK *See* La Marche JA

Reeder KP, Rosenthal M, Lichtenberg P, Wood D: Impact of age on functional outcome following traumatic brain injury, 11(3):22

Reimer W, Van Patten K, Templer DI, Schuyler B, Gross A, Yanovsky A: The neuro-psychological spectrum in traumatically head-injured persons (Abstract by Haas JF), 11(2):104

Reinhard DL:

Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy (Controversies), 8(4):101

Cerebral correlates of disturbed executive function and memory in survivors of severe closed head injury: A SPECT study, by Goldenberg G, Oder W, Spatt J, Podreka I (Abstract), 9(1):109

Ultra-early evaluation of regional cerebral blood flow in severely head-injured patients using Xenon-enhanced computerized tomography, by Bouma GJ, Muizelaar JP, Stringer WA, Sund CC, Fatouros P, Young HF (Abstract), 8(3):115

Rempel R *See* Willer B

Reutter B *See* Gevins A

Reynolds WE:

Public policy issues (Preface), 9(2):vii

See also Rosen B

Rezai K *See* Varney NR

Rich MA *See* La Marche JA

Richter KJ, Cowan DM, Kaschalk SM: A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, 10(6):7

Riddoch MJ, Humphreys GW: *Cognitive Neuropsychology and Cognitive Rehabilitation* (Book Review by Ratcliff G), 10(6):95

Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D: Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, 10(5):80

Rizzo AA, Buckwalter JG, Neumann U: Virtual reality and cognitive rehabilitation: A brief review of the future, 12(6):1

Roberts R *See* Varney NR

Robinson R *See* Federoff J; Jorge R

Rocchio CA *See* Hosack KR

Rohling M *See* Binder L

Romansky SG *See* Peter KS

Rosen B: Public policy issues (Preface), 9(2):vii

Rosen B, Reynolds WE: The impact of public policy on persons with traumatic brain injury and their families, 9(2):1

Rosenberg JH *See* Giacino JT

Rosenthal M:

1995 Sheldon Berrol, JD Senior Lectureship: The ethics and efficacy of traumatic brain injury rehabilitation—myths, measurements, and meaning, 11(4):88

From the editor, 7(1):vi; 7(2):vi; 7(3):vi; 7(4):vi; 8(3):vi; 9(2):vi; 9(4):vi; 10(1):vi

In memoriam: J. Douglas Miller MD, PhD, 11(1):viii

In memoriam: Sheldon Berrol, MD, 7(1):viii

The traumatic brain injury model systems of care (Preface), 8(2):viii

See also Dahmer ER; High WM, Jr; Kreutzer JS; Nabors NA; Reeder KP; Sander AM; Willer B

Rosenthal M, Dijkers M, Harrison-Felix C, Nabors N, Witol AD, Young ME, Englander JS: Impact of minority status on functional outcome and community integration following traumatic brain injury, 11(5):40

Ross B *See* Shurtleff HA

Ross LK *See* Long CJ

Rozance J *See* Bryant ET

Ruff RM, Wylie T, Tennant W: Malingering and malingering-like aspects of mild closed head injury, 8(3):60

Rust E *See* Corrigan JD

Ryan CE *See* Senelick RC

S

Sachs PR:

Head Injury and the Family: A Life and Living Perspective, by Dell Orto AE, Power PW (Book Review), 11(3):96

Recovery after Traumatic Brain Injury, by Uzzell BP, Stonnington HH (Book Review), 12(5):101

See also Maitz EA

Sacks JJ *See* Sosin DM

Sandel ME:

From the editor, 10(6):vi; 11(6):vi; 12(6):v

Sensory stimulation: Accepted practice or expected practice? (Controversies), 7(4):115

Sander AM *See* Kreutzer JS

Sander AM, Kreutzer JS, Fernandez CC: Neurobehavioral functioning, substance abuse, and employment after brain injury: Implications for vocational rehabilitation, 12(5):28

Sander AM, Kreutzer JS, Rosenthal M, Delmonico R, Young ME: A multicenter longitudinal investigation of return to work and community integration following traumatic brain injury, 11(5):70

Sataloff RT *See* Mandel S

Saucedo C *See* Cavallo MM

Savage RC:

Integrating rehabilitation and education services for school-age children with brain injuries, 12(2):11

See also DiScala C

Savage RC, Wolcott GF: *Educational Dimensions of Acquired Brain Injury* (Book Review by Berrol C), 10(3):103

Sbordone RJ: Profile of those at risk for minor head injury, Dicker BG (Commentary), 7(1):90

Schafer A *See* Barry P

Schapiro S *See* Mandel S

Schentag C *See* Ip R

Schmidt MF, Garvin LJ, Heinemann AW, Kelly JP:

Gender- and age-related role changes following brain injury, 10(4):14

See also Bergquist TF

Schmidt ND:
Outcome-oriented rehabilitation: A response to managed care, 12(1):44
See also Durgin CJ
Schmidt S *See* O'Dell MW
Schmitter-Edgecombe M: Effects of traumatic brain injury on cognitive performance: An attentional resource hypothesis in search of data, 11(2):17
Schnyder M *See* Kirsch NL
Schraa JC *See* Gerber DJ
Schuller R *See* Thomas-Stonell N
Schuyler B *See* Reimer W
Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE: The role of rehabilitation in the intensive care unit, 9(1):32
Schwartz MF: Executive function disorders (Preface), 8(1):v
Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW: Cognitive theory and the study of everyday action disorders after brain damage, 8(1):59
Scott JG *See* Beatty WW
Segalowitz SJ *See* Dywan J
Senelick RC, Ryan CE: *Living with Head Injury* (Book Review by Kay T), 8(4):115
Serio CD *See* Kreutzer JS
Serio CD, Kreutzer JS, Gervasio AH: Predicting family needs after brain injury: Implications for intervention, 10(2):32
Sevier RC *See* Slifer KJ
Shaw LR *See* McMahon BT
Shepherd J *See* Prigatano GP
Sherer M *See* High WM, Jr
Sherron P *See* Kreutzer JS; Wehman PH
Shilling MA *See* Dahmer ER
Shipley MT *See* Smith DV
Shum D *See* Kendall E
Shum D, Sweeper S, Murray R: Performance on verbal implicit and explicit memory tasks following traumatic brain injury, 11(2):43
Shurtleff HA, Massagli TL, Hays RM, Ross B, Sprunk-Greenfield H: Screening children and adolescents with mild or moderate traumatic brain injury to assist school reentry, 10(5):64
Silver B *See* High WM, Jr
Silver JM, Yudofsky SC: Psychopharmacological approaches to the patient with affective and psychotic features, 9(3):61
Silver JM, Yudofsky SC, Hales RE: *Neuropsychiatry of Traumatic Brain Injury* (Book Review by Cope DN), 10(6):98
Simpson G *See* Tate R
Singer GHS *See* Glang A
Singer GHS, Glang A, Nixon C, Cooley E, Kerns KA, Williams D, Powers LE: A comparison of two psychosocial interventions for parents of children with acquired brain injury: An exploratory study, 9(4):38
Sirigu A *See* Grafman J
Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC: Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, 11(1):39
Smith DH *See* McIntosh T
Smith DH, Meaney DF, Lenkinski RE, et al: New magnetic resonance imaging techniques for the evaluation of traumatic brain injury (Abstract by Haas JF), 11(6):100
Smith DV, Shipley MT: Anatomy and physiology of taste and smell, 7(1):1
Smith KR, Goulding PM, Wilderman D, Goldfader MA, Hatlerman-Holmes P, Wei F: Neurobehavioral effects of phenytoin and carbamazepine in patients recovering from brain trauma: A comparative study (Abstract by Haas JF), 10(5):91
Snyder HM *See* Papero PH
Sohlberg MM, Mateer CA, Stuss DT: Contemporary approaches to the management of executive control dysfunction, 8(1):45
Sohlberg MM, Raskin SA: Principles of generalization applied to attention and memory interventions, 11(2):65
Sosin DM, Sacks JJ: Motorcycle helmet-use laws and head injury prevention (Abstract by Mayer NH), 7(3):117
Spafford DE *See* Bogner JA
Spatt J *See* Goldenberg G; Oder W
Spector L *See* Grafman J
Spivack MP: Pathways to policy: A personal perspective, 9(2):82
Springer JA, Farmer JE, Bouman DE: Common misconceptions about traumatic brain injury among family members of rehabilitation patients, 12(3):41
Sprunk-Greenfield H *See* Shurtleff HA
Stablum F, Mogentale C, Umilta C: Executive functioning following mild closed head injury (Abstract by Haas JF), 12(5):99
Starkstein S *See* Federoff J; Jorge R
Starr P: The framework of health care reform (Abstract by Haas JF), 9(3):117
Stein J *See* Borg-Stein J
Stivers M *See* O'Dell MW
Stonnington HH *See* Uzzell BP
Stringer AY *See* Banja JD
Stringer WA *See* Bouma GJ
Strong G *See* Ried S
Strong J *See* Fleming JM
Stuss DT *See* Sohlberg MM

Stuss DT, Buckle L: Traumatic brain injury: Neuropsychological deficits and evaluation at different stages of recovery and in different pathologic subtypes, 7(2):40

Sund CC *See* Bouma GJ

Sundance P *See* Bryant ET

Suter AH *See* Slifer KJ

Swanson B *See* Schwartz Cowley R

Sweeper S *See* Shum D

T

Taft WC *See* Dixon CE

Tate R, Simpson G, Flanagan S, Coffey M: Completed suicide after traumatic brain injury, 12(6):16

Teh M *See* Kendall E

Templer DI *See* Reimer W

Tennant W *See* Ruff RM

Terregino CA *See* Lawler KA

Thobaden JR: The impact of managed care on the moral character of rehabilitation institutions, 12(1):10

Thoi LL *See* Bontke CF; High WM Jr

Thomas DF: Community-based employment (Preface), 12(5):vii

Thomas DF, Botterbusch KF: The Vocational Assessment Protocol for school-to-work transition programs, 12(2):48

Thomas DF, Menz F: Validation of the Vocational Assessment Protocol, 12(5):72

Thomas DF, Menz F, McAlees D: *Community-Based Employment Following Traumatic Brain Injury* (Book Review by Flanagan S, Gordon WA), 11(1):103

Thomas JP *See* Ragnarsson KT

Thomas-Stonell N, Johnson P, Schuller R, Jutai J: Evaluation of a computer-based program for remediation of cognitive-communication skills, 9(4):25

Thompson JM *See* Malec JF

Tish N *See* Glang A

Todis B *See* Glang A

Tonkovich JD: *Speech Synthesis: Technology for Disabled People*, by Edwards AD (Book Review), 7(2):114

Treadwell K, Page TJ: Functional analysis: Identifying the environmental determinants of severe behavior disorders, 11(1):62

Tucker CL *See* Slifer KJ

Tulloh BR: Diagnostic accuracy in head-injured patients: An emergency department audit (Abstract by Haas JF), 10(2):96

U

Ulicny GR: Marketing brain injury rehabilitation services: Toward a more ethical approach, 9(4):73

Umilta C *See* Stablum F

Uomoto J *See* Fann J

Uzzell BP *See* Christensen A-L

Uzzell BP, Stonnington HH: *Recovery after Traumatic Brain Injury* (Book Review by Sachs PR), 12(5):101

V

Van Patten K *See* Reimer W

Van Reekum R, Bayley M, Garner S, et al: N of 1 study: Amantadine for the amotivational syndrome in a patient with traumatic brain injury (Abstract by Haas JF), 10(6):90

Vandergoot D *See* High WM, Jr

Varney NR, Bushnell DL, Nathan M, Kahn D, Roberts R, Rezai K, Walker W, Kirchner P: NeuroSPECT correlates of disabling mild head injury: Preliminary findings, 10(3):18

Varney NR, Menefee L: Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, 8(1):32

Vaughn S *See* Digre PG

Vavagiakis P *See* Kay T

Venzie DR, Felicetti T, Cerra-Tyl D: Planning considerations for community integrative brain injury programs, 11(6):51

Vompe M: Letter to the editor, 9(4):vii

Voss J *See* Glang A

W

Walker W *See* Varney NR

Wannstedt G *See* Mayer NH

Ward M *See* Gevins A

Wechsler FS *See* Benedict RHB

Wehman PH *See* Goodall P; Kreutzer JS; Morton MV

Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS: Return to work for persons with severe traumatic brain injury: A data-based approach to program development, 10(1):27

Wei F *See* Smith KR

Weinand A *See* Digre PG

Wells J *See* Glang A

Wesolowski MD, Zencius AH: *A Practical Guide to Head Injury Rehabilitation: A Focus on Postacute Residential Treatment* (Book Review by Fordyce DJ), 10(3):101

West MD *See* Kreutzer JS; Wehman PH

White RJ, Likavec MJ: The diagnosis and initial management of head injury (Abstract by Haas JF), 8(3):118

Whiteneck GG *See* Brooks CA; Heinemann AW

Whitlock JA, Jr: Pharmacologic management of upper gastrointestinal tract disorders, 9(2):115

Whyte J:

Letter to the editor, 11(3):vii

Psychopharmacology (Preface), 9(3):vii

Toward rational psychopharmacological treatment: Integrating research and clinical practice, 9(3):91

See also DiPasquale MC; Laborde A; Phipps EJ

Wilderman D *See* Smith KR

Wilkerson DL *See* Johnston MV

Willer B *See* Gordon WA

Willer B, Rosenthal M, Kreutzer JS, Gordon WA, Rempel R: Assessment of community integration following rehabilitation for traumatic brain injury, 8(2):75

Williams AD *See* McCaffrey RJ

Williams D *See* Singer GHS

Williams JM *See* Racino JA

Williams JM, Kay T: *Head Injury: A Family Matter* (Book Review by Haffey WJ), 7(1):101

Wilson B: Recovery and compensatory strategies in head injured memory impaired people several years after insult (Abstract by Haas JF), 9(4):86

Wilson B, Evans JJ: Error-free learning in the rehabilitation of people with memory impairments, 11(2):54

Wilson B, Moffat N: *Clinical Management of Memory Problems* (Book Review by Caplan B), 9(2):119

Wilson JTL, Wyper D: Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Witol AD *See* Kreutzer JS; Rosenthal M

Woessner R, Caplan B: Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, 10(2):78

Wolcott GF *See* Savage RC

Wolfson B *See* Cope DN

Wood A *See* Ried S

Wood D *See* Hall KM; Reeder KP

Wood RL, Fussey I: *Cognitive Rehabilitation in Perspective* (Book Review by Cicerone KD), 7(2):112

Wright J *See* Englander J; Hall KM

Wright L *See* Ried S

Wroblewski BA:

- Epileptic potential of stimulants, dopaminergics, and antidepressants, 7(3):109
- Noncognitive side effects of anticonvulsant agents: Monitoring patients with traumatic brain injury, 9(4):81
- *See also* Joseph AB

Wroblewski BA, Glenn MB: Pharmacological treatment of arousal and cognitive deficits, 9(3):19

Wroblewski BA, Joseph A, Cornblatt R: Antidepressant pharmacotherapy and treatment of depression in patients with severe traumatic brain injury: A controlled prospective study (Abstract by Herman CD), 12(4):95

Wylie T *See* Ruff RM

Wyper D *See* Wilson JTL

Y

Yablon S:

- Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy (Controversies), 8(4):104
- *See also* Englander J; High WM, Jr

Yanovsky A *See* Reimer W

Ylvisaker M *See* Feeney TJ

Ylvisaker M, Feeney T, Maher-Maxwell N, Meserve N, Geary PJ, DeLorenzo JP: School reentry following severe traumatic brain injury: Guidelines for educational planning, 10(6):25

Ylvisaker M, Feeney T, Mullins K: School reentry following mild traumatic brain injury: A proposed hospital-to-school protocol, 10(6):42

Young HF *See* Bouma GJ

Young ME *See* Rosenthal M; Sander AM

Yudofsky SC *See* Silver JM

Z

Zafonte R:

- Treatment of agitation in the acute care setting, 12(2):78
- *See also* Englander J; High WM, Jr

Zasler ND:

- Acute neurochemical alterations following traumatic brain injury: Research implications for clinical treatment, 7(2):102
- Bromocriptine: Neuropharmacology and clinical caveats, 10(4):101
- Mild traumatic brain injury: Medical assessment and intervention, 8(3):13
- The role of medical rehabilitation in vocational reentry, 12(5):42
- Smell and taste dysfunction (Preface), 7(1):vii
- *See also* Bontke CF; Costanzo RM; Giacino JT; Hall KM; Horn LJ; Ragnarsson KT

Zasler ND, McNeny R, Heywood PG: Rehabilitative management of olfactory and gustatory dysfunction following brain injury, 7(1):66

Zencius AH *See* Wesolowski MD

Zhou J, Chittum R, Johnson K, Poppen R, Guercio J, McMorrow MJ: The utilization of a game format to increase knowledge of residuals among people with acquired brain injury, 11(1):51

The Journal of Head Trauma Rehabilitation®

Subject Index

A

Abstracts

Antidepressant pharmacology and treatment of depression in patients with severe traumatic brain injury: A controlled prospective study, Wroblewski B, Joseph A, Cornblatt R (abstracted by Herman CD), 12(4):95

The beginning of health care reform: The Clinton plan, Angell M (abstracted by Haas JF), 9(3):116

Behavioural and psychosocial sequelae of severe closed head injury and regional cerebral blood flow: A SPECT study, Oder W, Goldenberg G, Spatt J, Podreka I, Binder H, Deecke L (abstracted by Haas JF), 8(3):116

Cerebral correlates of disturbed executive function and memory in survivors of severe closed head injury: A SPECT study, Goldenberg G, Oder W, Spatt J, Podreka I (abstracted by Reinhard DL), 9(1):109

Cholinergic and opioid mediation of traumatic brain injury, Lyeth BG, Hayes RL (abstracted by Haas JF), 9(1):108

Comparison between acute- and delayed-onset depression following traumatic brain injury, Jorge R, Robinson R, Arndt S, Forrester A, Geisler F, Starkstein S (abstracted by Herman CD), 9(1):108

Conceptual basis of outcome measures, Keith RA (abstracted by Haas JF), 10(6):88

Depression in patients with acute traumatic brain injury, Federoff J, Starkstein S, Forrester A, Geisler F, Jorge R, Arndt S, Robinson R (abstracted by Herman CD), 8(3):117

The diagnosis and initial management of head injury, White RJ, Likavec MJ (abstracted by Haas JF), 8(3):118

Diagnostic accuracy in head-injured patients: An emergency department audit, Tulloh BR (abstracted by Haas JF), 10(2):96

The effects of frontal lobe damage on everyday problem solving, Dimitrov M, Grafman J, Hollangel C (abstracted by Haas JF), 12(5):98

Executive functioning following mild closed head injury, Stablum F, Mogentale C, Umilta C (abstracted by Haas JF), 12(5):99

The framework of health care reform, Starr P (abstracted by Haas JF), 9(3):117

The future of the academic medical center under health care reform, Blumenthal D, Meyer GS (abstracted by Haas JF), 9(4):88

Health care reform: The role of physicians, Inglehart JK (abstracted by Haas JF), 9(4):89

Health policy report: Republicans and the new politics of health care, Inglehart JK (abstracted by Haas JF), 10(6):89

Impairments of discourse abilities and executive functions in traumatically brain injured adults, Coelho CA, Liles BZ, Duffey RJ (abstracted by Haas JF), 12(3):99

Influence of early variables in traumatic brain injury on Functional Independence Measure scores and rehabilitation length of stay and charges, Cowen TD, Meythaler JM, DeVivo MJ, Ivie CS, Lobow J, Novack TA (abstracted by Haas JF), 12(3):97

Longterm outcome of head injuries: a 23-year follow-up study of children with head injuries, Klonoff H, Clark C, Klonoff PS (abstracted by Haas JF), 9(1):106

Managed competition and the patient-physician relationship, Emanuel EJ, Brett AS (abstracted by Haas JF), 9(4):85

Medical aspects of the persistent vegetative state, The Multi-society Task Force on PVS (abstracted by Haas JF), 10(1):99, 100

Men, women, and health insurance, Miles S, Parker K (abstracted by Haas JF), 12(4):95

Money matters: A meta-analytic review of the effects of financial incentives on recovery after closed-head injury, Binder L, Rohling M (abstracted by Herman CD), 11(4):96

Motorcycle helmet-use laws and head injury prevention, Sosin DM, Sacks JJ (abstracted by Mayer NH), 7(3):117

N of 1 study: Amantadine for the amotivational syndrome in a patient with traumatic brain injury, Van Reekum R, Bayley M, Garner S, et al (abstracted by Haas JF), 10(6):90

Neurobehavioral effects of phenytoin and carbamazepine in patients recovering from brain trauma: A comparative study, Smith KR, Goulding PM, Wilderman D, Goldfader MA, Hatlerman-Holmes P, Wei F (abstracted by Haas JF), 10(5):91

Neurobehavioral outcome of closed head injury: Implications for clinical trials, Levin H (abstracted by Haas JF), 11(4):98

Neurobehavioral outcome of closed head injury: Implications for clinical trials, Levin HS (abstracted by Haas JF), 12(3):96

Neuropathological findings in the brain of Karen Ann Quinlan, Kinney HC, Korein J, Panigraphy A,

Dikkes P, Goode R (abstracted by Haas JF), 10(1):98

Neuropsychological deficits in symptomatic minor head injury patients after concussion and mild concussion, Leininger BE, Gramling SE, Farrell AD, et al (abstracted by Leibowitz MD), 7(1):98

The neuro-psychological spectrum in traumatically head-injured persons, Reimer W, Van Patten K, Templer DI, Schuyler B, Gross A, Yanovsky A (abstracted by Haas JF), 11(2):104

New magnetic resonance imaging techniques for the evaluation of traumatic brain injury, Smith DH, Meaney DF, Lenkinski RE, et al (abstracted by Haas JF), 11(6):100

Outcomes for traumatically brain-injured patients following post-acute rehabilitation programs, Mills VM, Nesbeda T, Katz DI, Alexander MP (abstracted by Haas JF), 9(4):87

The plastic brain, Hallett M (abstracted by Haas JF), 11(6):101

Prediction of employment status 2 years after traumatic brain injury, Ponsford JL, Olver JH, Curran C (abstracted by Haas JF), 10(6):86

A profile of outcome: Two years after traumatic brain injury, Ponsford JL, Olver JH, Curran C (abstracted by Haas JF), 10(6):87

Psychiatric disorders and functional disability in outpatients with traumatic brain injuries, Fann J, Katon W, Uomoto J, Esselman P (abstracted by Herman CD), 11(3):93, 11(4):96

Psychosocial and emotional sequelae of individuals with traumatic brain injury: A literature review and recommendations, Morton MV, Wehman P (abstracted by Haas JF), 11(2):104

Quality of care: What is it?, Blumenthal D (abstracted by Haas JF), 12(3):99

Quality of health care. Part 2: Measuring quality of care, Brook RH, McGlynn EA, Cleary PD (abstracted by Haas JF), 12(3):101

Quality of health care. Part 3: Improving the quality of care, Chassin MR (abstracted by Haas JF), 12(3):102

Recovery and compensatory strategies in head injured memory impaired people several years after insult, Wilson B (abstracted by Haas JF), 9(4):86

Recovery trends over three years following pediatric traumatic brain injury, Jaffe KM, Polissar NL, Fay GC, Liao S (abstracted by Haas JF), 10(6):95

The relative influence of alcohol and seatbelt usage on severity of injury from motor vehicle crashes, Anderson JA, McClellan BA, Pagliarello G, Nelson WR (abstracted by Gansner RK), 7(1):98

Secondary mania following traumatic brain injury, Jorge R, Robinson R, Starkstein S, Arndt S, Forrester A, Geisler F (abstracted by Herman CD), 9(1):107

A study comparing SPECT with CT and MRI after closed head injury, Newton MR, Greenwood RJ, Britton KE, et al (abstracted by Mayer NH), 7(3):118

Trauma-induced degenerative changes in brain injury: A morphometric analysis of three patients with preinjury and postinjury MR scans, Gale SD, Johnson SC, Bigler ED, Blatter DD (abstracted by Haas JF), 11(6):100

Traumatic brain injury: Factors predicting return to work or school, Ip R, Dornan J, Schentag C (abstracted by Haas JF), 11(4):97

Traumatic brain injury: Predicting course of recovery and outcome for patients admitted to rehabilitation, Katz DI, Alexander MP (abstracted by Haas JF), 10(6):85

Ultra-early evaluation of regional cerebral blood flow in severely head-injured patients using Xenon-enhanced computerized tomography, Bouma GJ, Muizelaar JP, Stringer WA, Sund CC, Fatouros P, Young HF (abstracted by Reinhard D), 8(3):115

Acetylcholine

Mechanisms of mild traumatic brain injury, Dixon CE, Taft WC, Hayes RL, 8(3):1

Achievement tests

Achievement testing in traumatic brain injury: Two new approaches, Lynch WJ, 10(5):95

Activities of daily living

Cognitive theory and the study of everyday action disorders after brain damage, Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW, 8(1):59

Acute care

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

Children hospitalized for traumatic brain injury: Transition to postacute care, DiScala C, Osberg JS, Savage RC, 12(2):1

Crisis intervention with the family in the trauma setting, Cope ND, Wolfson B, 9(1):67

Disorders of nutrition and swallowing: Intervention strategies in the trauma center, Logeman JA, Pepe J, Mackay LE, 9(1):43

Factors affecting hospital length of stay and charges following traumatic brain injury, High WM, Jr, Hall KM, Rosenthal M, Mann N, Zafonte R, Cifu DX, Boake C, Bartha M, Ivanhoe C, Yablon S, Newton CN, Sherer M, Silver B, Lehmkuhl LD, 11(5):85

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, Lawler KA, Terregino CA, 11(6):18

The impact of early orthopedic management on patients with traumatic brain injury, Powell JN, Chapman P, 9(1):57

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

The role of rehabilitation in the intensive care unit, Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE, 9(1):32

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

Treatment of agitation in the acute care setting, Zafonte RD, 12(2):78

Adjustment to impairment

1994 Sheldon Berrol, MD, Senior Lectureship: The problem of lost normality after brain injury, Prigatano GP, 10(3):87

Cognitive outcome and behavioral adjustment in children following traumatic brain injury: A developmental perspective, Lazar MF, Menaldino S, 10(5):55

Common misconceptions about traumatic brain injury among family members of rehabilitation patients, Springer JA, Farmer JE, Bouman DE, 12(3):41

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

Differing problem perceptions of staff, survivors, and significant others after brain injury, Malec JF, Machulda MM, Moessner AM, 12(3):1

Emotional adjustment following traumatic brain injury: A stress-appraisal-coping formulation, Godfrey HPD, Knight RG, Partridge FM, 11(6):29

Family needs after brain injury: A quantitative analysis, Kreutzer JS, Serio CD, Bergquist S, 9(3):104

Kinship and family members' psychological distress after traumatic brain injury: A large sample study, Gervasio AH, Kreutzer JS, 12(3):14

Lack of awareness of impairment in institutionalized, severely and chronically disabled survivors of traumatic brain injury: A preliminary investigation, Gasquoine PG, Gibbons TA, 9(4):16

Misperceptions, mishaps, and pitfalls in working with families after traumatic brain injury, Kreutzer JS, Sander AM, Fernandez CC, 12(6):63

Pain coping strategies following traumatic brain injury, Lahz S, Bryant RA, 12(3):85

Relationships among impairment, disability, handicap, and life satisfaction in persons with traumatic brain injury, Heinemann AW, Whiteneck GG, 10(4):54

A review of research on psychosocial adjustment to impairment in persons with traumatic brain injury, Antonak RF, Livneh H, Antonak C, 8(4):87

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Siblings of head-injured individuals: A population at risk, Orsillo SM, McCaffrey RJ, Fisher JM, 8(1):102

Suicide in patients with traumatic brain injury: Risk and prevention, Klonoff PS, Lage GA, 10(6):16

Administration

Planning considerations for community integrative brain injury programs, Venzie DR, Felicetti T, Cerra-Tyl D, 11(6):51

Adolescents *See also* Pediatric brain injury

Building social networks for children and adolescents with traumatic brain injury: A school-based intervention, Glang A, Todis B, Cooley E, Wells J, Voss J, 12(2):32

Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, Feeney TJ, Ylvisaker M, 10(3):67

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD, 8(2):101

Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC, 11(1):39

Screening children and adolescents with mild or moderate traumatic brain injury to assist school reentry, Shurtleff HA, Massagli TL, Hays RM, Ross B, Sprunk-Greenfield H, 10(5):64

Advertising

Marketing brain injury rehabilitation services: Toward a more ethical approach, Ulicny GR, 9(4):73

Affective disorders

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

Completed suicide after traumatic brain injury, Tate R, Simpson G, Flanagan S, Coffey M, 12(6):16

Depression, antidepressants, and traumatic brain injury, Joseph AB, Wroblewski B, 10(2):90

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Neuropsychiatric correlates of persistent postconcussive syndrome, Alexander MP, 7(2):60

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Suicide in patients with traumatic brain injury: Risk and prevention, Klonoff PS, Lage GA, 10(6):16

Age

Gender- and age-related role changes following brain injury, Schmidt MF, Garvin LJ, Heinemann AW, Kelly JP, 10(4):14

Geriatric issues: Special considerations, Murphy C, Davidson TM, 7(1):76

Impact of age on functional outcome following traumatic brain injury, Reeder KP, Rosenthal M, Lichtenberg P, Wood D, 11(3):22

Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, Goldstein FC, Levin HS, 10(1):57

Aggression and agitation

Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, Feeney TJ, Ylvisaker M, 10(3):67

Neuropharmacological management of destructive behavior after traumatic brain injury, Cassidy JW, 9(3):43

Treatment of agitation in the acute care setting, Zafonte RD, 12(2):78

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Alcohol use

Integrating substance abuse treatment and vocational rehabilitation after traumatic brain injury, Bogner JA, Corrigan JD, Spafford DE, Lamb-Hart GL, 12(5):57

The nature and extent of substance abuse problems in persons with traumatic brain injury, Corrigan JD, Rust E, Lamb-Hart GL, 10(3):29

Neurobehavioral functioning, substance abuse, and employment after brain injury: Implications for vocational rehabilitation, Sander AM, Kreutzer JS, Fernandez CC, 12(5):28

A prospective longitudinal multicenter analysis of alcohol use patterns among persons with traumatic brain injury, Kreutzer JS, Witol AD, Sander AM, Cifu DX, Marwitz JH, Delmonico R, 11(5):58

Amantadine

Amantadine: A potential adjuvant therapy following traumatic brain injury, Cowell LC, Cohen RF, 10(6):91

Americans with Disabilities Act

The Americans with Disabilities Act and unconsciousness: A rejoinder, Avila D, 9(1):103

Does the Americans with Disabilities Act protect persons in the persistent vegetative state?, Banja JD, 8(4):108

Vocational rehabilitation and traumatic brain injury: A legislative and public policy perspective, Goodall P, Lawyer HL, Wehman P, 9(2):61

Amnesia *See* Memory

Anatomy

Anatomy and physiology of taste and smell, Smith DV, Shipley MT, 7(1):1

Anticonvulsants

Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy, Reinhard DL, Yablon SA, Bontke CF (Controversies), 8(4):101

Felbamate: Is there a role in the prevention and management of posttraumatic epilepsy?, Lazar RB, 10(1):87

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Noncognitive side effects of anticonvulsant agents: Monitoring patients with traumatic brain injury, Wroblewski B, 9(4):81

Antidepressants

Depression, antidepressants, and traumatic brain injury, Joseph AB, Wroblewski B, 10(2):90

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Antipsychotic drugs

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Aphasia *See* Communication

Arousal

Pharmacological treatment of arousal and cognitive deficits, Wroblewski BA, Glenn MB, 9(3):19

Assistive technology *See* Technology

Attentional disorders

Amantadine: A potential adjuvant therapy following traumatic brain injury, Cowell LC, Cohen RF, 10(6):91

Cognitive theory and the study of everyday action disorders after brain damage, Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW, 8(1):59

Effects of traumatic brain injury on cognitive performance: An attentional resource hypothesis in search of data, Schmitter-Edgecombe M, 11(2):17

Focused versus unstructured intervention for attention deficits after traumatic brain injury, Novack TA, Caldwell SG, Duke LW, Bergquist TF, Gage RJ, 11(3):52

Pharmacological treatment of arousal and cognitive deficits, Wroblewski BA, Glenn MB, 9(3):19

Principles of generalization applied to attention and memory interventions, Sohlberg MM, Raskin SA, 11(2):65

Understanding, evaluating, and managing attention disorders following traumatic brain injury, Mateer CA, Mapou RL, 11(2):1

Attorneys *See* Medicolegal issues

Autonomy of patients

Risk assessment and patient autonomy, Banja JD, 9(4):70

Awareness

Differing problem perceptions of staff, survivors, and significant others after brain injury, Malec JF, Machulda MM, Moessner AM, 12(3):1

Lack of awareness of impairment in institutionalized, severely and chronically disabled survivors of traumatic brain injury: A preliminary investigation, Gasquoine PG, Gibbons TA, 9(4):16

The utilization of a game format to increase knowledge of residuals among people with acquired brain injury, Zhou J, Chittum R, Johnson K, Poppen R, Guercio J, McMorrow MJ, 11(1):51

B

Baclofen

Intrathecal baclofen for spastic hypertonia in brain injury, Meythaler JM, 12(1):87

Balance disorders

The efficacy of vestibular rehabilitation for patients with head trauma, Gizzi M, 10(6):60

Single-subject evaluation designs in rehabilitation: Case studies on inpatient units, Jacobs HE, Hart T, Mory KD, Griffin C, Martin BA, Probst J, 11(1):86

Behavior

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

The Clubhouse: Addressing work-related behavioral challenges through a supportive social community, Jacobs HE, 12(5):14

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Functional analysis: Identifying the environmental determinants of severe behavior disorders, Treadwell K, Page TJ, 11(1):62

Improving training methods in brain injury rehabilitation, Mozzoni MP, Bailey JS, 11(1):1

Natural-setting behavior management for individuals with traumatic brain injury: Results of a three-year caregiver training program, Carnevale GJ, 11(1):27

Neurobehavioral functioning, substance abuse, and employment after brain injury: Implications for vocational rehabilitation, Sander AM, Kreutzer JS, Fernandez CC, 12(5):28

Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, Goldstein FC, Levin HS, 10(1):57

Neurobehavioral outcomes and their determinants, Dikmen S, Machamer JE, 10(1):74

Neuropathology and neurobehavioral recovery from closed head injury, Katz DI, 7(2):1

Neuropharmacological management of destructive behavior after traumatic brain injury, Cassidy JW, 9(3):43

Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC, 11(1):39

Rehabilitation and management of behavioral disturbances following frontal lobe injury, Hart T, Jacobs HE, 8(1):1

Role of behavior analysis in home and community-based neurological rehabilitation, Pace GM, Colbert B, 11(1):18

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

The utilization of a game format to increase knowledge of residuals among people with acquired brain injury, Zhou J, Chittum R, Johnson K, Poppen R, Guercio J, McMorrow MJ, 11(1):51

Book reviews

Brain Injury Rehabilitation: Clinical Considerations, Finlayson MAJ, Garner SH (reviewed by Hills EC, Sandel ME), 10(5):99

Catastrophic Brain Injury, Levin HS, Benton AL, Muizelaar JP, Eisenberg HM (reviewed by Caplan B), 12(4):98

Clinical Management of Memory Problems, Wilson B, Moffat N (reviewed by Caplan B), 9(2):119

Cognitive Neuropsychology and Cognitive Rehabilitation, Riddoch MJ, Humphreys GW (reviewed by Ratcliff G), 10(6):95

Cognitive Rehabilitation in Perspective, Wood RL, Fussey I (reviewed by Cicerone KD), 7(2):112

Cognitive-Communicative Abilities Following Brain Injury: A Functional Approach, Hartley LL (reviewed by DePompei R), 11(3):94

Community-Based Employment Following Traumatic Brain Injury, Thomas D, Menz F, McAlees D (reviewed by Flanagan S, Gordon WA), 11(1):103

Educating Families of the Head Injured (A Guide to Medical, Cognitive and Social Issues), DeBoskey DS, Calub CJ (reviewed by Kay T), 8(4):115

Educational Dimensions of Acquired Brain Injury, Savage RC, Wolcott GF (reviewed by Berrol C), 10(3):103

Handbook of Head Trauma: Acute Care to Recovery, Long CJ, Ross LK (reviewed by Cope ND), 9(1):111

Head Injury: A Family Matter, Williams JM, Kay T (reviewed by Haffey WJ), 7(1):101

Head Injury and the Family: A Life and Living Perspective, Dell Orto AE, Power PW (reviewed by Sachs PR), 11(3):96

Head Trauma: Strategies for Educational Reintegration, Gerring J, Carney J (reviewed by Caplan B), 9(2):119

Minor Head Trauma: Assessment, Management, and Rehabilitation, Mandel S, Sataloff RT, Schapiro S (reviewed by Barth JT, Francis JP), 9(4):91

Neuropsychiatry of Traumatic Brain Injury, Silver JM, Yudofsky SC, Hales RE (reviewed by Cope DN), 10(6):98

Pediatric Traumatic Brain Injury: Proactive Intervention, Blosser J, DePompei R (reviewed by Nierenberg B), 11(5):97

A Practical Guide to Head Injury Rehabilitation: A Focus on Postacute Residential Treatment, Wesolowski MD, Zencius AH (reviewed by Fordyce DJ), 10(3):101

Recovery after Traumatic Brain Injury, Uzzell BP, Stonnington HH (reviewed by Sachs PR), 12(5):101

Rehabilitation of Post-Concussive Disorders, Horn LJ, Zasler ND (reviewed by Binder LM), 8(2):114

Sexuality and the Person with Traumatic Brain Injury: A Guide for Families, Griffith ER, Lemberg S (reviewed by Gervasio AH, Kreutzer JS), 9(1):112

Speech Synthesis: Technology for Disabled People, Edwards AD (reviewed by Tonkovich JD), 7(2):114

Staff Development and Clinical Intervention in Brain Injury Rehabilitation, Durgin CJ, Schmidt ND, Fryer LJ (reviewed by Jaffe KM), 9(4):93

Students with Acquired Brain Injury: The School's Response, Glang A, Singer GHS, Todis B (reviewed by Donders J, 12(6):98

Work Worth Doing: Advances in Brain Injury Rehabilitation, McMahon BT, Shaw LR (reviewed by Jacobs HE), 9(4):95

Botulinum toxin

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Pharmacology of botulinum toxin and implications for use in disorders of muscle tone, Borg-Stein J, Stein J, 8(3):103

Bromocriptine

Bromocriptine: Neuropharmacology and clinical caveats, Zasler ND, 10(4):101

C

Calcium channel blockers

Therapeutic strategies in current clinical trials, McIntosh TK, Smith DH, 10(6):1

Cardiovascular system

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Case management

Dedicated management of outcome, quality, and value: Internal case management, Malkmus DD, Johnson P, 7(4):57

Ethical dimensions of caring for defiant patients: A case study, Banja JD, Adler RK, Stringer AY, 11(6):93

Chemical denervation

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Chemosensory systems

Anatomy and physiology of taste and smell, Smith DV, Shipley MT, 7(1):1

Diagnostic tests and assessment, Doty RL, 7(1):47

Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, Costanzo RM, Zasler ND, 7(1):15

Evaluation by the otorhinolaryngologist, Leopold DA, 7(1):42

General medical evaluation, Mott AE, 7(1):25

Geriatric issues: Special considerations, Murphy C, Davidson TM, 7(1):76

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

Rehabilitative management of olfactory and gustatory dysfunction following brain injury, Zasler ND, McNeny R, Heywood PG, 7(1):66

Children *See* Pediatric brain injury

Cholinergic agonists

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Clinical research

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

The assessment of social problem-solving ability following traumatic brain injury, Kendall E, Shum D, Halson D, Bunning S, Teh M, 12(3):68

Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, Feeney TJ, Ylvisaker M, 10(3):67

Common misconceptions about traumatic brain injury among family members of rehabilitation patients, Springer JA, Farmer JE, Bouman DE, 12(3):41

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

A comparison of two psychosocial interventions for parents of children with acquired brain injury: An exploratory study, Singer GHS, Glang A, Nixon C, Cooley E, Kerns KA, Williams D, Powers LE, 9(4):38

Differing problem perceptions of staff, survivors, and significant others after brain injury, Malec JF, Machulda MM, Moessner AM, 12(3):1

A double-blind, sham-controlled evaluation of cranial electrotherapy stimulation in posttraumatic memory impairment, Michals ML, Crismon ML, Misko JS, Childs A, 8(4):77

The efficacy of prospective memory training in two adults with brain injury, Raskin SA, Sohlberg MM, 11(3):32

Evaluation of a computer-based program for remediation of cognitive-communication skills,

Thomas-Stonell N, Johnson P, Schuller R, and Jutai J, 9(4):25

Evoked potential findings in mild traumatic brain injury 1: Middle latency component augmentation and cognitive component attenuation, Ford MR, Khalil M, 11(3):1

Evoked potential findings in mild traumatic brain injury 2: Scoring system and individual discrimination, Ford MR, Khalil M, 11(3):16

Family needs after brain injury: A quantitative analysis, Kreutzer JS, Serio CD, Bergquist S, 9(3):104

Focused versus unstructured intervention for attention deficits after traumatic brain injury, Novack TA, Caldwell SG, Duke LW, Bergquist TF, Gage RJ, 11(3):52

Head injury effects on a new measure of remote memory: The Famous Tunes Test, Beatty WW, Scott JG, Moreland VJ, Rankin EJ, 10(3):59

Impact of age on functional outcome following traumatic brain injury, Reeder KP, Rosenthal M, Lichtenberg P, Wood D, 11(3):22

Kinship and family members' psychological distress after traumatic brain injury: A large sample study, Gervasio AH, Kreutzer JS, 12(3):14

Lack of awareness of impairment in institutionalized, severely and chronically disabled survivors of traumatic brain injury: A preliminary investigation, Gasquoine PG, Gibbons TA, 9(4):16

The nature and extent of substance abuse problems in persons with traumatic brain injury, Corrigan JD, Rust E, Lamb-Hart GL, 10(3):29

Neuropsychological rehabilitation: Proceedings of a consensus conference, Bergquist TF, Boll TJ, Corrigan JD, Harley JP, Malec JF, Millis SR, Schmidt MF, 9(4):50

NeuroSPECT correlates of disabling mild head injury: Preliminary findings, Varney NR, Bushnell DL, Nathan M, Kahn D, Roberts R, Rezai K, Walker W, Kirchner P, 10(3):18

A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, Fleming JM, Strong J, Aston R, Hassell M, 12(3):27

Persistent postconcussion syndrome: The structure of subjective complaints after mild traumatic brain injury, Cicerone KD, Kalmar K, 10(3):1

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Altman IM, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Profile of those at risk for minor head injury, Dicker BG, 7(1):83

Recovery of functional speech following traumatic brain injury, Dongilli PA, Jr, Hakel ME, Beukelman DR, 7(2):91

Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, Malec JF, Thompson JM, 9(4):1

Relationship of two measures of injury severity to pediatric psychological outcome 1-3 years after acute head injury, Papero PH, Snyder HM, Gotschall CS, Johnson DL, Eichelberger MR, 12(3):51

A review of research on psychosocial adjustment to impairment in persons with traumatic brain injury, Antonak RF, Livneh H, Antonak C, 8(4):87

Siblings of head-injured individuals: A population at risk, Orsillo SM, McCaffrey RJ, Fisher JM, 8(1):102

Slow-to-recover patients: Improvement to rehabilitation readiness, Ansell BJ, 8(3):88

Stimulus modality and verbal learning after moderate to severe closed head injury, Constantinidou F, Neils J, 10(4):90

Tailoring Direct Instruction techniques for use with elementary students with brain injury, Glang A, Singer G, Cooley E, Tish N, 7(4):93

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Clinical trials

1996 Sheldon Berrol, MD Senior Lectureship: Prospects for improving outcome by research, Clifton GL, 12(5):88

Therapeutic strategies in current clinical trials, McIntosh TK, Smith DH, 10(6):1

Clozapine

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

Cognitive impairment

1994 Sheldon Berrol, MD, Senior Lectureship: The problem of lost normality after brain injury, Prigatano GP, 10(3):87

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

Amantadine: A potential adjuvant therapy following traumatic brain injury, Cowell LC, Cohen RF, 10(6):91

The assessment of social problem-solving ability following traumatic brain injury, Kendall E, Shum D, Halson D, Bunning S, Teh M, 12(3):68

Cognitive outcome and behavioral adjustment in children following traumatic brain injury: A developmental perspective, Lazar MF, Menaldino S, 10(5):55

Cognitive theory and the study of everyday action disorders after brain damage, Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW, 8(1):59

Damage to the prefrontal cortex leads to decomposition of structured event complexes, Grafman J, Sirigu A, Spector L, Hendler J, 8(1):73

Discourse ability in children with brain injury: Correlations with psychosocial, linguistic, and

cognitive factors, Chapman SB, Levin HS, Matejka J, Harward H, Kufera JA, 10(5):36

A double-blind, sham-controlled evaluation of cranial electrotherapy stimulation in posttraumatic memory impairment, Michals ML, Crismon ML, Misko JS, Childs A, 8(4):77

Effects of traumatic brain injury on cognitive performance: An attentional resource hypothesis in search of data, Schmitter-Edgecombe M, 11(2):17

Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, Lawler KA, Terregino CA, 11(6):18

Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, Goldstein FC, Levin HS, 10(1):57

Neurobehavioral outcomes and their determinants, Dikmen S, Machamer JE, 10(1):74

Neuropsychological characteristics of patients with brain injury: Preliminary findings from a multicenter investigation, Kreutzer JS, Gordon WA, Rosenthal M, Marwitz J, 8(2):47

The Orientation Group Monitoring System for measuring duration of posttraumatic amnesia and assessing therapeutic interventions, Mysiw WJ, Bogner JA, Arnett JA, Clinchot DM, Corrigan JD, 11(6):1

Performance considerations for people with cognitive impairment in accessing assistive technologies, Levine SP, Horstmann HM, Kirsch NL, 7(3):46

Performance on verbal implicit and explicit memory tasks following traumatic brain injury, Shum D, Sweeper S, Murray R, 11(2):43

Pharmacological treatment of arousal and cognitive deficits, Wroblewski BA, Glenn MB, 9(3):19

Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, Varney NR, Menefee L, 8(1):32

Specification of higher cortical functions, Goldman-Rakic PS, 8(1):13

Traumatic brain injury: Neuropsychological deficits and evaluation at different stages of recovery and in different pathologic subtypes, Stuss DT, Buckle L, 7(2):40

Understanding, evaluating, and managing attention disorders following traumatic brain injury, Mateer CA, Mapou RL, 11(2):1

Use of the Neurobehavioral Cognitive Status Examination (Cognistat) in traumatic brain injury, Nabors NA, Millis SR, Rosenthal M, 12(3):79

Cognitive rehabilitation

Cognition-enhancing drugs, Cardenas DD, 8(4):112

The computer in cognitive rehabilitation: It's not just a tool anymore, Gianutsos R, 7(3):26

Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, Glisky EL, 7(3):1

Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M, 7(3):13

Contemporary approaches to the management of executive control dysfunction, Sohlberg MM, Mateer CA, Stuss DT, 8(1):45

Ecological validity of cognitive rehabilitation software, Lynch WJ, 7(3):36

The efficacy of prospective memory training in two adults with brain injury, Raskin SA, Sohlberg MM, 11(3):32

Error-free learning in the rehabilitation of people with memory impairments, Wilson BA, Evans JJ, 11(2):54

Evaluation of a computer-based program for remediation of cognitive-communication skills, Thomas-Stonell N, Johnson P, Schuller R, Jutai J, 9(4):25

Evaluation of memory retraining in patients with traumatic brain injury: Two single-case experimental designs, Benedict RHB, Wechsler FS, 7(4):83

Focused versus unstructured intervention for attention deficits after traumatic brain injury, Novack TA, Caldwell SG, Duke LW, Bergquist TF, Gage RJ, 11(3):52

Implicit memory and new semantic learning in posttraumatic amnesia, Glisky EL, Delaney SM, 11(2):31

Neuropsychological rehabilitation: Proceedings of a consensus conference, Bergquist TF, Boll TJ, Corrigan JD, Harley JP, Malec JF, Millis SR, Schmidt MF, 9(4):50

Neuropsychological treatment of mild traumatic brain injury, Kay T, 8(3):74

The Planning and Execution Assistant and Trainer (PEAT), Levinson R, 12(2):85

Principles of generalization applied to attention and memory interventions, Sohlberg MM, Raskin SA, 11(2):65

A role for dopamine in executive function deficits, McDowell SK, 11(6):89

Selecting patients and software for computer-assisted cognitive retraining: Part 1: Screening candidates for treatment, Lynch WJ, 7(1):92

Selecting patients and software for computer-assisted cognitive retraining: Part 2: Key patient variables to consider, Lynch WJ, 7(2):106

Software update, Lynch WJ, 9(2):105

Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, Lynch WJ, 7(4):109

Tailoring Direct Instruction techniques for use with elementary students with brain injury, Glang A, Singer G, Cooley E, Tish N, 7(4):93

Virtual reality and cognitive rehabilitation: A brief review of the future, Rizzo AA, Buckwalter JG, Neumann U, 12(6):1

Coma *See also* Minimally conscious state; Persistent vegetative state

The Americans with Disabilities Act and unconsciousness: A rejoinder, Avila D, 9(1):103

Interrater reliability of the Coma Recovery Scale, O'Dell MW, Jasin P, Stivers M, Lyons N, Schmidt S, Moore DE, 11(3):61

Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, Giacino JT, Zasler ND, 10(1):40

Communication

Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D, 10(5):80

Discourse ability in children with brain injury: Correlations with psychosocial, linguistic, and cognitive factors, Chapman SB, Levin HS, Matejka J, Harward H, Kufera JA, 10(5):36

Evaluation of a computer-based program for remediation of cognitive-communication skills, Thomas-Stonell N, Johnson P, Schuller R, Jutai J, 9(4):25

Language representation for the augmentative and alternative communication of adults with traumatic brain injury, Fried-Oken M, Doyle M, 7(3):59

Performance considerations for people with cognitive impairment in accessing assistive technologies, Levine SP, Horstmann HM, Kirsch NL, 7(3):46

Recovery of functional speech following traumatic brain injury, Dongilli PA, Jr, Hakel ME, Beukelman DR, 7(2):91

Stimulus modality and verbal learning after moderate to severe closed head injury, Constantinidou F, Neils J, 10(4):90

Update on a computer-based language prosthesis for aphasia therapy, Lynch WJ, 8(3):107

Community integration

Assessment of community integration following rehabilitation for traumatic brain injury, Willer B, Rosenthal M, Kreutzer JS, Gordon WA, Rempel R, 8(2):75

Functional measures after traumatic brain injury: Ceiling effects of FIM, FIM+FAM, DRS, and CIQ, Hall KM, Mann N, High WM, Jr, Wright J, Kreutzer JS, Wood D, 11(5):27

Impact of minority status on functional outcome and community integration following traumatic brain injury, Rosenthal M, Dijkers M, Harrison-Felix C, Nabors N, Witol AD, Young ME, Englander JS, 11(5):40

The interactive community-based model of vocational rehabilitation, La Marche JA, Reed LK, Rich MA, Cash AW, Lucas LH, Boll TJ, 10(4):81

Living in the community: An examination of the philosophical and practical aspects, Racino JA, Williams JM, 9(2):35

Measuring the long-term outcomes of traumatic brain injury: A review of the Community Integration Questionnaire, Dijkers M, 12(6):74

A model for team meetings in nonresidential community-integrated programs, Kneipp S, 10(6):50

A multicenter longitudinal investigation of return to work and community integration following traumatic brain injury, Sander AM, Kreutzer JS, Rosenthal M, Delmonico R, Young ME, 11(5):70

Natural-setting behavior management for individuals with traumatic brain injury: Results of a three-year caregiver training program, Carnevale GJ, 11(1):27

Planning considerations for community integrative brain injury programs, Venzie DR, Felicetti T, Cerra-Tyl D, 11(6):51

Predictors of living independently after moderate to severe traumatic brain injury: A comparison study, Brzuzy S, Corrigan JD, 11(3):74

Psychometric characteristics of the Community Integration Questionnaire: Replication and extension, Corrigan JD, Deming R, 10(4):41

Role of behavior analysis in home and community-based neurological rehabilitation, Pace GM, Colbert B, 11(1):18

The vocational rehabilitation continuum: Maximizing outcomes through bridging the gap from hospital to community-based services, Buffington ALH, Malec JF, 12(5):1

Compressive neuropathy

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Computed tomography

Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Neuroimaging in patients with traumatic brain injury, Newberg AB, Alavi A, 11(6):65

New neuroimaging techniques and their potential role in patients with acute brain injury, Ashwal S, Holshouser BA, 12(4):13

Computers

The computer in cognitive rehabilitation: It's not just a tool anymore, Gianutsos R, 7(3):26

Computer technology in vocational rehabilitation, Kreutzer JS, West M, Sherron P, Wehman PH, Fry R, 7(3):70

Computer-administered cognitive assessment update, Lynch WJ, 11(2):99

Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, Glisky EL, 7(3):1

Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M, 7(3):13

Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D, 10(5):80

Ecological validity of cognitive rehabilitation software, Lynch WJ, 7(3):36

Evaluation of a computer-based program for remediation of cognitive-communication skills, Thomas-Stonell N, Johnson P, Schuller R, Jutai J, 9(4):25

Hardware update: The Eyegaze Computer System™, Lynch WJ, 9(4):77

Microcomputer-assisted neuropsychological test analysis, Lynch WJ, 10(2):97

The Planning and Execution Assistant and Trainer (PEAT), Levinson R, 12(2):85

Selecting patients and software for computer-assisted cognitive retraining: Part 1: Screening candidates for treatment, Lynch WJ, 7(1):92

Selecting patients and software for computer-assisted cognitive retraining: Part 2: Key patient variables to consider, Lynch WJ, 7(2):106

Software update, Lynch WJ, 9(2):105

Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, Lynch WJ, 7(4):109

Update on a computer-based language prosthesis for aphasia therapy, Lynch WJ, 8(3):107

Virtual reality and cognitive rehabilitation: A brief review of the future, Rizzo AA, Buckwalter JG, Neumann U, 12(6):1

Confidentiality

"Greetings," Kolpan KI, 8(3):110

Memory books, Kolpan KI, 11(4):104

Private pain—public disclosure, Kolpan, KI, 8(3):112

Your life is an open book, Kolpan KI, 11(2):102

Consciousness *See* Coma; Minimally conscious state; Persistent vegetative state

Continuum of care *See also* Transition services

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

The vocational rehabilitation continuum: Maximizing outcomes through bridging the gap from hospital to community-based services, Buffington ALH, Malec JF, 12(5):1

Contractures *See also* Spasticity

Selective release of spastic elbow flexors in the patient with brain injury, Keenan MA, Ahearn R, Lazarus M, Perry J, 11(4):57

Surgical correction of lower extremity problems in patients with brain injury, Pinzur MS, 11(4):69

Controversies

Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy, Reinhard DL, Yablon SA, Bontke CF, 8(4):101

Do patients with mild brain injuries have posttraumatic stress disorder, too?, Rattok J, Boake C, Bontke CF, 11(1):95

Sensory stimulation: Accepted practice or expected practice?, Sandel ME, Horn LJ, Bontke CF, 7(4):115

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification?, Hammond FM, Francisco GE, Bontke CF, 11(6):80

Should we withhold food from patients in a persistent vegetative state?, Bontke CF, Dolan JM, Ivanhoe CB, 9(4):62

Cost of care

The benefit of rehabilitation in traumatic brain injury: A literature review, Hall KM, Cope DN, 10(1):1

Changes in reimbursement climate: Relationship among outcome, cost, and payor type in the postacute rehabilitation environment, Ashley MJ, Persel CS, Krych DK, 8(4):30

A clinical and economic perspective on head injury rehabilitation, Cope DN, O'Lear J, 8(4):1

Cost of medical care for a population-based sample of persons surviving traumatic brain injury, Brooks CA, Lindstrom J, McCray J, Whiteneck GG, 10(4):1

Dedicated management of outcome, quality, and value: Internal case management, Malkmus DD, Johnson P, 7(4):57

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, Abrams D, Barker LT, Haffey W, Nelson H, 8(4):59

Ethical dilemmas resulting from insurance coverage for catastrophic rehabilitative care, Cervelli L, Banja JD, 10(1):90

Factors affecting hospital length of stay and charges following traumatic brain injury, High WM, Jr, Hall KM, Rosenthal M, Mann N, Zafonte R, Cifu DX, Boake C, Bartha M, Ivanhoe C, Yablon S, Newton CN, Sherer M, Silver B, Lehmkuhl LD, 11(5):85

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

Long-term care and support services for persons with traumatic brain injury, O'Keefe J, 9(2):49

Managing costs and outcome of patients with traumatic brain injury in an HMO setting, Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J, 8(4):15

Outcome and value following brain injury: A financial provider's perspective, Papastrat LA, 7(4):11

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Shifting burdens in managed care: But to whom?, Banja JD, Moore G, 12(3):91

Counseling

Crisis intervention with the family in the trauma setting, Cope ND, Wolfson B, 9(1):67

Cranial electrotherapy stimulation

A double-blind, sham-controlled evaluation of cranial electrotherapy stimulation in posttraumatic memory impairment, Michals ML, Crismon ML, Misko JS, Childs A, 8(4):77

Critical care

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

The impact of early orthopedic management on patients with traumatic brain injury, Powell JN, Chapman P, 9(1):57

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

The role of rehabilitation in the intensive care unit, Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE, 9(1):32

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

Cuing strategies

Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, Glisky EL, 7(3):1

Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M, 7(3):13

The Planning and Execution Assistant and Trainer (PEAT), Levinson R, 12(2):85

D

Deep venous thrombosis

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Depo-Provera

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Depression *See also* Affective disorders

Depression, antidepressants, and traumatic brain injury, Joseph AB, Wroblewski B, 10(2):90

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Neuropsychiatric correlates of persistent postconcussive syndrome, Alexander MP, 7(2):60

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Disability assessment

Characteristics and comparisons of functional assessment indices: Disability Rating Scale, Functional Independence Measure, and Functional Assessment Measure, Hall KM, Hamilton BB, Gordon WA, Zasler ND, 8(2):60

Functional measures after traumatic brain injury: Ceiling effects of FIM, FIM+FAM, DRS, and CIQ, Hall KM, Mann N, High WM, Jr, Wright J, Kreutzer JS, Wood D, 11(5):27

The Head Injury Family Interview: A clinical and research tool, Kay T, Cavallo MM, Ezrachi O, Vavagiakis P, 10(2):12

Psychometric characteristics of the Community Integration Questionnaire: Replication and extension, Corrigan JD, Deming R, 10(4):41

Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, Malec JF, Thompson JM, 9(4):1

Relationships among impairment, disability, handicap, and life satisfaction in persons with traumatic brain injury, Heinemann AW, Whiteneck GG, 10(4):54

Disclosure of information

"Greetings," Kolpan KI, 8(3):110

Memory books, Kolpan KI, 11(4):104

Private pain—public disclosure, Kolpan, KI, 8(3):112

Your life is an open book, Kolpan KI, 11(2):102

Disruptive behavior *See also* Behavior

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, Feeney TJ, Ylvisaker M, 10(3):67

Ethical dimensions of caring for defiant patients: A case study, Banja JD, Adler RK, Stringer AY, 11(6):93

Functional analysis: Identifying the environmental determinants of severe behavior disorders, Treadwell K, Page TJ, 11(1):62

Neuropharmacological management of destructive behavior after traumatic brain injury, Cassidy JW, 9(3):43

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Treatment of agitation in the acute care setting, Zafonte RD, 12(2):78

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Dopaminergic drugs

Amantadine: A potential adjuvant therapy following traumatic brain injury, Cowell LC, Cohen RF, 10(6):91

Bromocriptine: Neuropharmacology and clinical caveats, Zasler ND, 10(4):101

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

A role for dopamine in executive function deficits, McDowell SK, 11(6):89

Drug therapy *See* Pharmacology

Dysphagia

Disorders of nutrition and swallowing: Intervention strategies in the trauma center, Logeman JA, Pepe J, Mackay LE, 9(1):43

Single-subject evaluation designs in rehabilitation: Case studies on inpatient units, Jacobs HE, Hart T, Mory KD, Griffin C, Martin BA, Probst J, 11(1):86

E

Economic issues

Changes in reimbursement climate: Relationship among outcome, cost, and payor type in the postacute rehabilitation environment, Ashley MJ, Persel CS, Krych DK, 8(4):30

A clinical and economic perspective on head injury rehabilitation, Cope DN, O'Lear J, 8(4):1

Cost of medical care for a population-based sample of persons surviving traumatic brain injury, Brooks CA, Lindstrom J, McCray J, Whiteneck GG, 10(4):1

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, Abrams D, Barker LT, Haffey W, Nelson H, 8(4):59

The ethics of gatekeeping in rehabilitation medicine, Caplan A, 12(1):29

Factors affecting hospital length of stay and charges following traumatic brain injury, High WM, Jr, Hall KM, Rosenthal M, Mann N, Zafonte R, Cifu DX, Boake C, Bartha M, Ivanhoe C, Yablon S, Newton CN, Sherer M, Silver B, Lehmkuhl LD, 11(5):85

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

The impact of recent changes in health care insurance on medical practice, Haas JF, 12(1):1

Long-term care and support services for persons with traumatic brain injury, O'Keefe J, 9(2):49

Managing costs and outcome of patients with traumatic brain injury in an HMO setting, Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J, 8(4):15

Outcome and value following brain injury: A financial provider's perspective, Papastrat LA, 7(4):11

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Shifting burdens in managed care: But to whom?, Banja JD, Moore G, 12(3):91

Educational services *See* Schooling

Effectiveness of rehabilitation *See also* Outcome

1995 Sheldon Berrol, MD Senior Lectureship: The ethics and efficacy of traumatic brain injury rehabilitation—myths, measurements, and meaning, Rosenthal M, 11(4):88

The benefit of rehabilitation in traumatic brain injury: A literature review, Hall KM, Cope DN, 10(1):1

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

Critical analysis of studies evaluating the effectiveness of rehabilitation after traumatic brain injury, High WM, Jr, Boake C, Lehmkuhl LD, 10(1):14

The efficacy of prospective memory training in two adults with brain injury, Raskin SA, Sohlberg MM, 11(3):32

The efficacy of vestibular rehabilitation for patients with head trauma, Gizzi M, 10(6):60

Outcome and value: A perspective on rehabilitation outcomes achieved in acquired brain injury, Evans RW, Ruff RM, 7(4):24

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L, 10(4):64

Electroencephalography

The future of high-resolution EEGs in assessing neurocognitive effects of mild head injury, Gevins A, Le J, Brickett P, Cutillo B, Ward M, Reutter B, Alexander J, Leong H, Johnston J, Illes J, McLaughlin J, DuRousseau D, Raffaelli P, Filidei M, 7(2):78

Electrophysiology

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

Evoked potential findings in mild traumatic brain injury 1: Middle latency component augmentation and cognitive component attenuation, Ford MR, Khalil M, 11(3):1

Evoked potential findings in mild traumatic brain injury 2: Scoring system and individual discrimination, Ford MR, Khalil M, 11(3):16

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Emergency care *See also* Trauma center intervention

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

Crisis intervention with the family in the trauma setting, Cope ND, Wolfson B, 9(1):67

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

Employment *See* Vocational rehabilitation

Endocrine system

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Epidemiology

Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, Costanzo RM, Zasler ND, 7(1):15

A quarter century of the vegetative state: An international perspective, Jennett B, 12(4):1

Epilepsy *See* Seizures

Ethical issues

1995 Sheldon Berrol, MD Senior Lectureship: The ethics and efficacy of traumatic brain injury rehabilitation—myths, measurements, and meaning, Rosenthal M, 11(4):88

Allocating rehabilitation according to need, Banja JD, 11(3):84

The Americans with Disabilities Act and unconsciousness: A rejoinder, Avila D, 9(1):103

Does the Americans with Disabilities Act protect persons in the persistent vegetative state?, Banja JD, 8(4):108

Ethical dilemmas resulting from insurance coverage for catastrophic rehabilitative care, Cervelli L, Banja JD, 10(1):90

Ethical dimensions of caring for defiant patients: A case study, Banja JD, Adler RK, Stringer AY, 11(6):93

Ethics, fraud, and the misallocation of rehabilitation resources, Banja JD, 7(3):114

The ethics of gatekeeping in rehabilitation medicine, Caplan A, 12(1):29

The impact of managed care on the moral character of rehabilitation institutions, Thobaden JR, 12(1):10

The influence of outcome studies on rehabilitation policy, Ling JS, Evans RW, 12(1):51

Managed care and (un)informed consent, Dougherty CJ, 12(1):21

Managed care in traumatic brain injury rehabilitation: Physiatrists' concerns and ethical dilemmas, Bontke CF, 12(1):37

Marketing brain injury rehabilitation services: Toward a more ethical approach, Ulicny GR, 9(4):73

Moral sensitivity, sodomy laws, and traumatic brain injury rehabilitation, Banja JD, Banes L, 8(1):116

The myth of value-free research, Banja JD, 10(3):96

Outcomes and values, Banja JD, 9(2):111

Patient rights, ethics committees, and the 1992 Joint Commission standards: Implications for traumatic brain injury programs, Banja JD, 7(4):46

Risk assessment and patient autonomy, Banja JD, 9(4):70

Shifting burdens in managed care: But to whom?, Banja JD, Moore G, 12(3):91

Should we withhold food from patients in a persistent vegetative state?, Bontke CF, Dolan JM, Ivanhoe CB (Controversies), 9(4):62

Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, Childs NL, Cranford RE, 12(4):70

Tragedy and traumatic brain injury, Banja JD, 7(4):112

Values, function, and managed care: An ethical analysis, Banja JD, 12(1):60

A vision for the future: An interview with Gerben DeJong, PhD, Prince JM, Haas JF, 12(1):71

"You wouldn't want to live like that...," Banja JD, 12(6):92

Ethnicity *See* Minority groups

Etidronate disodium

Etidronate disodium: Effects on heterotopic ossification and osteoporosis, Glenn MB, 8(3):99

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification?, Hammond FM, Francisco GE, Bontke CF (Controversies), 11(6):80

Evoked potentials

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

Evoked potential findings in mild traumatic brain injury 1: Middle latency component augmentation and cognitive component attenuation, Ford MR, Khalil M, 11(3):1

Evoked potential findings in mild traumatic brain injury 2: Scoring system and individual discrimination, Ford MR, Khalil M, 11(3):16

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Excitatory amino acids

Acute neurochemical alterations following traumatic brain injury: Research implications for clinical treatment, Zasler ND, 7(2):102

Neurochemical aspects of head injury: Role of excitatory neurotransmission, Hayes RL, Jenkins LW, Lyeth BG, 7(2):16

Therapeutic strategies in current clinical trials, McIntosh TK, Smith DH, 10(6):1

Executive function

Cognitive theory and the study of everyday action disorders after brain damage, Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW, 8(1):59

Contemporary approaches to the management of executive control dysfunction, Sohlberg MM, Mateer CA, Stuss DT, 8(1):45

Newer contributions to the neuropsychological assessment of executive functions, Lezak MD, 8(1):24

The Planning and Execution Assistant and Trainer (PEAT), Levinson R, 12(2):85

Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, Varney NR, Menefee L, 8(1):32

A role for dopamine in executive function deficits, McDowell SK, 11(6):89

Experimental design

Critical analysis of studies evaluating the effectiveness of rehabilitation after traumatic brain injury, High WM, Jr, Boake C, Lehmkuhl LD, 10(1):14

Evaluation of memory retraining in patients with traumatic brain injury: Two single-case experimental designs, Benedict RHB, Wechsler FS, 7(4):83

Single-subject evaluation designs in rehabilitation: Case studies on inpatient units, Jacobs HE, Hart T, Mory KD, Griffin C, Martin BA, Probst J, 11(1):86

F

Families

Common misconceptions about traumatic brain injury among family members of rehabilitation patients, Springer JA, Farmer JE, Bouman DE, 12(3):41

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

A comparison of two psychosocial interventions for parents of children with acquired brain injury: An exploratory study, Singer GHS, Glang A, Nixon C, Cooley E, Kerns KA, Williams D, Powers LE, 9(4):38

Crisis intervention with the family in the trauma setting, Cope ND, Wolfson B, 9(1):67

Differing problem perceptions of staff, survivors, and significant others after brain injury, Malec JF, Machulda MM, Moessner AM, 12(3):1

Family needs after brain injury: A quantitative analysis, Kreutzer JS, Serio CD, Bergquist S, 9(3):104

Fostering effective family involvement through mentoring, Blosser J, DePompei R, 10(2):46

The Head Injury Family Interview: A clinical and research tool, Kay T, Cavallo MM, Ezrachi O, Vavagiakis P, 10(2):12

The impact of public policy on persons with traumatic brain injury and their families, Rosen B, Reynolds WE, 9(2):1

Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and quantitative evaluations, Phipps EJ, DiPasquale M, Blitz CL, Whyte J, 12(4):52

Kinship and family members' psychological distress after traumatic brain injury: A large sample study, Gervasio AH, Kreutzer JS, 12(3):14

Misperceptions, mishaps, and pitfalls in working with families after traumatic brain injury, Kreutzer JS, Sander AM, Fernandez CC, 12(6):63

A model for team meetings in nonresidential community-integrated programs, Kneipp S, 10(6):50

Natural-setting behavior management for individuals with traumatic brain injury: Results of a three-year caregiver training program, Carnevale GJ, 11(1):27

Predicting family needs after brain injury: Implications for intervention, Serio CD, Kreutzer JS, Gervasio AH, 10(2):32

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Siblings of head-injured individuals: A population at risk, Orsillo SM, McCaffrey RJ, Fisher JM, 8(1):102

Traumatic brain injury in families from culturally diverse populations, Cavallo MM, Saucedo C, 10(2):66

Treating families of individuals with traumatic brain injury from a family systems perspective, Maitz EA, Sachs PR, 10(2):1

Famous Tunes Test

Head injury effects on a new measure of remote memory: The Famous Tunes Test, Beatty WW, Scott JG, Moreland VJ, Rankin EJ, 10(3):59

Felbamate

Felbamate: Is there a role in the prevention and management of posttraumatic epilepsy?, Lazar RB, 10(1):87

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Forensic issues *See* Medicolegal issues

Fosphenytoin

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Fractures *See also* Musculoskeletal disorders

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

The impact of early orthopedic management on patients with traumatic brain injury, Powell JN, Chapman P, 9(1):57

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

The treatment of malunion of tibial fractures in patients with traumatic brain injury, Moore TJ, 11(4):31

Frontal lobe

Cognitive theory and the study of everyday action disorders after brain damage, Schwartz MF, Mayer NH, FitzpatrickDeSalme EJ, Montgomery MW, 8(1):59

Contemporary approaches to the management of executive control dysfunction, Sohlberg MM, Mateer CA, Stuss DT, 8(1):45

Damage to the prefrontal cortex leads to decomposition of structured event complexes, Grafman J, Sirigu A, Spector L, Hendler J, 8(1):73

Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, Varney NR, Menefee L, 8(1):32

Rehabilitation and management of behavioral disturbances following frontal lobe injury, Hart T, Jacobs HE, 8(1):1

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Specification of higher cortical functions, Goldman-Rakic PS, 8(1):13

Functional assessment

The assessment of social problem-solving ability following traumatic brain injury, Kendall E, Shum D, Halson D, Bunning S, Teh M, 12(3):68

Characteristics and comparisons of functional assessment indices: Disability Rating Scale, Functional Independence Measure, and Functional Assessment Measure, Hall KM, Hamilton BB, Gordon WA, Zasler ND, 8(2):60

Functional analysis: Identifying the environmental determinants of severe behavior disorders, Treadwell K, Page TJ, 11(1):62

Functional measures after traumatic brain injury: Ceiling effects of FIM, FIM+FAM, DRS, and CIQ, Hall KM, Mann N, High WM, Jr, Wright J, Kreutzer JS, Wood D, 11(5):27

Impact of minority status on functional outcome and community integration following traumatic brain injury, Rosenthal M, Dijkers M, Harrison-Felix C, Nabors N, Witol AD, Young ME, Englander JS, 11(5):40

Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and quantitative evaluations, Phipps EJ, DiPasquale M, Blitz CL, Whyte J, 12(4):52

Outcome measures for patients with head injuries: Report of the Outcome Measures Subcommittee, Hannay HJ, Ezrachi O, Contant CF, Levin HS, 11(6):41

Functional recovery *See also* Effectiveness of rehabilitation; Outcome

Brain injury and recovery of function: Theories and mechanisms of functional reorganization, Almli CR, Finger S, 7(2):70

Functional outcome following surgical resection of heterotopic ossification in patients with brain injury, Kolessar DJ, Katz SD, Keenan MAE, 11(4):78

Gender- and age-related role changes following brain injury, Schmidt MF, Garvin LJ, Heinemann AW, Kelly JP, 10(4):14

The impact of acute complications, fractures, and motor deficits on functional outcome and leng:h of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Impact of age on functional outcome following traumatic brain injury, Reeder KP, Rosenthal M, Lichtenberg P, Wood D, 11(3):22

A multicenter longitudinal investigation of return to work and community integration following traumatic brain injury, Sander AM, Kreutzer JS, Rosenthal M, Delmonico R, Young ME, 11(5):70

A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, Fleming JM, Strong J, Aston R, Hassell M, 12(3):27

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L, 10(4):64

Recovery of functional speech following traumatic brain injury, Dongilli PA, Jr, Hakel ME, Beukelman DR, 7(2):91

Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, Malec JF, Thompson JM, 9(4):1

Return to work for persons with severe traumatic brain injury: A data-based approach to program development, Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS, 10(1):27

Slow-to-recover patients: Improvement to rehabilitation readiness, Ansell BJ, 8(3):88

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

Values, function, and managed care: An ethical analysis, Banja JD, 12(1):60

The vegetative and minimally conscious states: A comparison of clinical features and functional outcome, Giacino JT, Kalmar K, 12(4):36

G

Gabapentin

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Gait patterns

The functional significance of spasticity as assessed by gait analysis, Kerrigan DC, Annaswamy TM, 12(6):29

Gastrointestinal disorders

Pharmacologic management of upper gastrointestinal tract disorders, Whitlock JA, Jr, 9(2):115

Gender issues

Gender- and age-related role changes following brain injury, Schmidt MF, Garvin LJ, Heinemann AW, Kelly JP, 10(4):14

Generalization

Principles of generalization applied to attention and memory interventions, Sohlberg MM, Raskin SA, 11(2):65

Virtual reality and cognitive rehabilitation: A brief review of the future, Rizzo AA, Buckwalter JG, Neumann U, 12(6):1

Geriatrics

Geriatric issues: Special considerations, Murphy C, Davidson TM, 7(1):76

Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, Goldstein FC, Levin HS, 10(1):57

Gunshot wounds

Gunshot wounds to the brain in children, Michaud LJ, Duhaime A-C, 10(5):25

Gustatory system

Anatomy and physiology of taste and smell, Smith DV, Shipley MT, 7(1):1

Diagnostic tests and assessment, Doty RL, 7(1):47

Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, Costanzo RM, Zasler ND, 7(1):15

Evaluation by the otorhinolaryngologist, Leopold DA, 7(1):42

General medical evaluation, Mott AE, 7(1):25

Geriatric issues: Special considerations, Murphy C, Davidson TM, 7(1):76

Rehabilitative management of olfactory and gustatory dysfunction following brain injury, Zasler ND, McNeny R, Heywood PG, 7(1):66

H

Headache *See also* Postconcussive disorders

Neuropsychiatric correlates of persistent postconcussive syndrome, Alexander MP, 7(2):60

Postconcussive symptoms after uncomplicated mild head injury, Alves W, Macciocchi SN, Barth JT, 8(3):48

Health care reform *See* Managed care; Reimbursement for care

Heterotopic ossification *See also* Musculoskeletal disorders

Etidronate disodium: Effects on heterotopic ossification and osteoporosis, Glenn MB, 8(3):99

The formation of heterotopic ossification after traumatic brain injury: A biopsy study with ultrastructural analysis, Keenan MAE, Haider T, 11(4):8

Functional outcome following surgical resection of heterotopic ossification in patients with brain injury, Kolessar DJ, Katz SD, Keenan MAE, 11(4):78

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification?, Hammond FM, Francisco GE, Bontke CF (Controversies), 11(6):80

Histology

The formation of heterotopic ossification after traumatic brain injury: A biopsy study with ultrastructural analysis, Keenan MAE, Haider T, 11(4):8

Histology and intramuscular pressure in spastic muscle, Peter KS, Hsu JD, Keenan MAE, Romansky SG, 11(4):1

Home care

Natural-setting behavior management for individuals with traumatic brain injury: Results of a three-year caregiver training program, Carnevale GJ, 11(1):27

Role of behavior analysis in home and community-based neurological rehabilitation, Pace GM, Colbert B, 11(1):18

Hydration *See also* Nutrition

Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, Childs NL, Cranford RE, 12(4):70

Hydrocephalus

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Hypothermia

Therapeutic strategies in current clinical trials, McIntosh TK, Smith DH, 10(6):1

I

Imaging

The future of high-resolution EEGs in assessing neurocognitive effects of mild head injury, Gevins A, Le J, Brickett P, Cutillo B, Ward M, Reutter B, Alexander J, Desmond J, Leong H, Johnston J, Illes J, McLaughlin J, DuRousseau D, Raffaelli P, Filidei M, 7(2):78

Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Neuroimaging in patients with traumatic brain injury, Newberg AB, Alavi A, 11(6):65

NeuroSPECT correlates of disabling mild head injury: Preliminary findings, Varney NR, Bushnell DL, Nathan M, Kahn D, Roberts R, Rezai K, Walker W, Kirchner P, 10(3):18

New neuroimaging techniques and their potential role in patients with acute brain injury, Ashwal S, Holshouser BA, 12(4):13

Independent living *See also* Community integration

Living in the community: An examination of the philosophical and practical aspects, Racino JA, Williams JM, 9(2):35

Predictors of living independently after moderate to severe traumatic brain injury: A comparison study, Brzuzy S, Corrigan JD, 11(3):74

Informed consent

Managed care and (un)informed consent, Dougherty CJ, 12(1):21

In memoriam

J. Douglas Miller, MD, PhD, 11(1):v

Sheldon Berrol, MD, 7(1):viii

Insomnia *See* Sleep disorders

Insurance *See* Reimbursement for care

Intensive care *See also* Trauma center intervention

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

The role of rehabilitation in the intensive care unit, Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE, 9(1):32

L

Lamotrigine

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Language *See also* Communication

Discourse ability in children with brain injury: Correlations with psychosocial, linguistic, and cognitive factors, Chapman SB, Levin HS, Matejka J, Harward H, Kufera JA, 10(5):36

Language representation for the augmentative and alternative communication of adults with traumatic brain injury, Fried-Oken M, Doyle M, 7(3):59

Stimulus modality and verbal learning after moderate to severe closed head injury, Constantinidou F, Neils J, 10(4):90

Update on a computer-based language prosthesis for aphasia therapy, Lynch WJ, 8(3):107

Learning

Error-free learning in the rehabilitation of people with memory impairments, Wilson BA, Evans JJ, 11(2):54

Implicit memory and new semantic learning in posttraumatic amnesia, Glisky EL, Delaney SM, 11(2):31

Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC, 11(1):39

Rehabilitation and management of behavioral disturbances following frontal lobe injury, Hart T, Jacobs HE, 8(1):1

Stimulus modality and verbal learning after moderate to severe closed head injury, Constantinidou F, Neils J, 10(4):90

Tailoring direct instruction techniques for use with elementary students with brain injury, Glang A, Singer G, Cooley E, Tish N, 7(4):93

The utilization of a game format to increase knowledge of residuals among people with acquired brain injury, Zhou J, Chittum R, Johnson K, Poppen R, Guercio J, McMorrow MJ, 11(1):51

Legal issues *See* Medicolegal issues

Length of stay

Factors affecting hospital length of stay and charges following traumatic brain injury, High WM, Jr, Hall KM, Rosenthal M, Mann N, Zafonte R, Cifu DX, Boake C, Bartha M, Ivanhoe C, Yablon S, Newton CN, Sherer M, Silver B, Lehmkuhl LD, 11(5):85

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Long-term care

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

Long-term care and support services for persons with traumatic brain injury, O'Keefe J, 9(2):49

Lower extremity

The functional significance of spasticity as assessed by gait analysis, Kerrigan DC, Annaswamy TM, 12(6):29

Surgical correction of lower extremity problems in patients with brain injury, Pinzur MS, 11(4):69

The treatment of malunion of tibial fractures in patients with traumatic brain injury, Moore TJ, 11(4):31

M

Magnetic resonance imaging

Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Neuroimaging in patients with traumatic brain injury, Newberg AB, Alavi A, 11(6):65

New neuroimaging techniques and their potential role in patients with acute brain injury, Ashwal S, Holshouser BA, 12(4):13

Malingering

Malingering and malingering-like aspects of mild closed head injury, Ruff RM, Wylie T, Tennant W, 8(3):60

Managed care *See also* Reimbursement for care

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

The ethics of gatekeeping in rehabilitation medicine, Caplan A, 12(1):29

The impact of managed care on the moral character of rehabilitation institutions, Thobaden JR, 12(1):10

The impact of recent changes in health care insurance on medical practice, Haas JF, 12(1):1

The influence of outcome studies on rehabilitation policy, Ling JS, Evans RW, 12(1):51

Managed care and (un)informed consent, Dougherty CJ, 12(1):21

Managed care in traumatic brain injury rehabilitation: Physiatrists' concerns and ethical dilemmas, Bontke CF, 12(1):37

Managing costs and outcome of patients with traumatic brain injury in an HMO setting, Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J, 8(4):15

Outcome-oriented rehabilitation: A response to managed care, Schmidt ND, 12(1):44

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Shifting burdens in managed care: But to whom?, Banja JD, Moore G, 12(3):91

Values, function, and managed care: An ethical analysis, Banja JD, 12(1):60

A vision for the future: An interview with Gerben DeJong, PhD, Prince JM, Haas JF, 12(1):71

Marketing

Marketing brain injury rehabilitation services: Toward a more ethical approach, Ulicny GR, 9(4):73

Mayo-Portland Adaptability Inventory

Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, Malec JF, Thompson JM, 9(4):1

Medical assessment

Evaluation by the otorhinolaryngologist, Leopold DA, 7(1):42

General medical evaluation, Mott AE, 7(1):25

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

The role of medical rehabilitation in vocational reentry, Zasler ND, 12(5):42

Medical complications

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Medical complications and associated injuries of persons treated in the traumatic brain injury model systems programs, Bontke CF, Lehmkuhl LD, Englander J, Mann N, Ragnarsson KT, Zasler ND, Graves DE, Thoi LL, Jung C, 8(2):34

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

Medications *See* Pharmacology

Medicolegal issues

The Americans with Disabilities Act and unconsciousness: A rejoinder, Avila D, 9(1):103

To be seen or not to be seen—That is the question, Kolpan KI, 7(1):96

Does the Americans with Disabilities Act protect persons in the persistent vegetative state?, Banja JD, 8(4):108

Forensic issues in mild head injury, McCaffrey RJ, Williams AD, Fisher JM, Laing LC, 8(3):38

Getting involved in litigation, Kolpan KI, 12(2):82

"Greetings," Kolpan KI, 8(3):110

Hedonic damages, Kolpan KI, 7(2):109

"I dare you," Kolpan KI, 12(4):93

Memory books, Kolpan KI, 11(4):104

Moral sensitivity, sodomy laws, and traumatic brain injury rehabilitation, Banja JD, Banes L, 8(1):116

No reported loss of consciousness, Kolpan KI, 10(5):93

Private pain—public disclosure, Kolpan, KI, 8(3):112

Representing the person with severe brain injury, Kolpan KI, 10(2):101

Seat belts, Kolpan KI, 7(3):112

Seeing is believing, Kolpan KI, 11(6):98

Vocational rehabilitation and traumatic brain injury: A legislative and public policy perspective, Goodall P, Lawyer HL, Wehman P, 9(2):61

What is an attorney to do?, Kolpan JI, 9(2):109

Your life is an open book, Kolpan KI, 11(2):102

Medroxyprogesterone acetate

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Memory

A double-blind, sham-controlled evaluation of cranial electrotherapy stimulation in posttraumatic memory impairment, Michals ML, Crismon ML, Misko JS, Childs A, 8(4):77

The efficacy of prospective memory training in two adults with brain injury, Raskin SA, Sohlberg MM, 11(3):32

Error-free learning in the rehabilitation of people with memory impairments, Wilson BA, Evans JJ, 11(2):54

Evaluation of memory retraining in patients with traumatic brain injury: Two single-case experimental designs, Benedict RHB, Wechsler FS, 7(4):83

Head injury effects on a new measure of remote memory: The Famous Tunes Test, Beatty WW, Scott JG, Moreland VJ, Rankin EJ, 10(3):59

Implicit memory and new semantic learning in posttraumatic amnesia, Glisky EL, Delaney SM, 11(2):31

Memory books, Kolpan KI, 11(4):104

Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC, 11(1):39

The Orientation Group Monitoring System for measuring duration of posttraumatic amnesia and assessing therapeutic interventions, Mysiw WJ, Bogner JA, Arnett JA, Clinchot DM, Corrigan JD, 11(6):1

Performance on verbal implicit and explicit memory tasks following traumatic brain injury, Shum D, Sweeper S, Murray R, 11(2):43

Principles of generalization applied to attention and memory interventions, Sohlberg MM, Raskin SA, 11(2):65

Specification of higher cortical functions, Goldman-Rakic PS, 8(1):13

Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, Lynch WJ, 7(4):109

You must remember this: Assistive devices for memory impairment, Lynch WJ, 10(1):94

Mentoring

Fostering effective family involvement through mentoring, Blosser J, DePompei R, 10(2):46

Mild brain injury

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

Definition of mild traumatic brain injury, Kay T, Harrington DE, Adams R, Anderson T, Berrol S, Cicerone K, Dahlberg C, Gerber D, Goka R, Harley P, Hilt J, Horn L, Lehmkuhl D, Malec J, 8(3):86

Do patients with mild brain injuries have posttraumatic stress disorder, too?, Rattok J, Boake C, Bontke CF (Controversies), 11(1):95

Evoked potential findings in mild traumatic brain injury 1: Middle latency component augmentation and cognitive component attenuation, Ford MR, Khalil M, 11(3):1

Evoked potential findings in mild traumatic brain injury 2: Scoring system and individual discrimination, Ford MR, Khalil M, 11(3):16

Forensic issues in mild head injury, McCaffrey RJ, Williams AD, Fisher JM, Laing LC, 8(3):38

The future of high-resolution EEGs in assessing neurocognitive effects of mild head injury, Gevins A, Le J, Brickett P, Cutillo B, Ward M, Reutter B, Alexander J, Leong H, Johnston J, Illes J, McLaughlin J, DuRousseau D, Raffaelli P, Filidei M, 7(2):78

Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, Lawler KA, Terregino CA, 11(6):18

Malingering and malingering-like aspects of mild closed head injury, Ruff RM, Wylie T, Tennant W, 8(3):60

Mechanisms of mild traumatic brain injury, Dixon CE, Taft WC, Hayes RL, 8(3):1

Methodological issues in the study of mild head injury, Dikmen SS, Levin HS, 8(3):30

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

Mild traumatic brain injury: Searching for the syndrome, Gerber DJ, Schraa JC, 10(4):28

Neuropsychological treatment of mild traumatic brain injury, Kay T, 8(3):74

NeuroSPECT correlates of disabling mild head injury: Preliminary findings, Varney NR, Bushnell DL, Nathan M, Kahn D, Roberts R, Rezai K, Walker W, Kirchner P, 10(3):18

Persistent postconcussion syndrome: The structure of subjective complaints after mild traumatic brain injury, Cicerone KD, Kalmar K, 10(3):1

Postconcussive symptoms after uncomplicated mild head injury, Alves W, Macciocchi SN, Barth JT, 8(3):48

Profile of those at risk for minor head injury, Dicker BG, 7(1):83

A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, Richter KJ, Cowan DM, Kaschalk SM, 10(6):7

School reentry following mild traumatic brain injury: A proposed hospital-to-school protocol, Ylvisaker M, Feeney T, Mullins K, 10(6):42

Screening children and adolescents with mild or moderate traumatic brain injury to assist school reentry, Shurtleff HA, Massagli TL, Hays RM, Ross B, Sprunk-Greenfield H, 10(5):64

Milieu therapy

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS,

O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Minimally conscious state *See also* Coma; Persistent vegetative state

Development of practice guidelines for assessment and management of the vegetative and minimally conscious states, Giacino JT, Zasler ND, Katz DI, Kelly JP, Rosenberg JH, Filley CM, 12(4):79

Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and quantitative evaluations, Phipps EJ, DiPasquale M, Blitz CL, Whyte J, 12(4):52

Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, Giacino JT, Zasler ND, 10(1):40

Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, Childs NL, Cranford RE, 12(4):70

The use of quantitative data in treatment planning for minimally conscious patients, DiPasquale MC, Whyte J, 11(6):9

The vegetative and minimally conscious states: A comparison of clinical features and functional outcome, Giacino JT, Kalmar K, 12(4):36

Minority groups

Impact of minority status on functional outcome and community integration following traumatic brain injury, Rosenthal M, Dijkers M, Harrison-Felix C, Nabors N, Witol AD, Young ME, Englander JS, 11(5):40

Traumatic brain injury in families from culturally diverse populations, Cavallo MM, Saucedo C, 10(2):66

Model systems

Assessment of community integration following rehabilitation for traumatic brain injury, Willer B, Rosenthal M, Kreutzer JS, Gordon WA, Rempel R, 8(2):75

Characteristics and comparisons of functional assessment indices: Disability Rating Scale, Functional Independence Measure, and Functional Assessment Measure, Hall KM, Hamilton BB, Gordon WA, Zasler ND, 8(2):60

Demographic and social characteristics of the traumatic brain injury model system database, Gordon WA, Mann N, Willer B, 8(2):26

Descriptive findings from the traumatic brain injury model systems national data base, Harrison-Felix C, Newton CN, Hall KM, Kreutzer JS, 11(5):1

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD, 8(2):101

Medical complications and associated injuries of persons treated in the traumatic brain injury model systems programs, Bontke CF, Lehmkuhl LD, Englander J, Mann N, Ragnarsson KT, Zasler ND, Graves DE, Thoi LL, Jung C, 8(2):34

A model systems database for traumatic brain injury, Dahmer ER, Shilling MA, Hamilton BB, Bontke CF, Englander J, Kreutzer JS, Ragnarsson KT, Rosenthal M, 8(2):12

Model systems of care for individuals with traumatic brain injury, Ragnarsson KT, Thomas JP, Zasler ND, 8(2):1

Neuropsychological characteristics of patients with brain injury: Preliminary findings from a multicenter investigation, Kreutzer JS, Gordon WA, Rosenthal M, Marwitz J, 8(2):47

Motor deficits

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Surgical planning for upper motoneuron dysfunction: The role of motor control evaluation, Mayer NH, Esquenazi A, Wannstedt G, 11(4):37

Musculoskeletal disorders

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Etidronate disodium: Effects on heterotopic ossification and osteoporosis, Glenn MB, 8(3):99

The formation of heterotopic ossification after traumatic brain injury: A biopsy study with ultrastructural analysis, Keenan MAE, Haider T, 11(4):8

Functional outcome following surgical resection of heterotopic ossification in patients with brain injury, Kolessar DJ, Katz SD, Keenan MAE, 11(4):78

The functional significance of spasticity as assessed by gait analysis, Kerrigan DC, Annaswamy TM, 12(6):29

Histology and intramuscular pressure in spastic muscle, Peter KS, Hsu JD, Keenan MAE, Romansky SG, 11(4):1

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Intrathecal baclofen for spastic hypertonia in brain injury, Meythaler JM, 12(1):87

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

Pharmacology of botulinum toxin and implications for use in disorders of muscle tone, Borg-Stein J, Stein J, 8(3):103

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Selective release of spastic elbow flexors in the patient with brain injury, Keenan MA, Ahearn R, Lazarus M, Perry J, 11(4):57

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification?, Hammond FM, Francisco GE, Bontke CF (Controversies), 11(6):80

Surgical correction of lower extremity problems in patients with brain injury, Pinzur MS, 11(4):69

Surgical planning for upper motoneuron dysfunction: The role of motor control evaluation, Mayer NH, Esquenazi A, Wannstedt G, 11(4):37

Tizanidine: Another tool in the management of spasticity, Kaplan MS, 12(5):93

The treatment of malunion of tibial fractures in patients with traumatic brain injury, Moore TJ, 11(4):31

N

Nervous system

Brain injury and recovery of function: Theories and mechanisms of functional reorganization, Almli CR, Finger S, 7(2):70

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

Damage to the prefrontal cortex leads to decomposition of structured event complexes, Grafman J, Sirigu A, Spector L, Hendler J, 8(1):73

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, Varney NR, Menefee L, 8(1):32

Specification of higher cortical functions, Goldman-Rakic PS, 8(1):13

Neurochemistry

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

Acute neurochemical alterations following traumatic brain injury: Research implications for clinical treatment, Zasler ND, 7(2):102

Mechanisms of mild traumatic brain injury, Dixon CE, Taft WC, Hayes RL, 8(3):1

Neurochemical aspects of head injury: Role of excitatory neurotransmission, Hayes RL, Jenkins LW, Lyeth BG, 7(2):16

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

NeuroPage

You must remember this: Assistive devices for memory impairment, Lynch WJ, 10(1):94

Neuropathology

Mechanisms of mild traumatic brain injury, Dixon CE, Taft WC, Hayes RL, 8(3):1

Neuropathology and neurobehavioral recovery from closed head injury, Katz DI, 7(2):1

Traumatic brain injury: Neuropsychological deficits and evaluation at different stages of recovery and in different pathologic subtypes, Stuss DT, Buckle L, 7(2):40

Neuropsychological assessment

Achievement testing in traumatic brain injury: Two new approaches, Lynch WJ, 10(5):95

Computer-administered cognitive assessment update, Lynch WJ, 11(2):99

Forensic issues in mild head injury, McCaffrey RJ, Williams AD, Fisher JM, Laing LC, 8(3):38

"I dare you," Kolpan KI, 12(4):93

Microcomputer-assisted neuropsychological test analysis, Lynch WJ, 10(2):97

Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Neuropsychological characteristics of patients with brain injury: Preliminary findings from a multicenter investigation, Kreutzer JS, Gordon WA, Rosenthal M, Marwitz J, 8(2):47

Newer contributions to the neuropsychological assessment of executive functions, Lezak MD, 8(1):24

Rehabilitation and management of behavioral disturbances following frontal lobe injury, Hart T, Jacobs HE, 8(1):1

Traumatic brain injury: Neuropsychological deficits and evaluation at different stages of recovery and in different pathologic subtypes, Stuss DT, Buckle L, 7(2):40

Understanding, evaluating, and managing attention disorders following traumatic brain injury, Mateer CA, Mapou RL, 11(2):1

Use of the Neurobehavioral Cognitive Status Examination (Cognistat) in traumatic brain injury, Nabors NA, Millis SR, Rosenthal M, 12(3):79

Nootropics

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Nutrition

Disorders of nutrition and swallowing: Intervention strategies in the trauma center, Logeman JA, Pepe J, Mackay LE, 9(1):43

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Should we withhold food from patients in a persistent vegetative state?, Bontke CF, Dolan JM, Ivanhoe CB (Controversies), 9(4):62

Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, Childs NL, Cranford RE, 12(4):70

O

Olfactory system

Anatomy and physiology of taste and smell, Smith DV, Shipley MT, 7(1):1

Diagnostic tests and assessment, Doty RL, 7(1):47

Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, Costanzo RM, Zasler ND, 7(1):15

Evaluation by the otorhinolaryngologist, Leopold DA, 7(1):42

General medical evaluation, Mott AE, 7(1):25

Geriatric issues: Special considerations, Murphy C, Davidson TM, 7(1):76

Rehabilitative management of olfactory and gustatory dysfunction following brain injury, Zasler ND, McNeny R, Heywood PG, 7(1):66

Orientation Group Monitoring System

The Orientation Group Monitoring System for measuring duration of posttraumatic amnesia and assessing therapeutic interventions, Mysiw WJ, Bogner JA, Arnett JA, Clinchot DM, Corrigan JD, 11(6):1

Orthopedic management *See also* Musculoskeletal disorders

Functional outcome following surgical resection of heterotopic ossification in patients with brain injury, Kolessar DJ, Katz SD, Keenan MAE, 11(4):78

The impact of early orthopedic management on patients with traumatic brain injury, Powell JN, Chapman P, 9(1):57

Selective release of spastic elbow flexors in the patient with brain injury, Keenan MA, Ahearn R, Lazarus M, Perry J, 11(4):57

Surgical correction of lower extremity problems in patients with brain injury, Pinzur MS, 11(4):69

Surgical planning for upper motoneuron dysfunction: The role of motor control evaluation, Mayer NH, Esquenazi A, Wannstedt G, 11(4):37

The treatment of malunion of tibial fractures in patients with traumatic brain injury, Moore TJ, 11(4):31

Outcome

1995 Sheldon Berrol, MD Senior Lectureship: The ethics and efficacy of traumatic brain injury rehabilitation—myths, measurements, and meaning, Rosenthal M, 11(4):88

1996 Sheldon Berrol, MD Senior Lectureship: Prospects for improving outcome by research, Clifton GL, 12(5):88

Assessment of community integration following rehabilitation for traumatic brain injury, Willer B, Rosenthal M, Kreutzer JS, Gordon WA, Rempel R, 8(2):75

The benefit of rehabilitation in traumatic brain injury: A literature review, Hall KM, Cope DN, 10(1):1

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

Changes in reimbursement climate: Relationship among outcome, cost, and payor type in the postacute rehabilitation environment, Ashley MJ, Persel CS, Krych DK, 8(4):30

Cognitive outcome and behavioral adjustment in children following traumatic brain injury: A developmental perspective, Lazar MF, Menaldino S, 10(5):55

Critical analysis of studies evaluating the effectiveness of rehabilitation after traumatic brain injury, High WM, Jr, Boake C, Lehmkuhl LD, 10(1):14

Dedicated management of outcome, quality, and value: Internal case management, Malkmus DD, Johnson P, 7(4):57

Descriptive findings from the traumatic brain injury model systems national data base, Harrison-Felix C, Newton CN, Hall KM, Kreutzer JS, 11(5):1

The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, Abrams D, Barker LT, Haffey W, Nelson H, 8(4):59

Gender- and age-related role changes following brain injury, Schmidt MF, Garvin LJ, Heinemann AW, Kelly JP, 10(4):14

The impact of acute complications, fractures, and motor deficits on functional outcome and length of stay after traumatic brain injury: A multicenter analysis, Englander JS, Cifu DX, Wright J, Zafonte R, Mann N, Yablon S, Ivanhoe C, 11(5):15

Impact of age on functional outcome following traumatic brain injury, Reeder KP, Rosenthal M, Lichtenberg P, Wood D, 11(3):22

Impact of minority status on functional outcome and community integration following traumatic brain injury, Rosenthal M, Dijkers M, Harrison-Felix C, Nabors N, Witol AD, Young ME, Englander JS, 11(5):40

The influence of outcome studies on rehabilitation policy, Ling JS, Evans RW, 12(1):51

Managing costs and outcome of patients with traumatic brain injury in an HMO setting, Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J, 8(4):15

Measuring the long-term outcomes of traumatic brain injury: A review of the Community Integration Questionnaire, Dijkers M, 12(6):74

Neurobehavioral outcome of traumatic brain injury in older adults: Initial findings, Goldstein FC, Levin HS, 10(1):57

Neurobehavioral outcomes and their determinants, Dikmen S, Machamer JE, 10(1):74

A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, Fleming JM, Strong J, Aston R, Hassell M, 12(3):27

Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, Giacino JT, Zasler ND, 10(1):40

Outcome and value: A perspective on rehabilitation outcomes achieved in acquired brain injury, Evans RW, Ruff RM, 7(4):24

Outcome and value: The survivor perspective, Condeluci A, Ferris LL, Bogdan A, 7(4):37

Outcome and value following brain injury: A financial provider's perspective, Papastrat LA, 7(4):11

Outcome measures for patients with head injuries: Report of the Outcome Measures Subcommittee, Hannay HJ, Ezrachi O, Contant CF, Levin HS, 11(6):41

Outcome-oriented rehabilitation: A response to managed care, Schmidt ND, 12(1):44

Outcomes and values, Banja JD, 9(2):111

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L, 10(4):64

Relationship of the Mayo-Portland Adaptability Inventory to functional outcome and cognitive performance measures, Malec JF, Thompson JM, 9(4):1

Relationship of two measures of injury severity to pediatric psychological outcome 1–3 years after acute head injury, Papero PH, Snyder HM, Gotschall CS, Johnson DL, Eichelberger MR, 12(3):51

Return to work for persons with severe traumatic brain injury: A data-based approach to program development, Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS, 10(1):27

Role of behavior analysis in home and community-based neurological rehabilitation, Pace GM, Colbert B, 11(1):18

The vegetative and minimally conscious states: A comparison of clinical features and functional outcome, Giacino JT, Kalmar K, 12(4):36

The vocational rehabilitation continuum: Maximizing outcomes through bridging the gap from hospital to community-based services, Buffington ALH, Malec JF, 12(5):1

P

Pain

Pain coping strategies following traumatic brain injury, Lahz S, Bryant RA, 12(3):85

A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, Richter KJ, Cowan DM, Kaschalk SM, 10(6):7

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Patient rights

Patient rights, ethics committees, and the 1992 Joint Commission standards: Implications for traumatic brain injury programs, Banja JD, 7(4):46

Pediatric brain injury *See also* Adolescents

Building social networks for children and adolescents with traumatic brain injury: A school-based intervention, Glang A, Todis B, Cooley E, Wells J, Voss J, 12(2):32

Children hospitalized for traumatic brain injury: Transition to postacute care, DiScala C, Osberg JS, Savage RC, 12(2):1

Cognitive outcome and behavioral adjustment in children following traumatic brain injury: A developmental perspective, Lazar MF, Menaldino S, 10(5):55

A comparison of two psychosocial interventions for parents of children with acquired brain injury: An exploratory study, Singer GHS, Glang A, Nixon C, Cooley E, Kerns KA, Williams D, Powers LE, 9(4):38

Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D, 10(5):80

Discourse ability in children with brain injury: Correlations with psychosocial, linguistic, and cognitive factors, Chapman SB, Levin HS, Matejka J, Harward H, Kufera JA, 10(5):36

Gunshot wounds to the brain in children, Michaud LJ, Duhaime A-C, 10(5):25

Inflicted and noninflicted traumatic brain injury in infants and preschoolers, Ewing-Cobbs L, Duhaime A-C, Fletcher JM, 10(5):13

Integrating rehabilitation and education services for school-age children with brain injuries, Savage RC, 12(2):11

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Operant conditioning for behavior management during posttraumatic amnesia in children and adolescents with brain injury, Slifer KJ, Tucker CL, Gerson AC, Cataldo MD, Sevier RC, Suter AH, Kane AC, 11(1):39

Relationship of two measures of injury severity to pediatric psychological outcome 1–3 years after acute head injury, Papero PH, Snyder HM, Gotschall CS, Johnson DL, Eichelberger MR, 12(3):51

School reentry following mild traumatic brain injury: A proposed hospital-to-school protocol, Ylvisaker M, Feeney T, Mullins K, 10(6):42

School reentry following severe traumatic brain injury: Guidelines for educational planning, Ylvisaker M, Feeney T, Maher-Maxwell N, Meserve N, Geary PJ, DeLorenzo JP, 10(6):25

Screening children and adolescents with mild or moderate traumatic brain injury to assist school

reentry, Shurtleff HA, Massagli TL, Hays RM, Ross B, Sprunk-Greenfield H, 10(5):64

Tailoring direct instruction techniques for use with elementary students with brain injury, Glang A, Singer G, Cooley E, Tish N, 7(4):93

Transition coordination for students with brain injury: A challenge schools can meet, Blosser J, Pearson S, 12(2):21

The Vocational Assessment Protocol for school-to-work transition programs, Thomas DF, Botterbusch KF, 12(2):48

Persistent vegetative state *See also* Coma; Minimally conscious state

Development of practice guidelines for assessment and management of the vegetative and minimally conscious states, Giacino JT, Zasler ND, Katz DI, Kelly JP, Rosenberg JH, Filley CM, 12(4):79

Does the Americans with Disabilities Act protect persons in the persistent vegetative state?, Banja JD, 8(4):108

Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and quantitative evaluations, Phipps EJ, DiPasquale M, Blitz CL, Whyte J, 12(4):52

Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, Giacino JT, Zasler ND, 10(1):40

A quarter century of the vegetative state: An international perspective, Jennett B, 12(4):1

Should we withhold food from patients in a persistent vegetative state?, Bontke CF, Dolan JM, Ivanhoe CB (Controversies), 9(4):62

The vegetative and minimally conscious states: A comparison of clinical features and functional outcome, Giacino JT, Kalmar K, 12(4):36

Pharmacology

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

Acute neurochemical alterations following traumatic brain injury: Research implications for clinical treatment, Zasler ND, 7(2):102

Amantadine: A potential adjuvant therapy following traumatic brain injury, Cowell LC, Cohen RF, 10(6):91

An integration of psychopharmacological and rehabilitation approaches to traumatic brain injury rehabilitation, Cope DN, 9(3):1

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

Bromocriptine: Neuropharmacology and clinical caveats, Zasler ND, 10(4):101

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Depression, antidepressants, and traumatic brain injury, Joseph AB, Wroblewski B, 10(2):90

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

Etidronate disodium: Effects on heterotopic ossification and osteoporosis, Glenn MB, 8(3):99

Felbamate: Is there a role in the prevention and management of posttraumatic epilepsy?, Lazar RB, 10(1):87

Intrathecal baclofen for spastic hypertonia in brain injury, Meythaler JM, 12(1):87

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

Neuropharmacological management of destructive behavior after traumatic brain injury, Cassidy JW, 9(3):43

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Noncognitive side effects of anticonvulsant agents: Monitoring patients with traumatic brain injury, Wroblewski B, 9(4):81

Pharmacologic management of upper gastrointestinal tract disorders, Whitlock JA, Jr, 9(2):115

Pharmacological treatment of arousal and cognitive deficits, Wroblewski BA, Glenn MB, 9(3):19

Pharmacology of botulinum toxin and implications for use in disorders of muscle tone, Borg-Stein J, Stein J, 8(3):103

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

A role for dopamine in executive function deficits, McDowell SK, 11(6):89

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

Should we use etidronate disodium as prophylaxis in patients with brain injury at risk for heterotopic ossification?, Hammond FM, Francisco GE, Bontke CF (Controversies), 11(6):80

Therapeutic strategies in current clinical trials, McIntosh TK, Smith DH, 10(6):1

Tizanidine: Another tool in the management of spasticity, Kaplan MS, 12(5):93

Toward a rational psychopharmacological treatment: Integrating research and clinical practice, Whyte J, 9(3):91

Treatment of agitation in the acute care setting, Zafonte RD, 12(2):78

Two-dimensional quantitative data analysis: Assessing the functional utility of psychostimulants, Laborde A, Whyte J, 12(4):90

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Zolpidem for the treatment of insomnia, Glenn MB, 11(2):96

Phenol

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Physiology

Anatomy and physiology of taste and smell, Smith DV, Shipley MT, 7(1):1

Brain injury and recovery of function: Theories and mechanisms of functional reorganization, Almli CR, Finger S, 7(2):70

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

Epidemiology and pathophysiology of olfactory and gustatory dysfunction in head trauma, Costanzo RM, Zasler ND, 7(1):15

Mechanisms of mild traumatic brain injury, Dixon CE, Taft WC, Hayes RL, 8(3):1

Physostigmine

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Positron emission tomography

Neuroimaging in patients with traumatic brain injury, Newberg AB, Alavi A, 11(6):65

Postconcussive disorders

Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, Lawler KA, Terregino CA, 11(6):18

Mild traumatic brain injury: Medical assessment and intervention, Zasler ND, 8(3):13

Mild traumatic brain injury: Searching for the syndrome, Gerber DJ, Schraa JC, 10(4):28

Neuropsychiatric correlates of persistent postconcussive syndrome, Alexander MP, 7(2):60

Persistent postconcussion syndrome: The structure of subjective complaints after mild traumatic brain injury, Cicerone KD, Kalmar K, 10(3):1

Postconcussive symptoms after uncomplicated mild head injury, Alves W, Macciocchi SN, Barth JT, 8(3):48

Questions and answers, Kay T, Cicerone KD, 10(6):78

Posttraumatic amnesia *See* Memory

Posttraumatic stress disorder

Do patients with mild brain injuries have posttraumatic stress disorder, too?, Rattok J, Boake C, Bontke CF (Controversies), 11(1):95

Practice protocols

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

Completed suicide after traumatic brain injury, Tate R, Simpson G, Flanagan S, Coffey M, 12(6):16

Emotional adjustment following traumatic brain injury: A stress-appraisal-coping formulation, Godfrey HPD, Knight RG, Partridge FM, 11(6):29

The functional significance of spasticity as assessed by gait analysis, Kerrigan DC, Annaswamy TM, 12(6):29

Guidelines for evaluation and education of adult patients with mild traumatic brain injuries in an acute care hospital setting, Lawler KA, Terregino CA, 11(6):18

Misperceptions, mishaps, and pitfalls in working with families after traumatic brain injury, Kreutzer JS, Sander AM, Fernandez CC, 12(6):63

The Orientation Group Monitoring System for measuring duration of posttraumatic amnesia and assessing therapeutic interventions, Mysiw WJ, Bogner JA, Arnett JA, Clinchot DM, Corrigan JD, 11(6):1

A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, Richter KJ, Cowan DM, Kaschalk SM, 10(6):7

School reentry following mild traumatic brain injury: A proposed hospital-to-school protocol, Ylvisaker M, Feeney T, Mullins K, 10(6):42

School reentry following severe traumatic brain injury: Guidelines for educational planning, Ylvisaker M, Feeney T, Maher-Maxwell N, Meserve N, Geary PJ, DeLorenzo JP, 10(6):25

Suicide in patients with traumatic brain injury: Risk and prevention, Klonoff PS, Lage GA, 10(6):16

The use of quantitative data in treatment planning for minimally conscious patients, DiPasquale MC, Whyte J, 11(6):9

Pramiracetam

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Prevention of injury

Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD, 8(2):101

Seat belts, Kolpan KI, 7(3):112

Productivity *See also* Functional recovery

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L, 10(4):64

Psychological disorders

1994 Sheldon Berrol, MD, Senior Lectureship: The problem of lost normality after brain injury, Prigatano GP, 10(3):87

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

A comparison of two psychosocial interventions for parents of children with acquired brain injury: An exploratory study, Singer GHS, Glang A, Nixon C, Cooley E, Kerns KA, Williams D, Powers LE, 9(4):38

Do patients with mild brain injuries have posttraumatic stress disorder, too?, Rattok J, Boake C, Bontke CF (Controversies), 11(1):95

Emotional adjustment following traumatic brain injury: A stress-appraisal-coping formulation, Godfrey HPD, Knight RG, Partridge FM, 11(6):29

Kinship and family members' psychological distress after traumatic brain injury: A large sample study, Gervasio AH, Kreutzer JS, 12(3):14

Malingering and malingering-like aspects of mild closed head injury, Ruff RM, Wylie T, Tennant W, 8(3):60

A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, Richter KJ, Cowan DM, Kaschalk SM, 10(6):7

Relationship of two measures of injury severity to pediatric psychological outcome 1–3 years after acute head injury, Papero PH, Snyder HM, Gotschall CS, Johnson DL, Eichelberger MR, 12(3):51

A review of research on psychosocial adjustment to impairment in persons with traumatic brain injury, Antonak RF, Livneh H, Antonak C, 8(4):87

Siblings of head-injured individuals: A population at risk, Orsillo SM, McCaffrey RJ, Fisher JM, 8(1):102

Psychopharmacology

Acute and postacute drug-induced effects on rate of behavioral recovery after brain injury, Boyeson MG, Harmon RL, 9(3):78

An integration of psychopharmacological and rehabilitation approaches to traumatic brain injury rehabilitation, Cope DN, 9(3):1

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Depression, antidepressants, and traumatic brain injury, Joseph AB, Wroblewski B, 10(2):90

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

Neuropharmacological management of destructive behavior after traumatic brain injury, Cassidy JW, 9(3):43

Pharmacological treatment of arousal and cognitive deficits, Wroblewski BA, Glenn MB, 9(3):19

Psychopharmacological approaches to the patient with affective and psychotic features, Silver JM, Yudofsky SC, 9(3):61

Toward a rational psychopharmacological treatment: Integrating research and clinical practice, Whyte J, 9(3):91

Treatment of agitation in the acute care setting, Zafonte RD, 12(2):78

Two-dimensional quantitative data analysis: Assessing the functional utility of psychostimulants, Laborde A, Whyte J, 12(4):90

Public policy

The development of an integrated rehabilitation system for persons with traumatic brain injury: The evolution of public policy in New York, Milliren JW, Gordon WA, 9(2):27

The impact of public policy on persons with traumatic brain injury and their families, Rosen B, Reynolds WE, 9(2):1

The influence of outcome studies on rehabilitation policy, Ling JS, Evans RW, 12(1):51

Living in the community: An examination of the philosophical and practical aspects, Racino JA, Williams JM, 9(2):35

Long-term care and support services for persons with traumatic brain injury, O'Keefe J, 9(2):49

Pathways to policy: A personal perspective, Spivack MP, 9(2):82

Selected states' public policy responses to traumatic brain injury, Digre PG, Kamen D, Vaughn S, Weinand A, Helgeson S, 9(2):12

A vision for the future: An interview with Gerben DeJong, PhD, Prince JM, Haas JF, 12(1):71

Vocational rehabilitation and traumatic brain injury: A legislative and public policy perspective, Goodall P, Lawyer HL, Wehman P, 9(2):61

Q

Quality of care

Dedicated management of outcome, quality, and value: Internal case management, Malkmus DD, Johnson P, 7(4):57

The impact of recent changes in health care insurance on medical practice, Haas JF, 12(1):1

Managed care in traumatic brain injury rehabilitation: Physiatrists' concerns and ethical dilemmas, Bontke CF, 12(1):37

Patient rights, ethics committees, and the 1992 Joint Commission standards: Implications for traumatic brain injury programs, Banja JD, 7(4):46

Program evaluation and quality improvement systems in brain injury rehabilitation, Johnston MV, Wilkerson DL, 7(4):68

Quality management: Protecting and enhancing quality in brain injury rehabilitation, Frey WR, 7(4):1

Quality of life

Hedonic damages, Kolpan KI, 7(2):109

Neuropsychological rehabilitation: Proceedings of a consensus conference, Bergquist TF, Boll TJ, Corrigan JD, Harley JP, Malec JF, Millis SR, Schmidt MF, 9(4):50

Relationships among impairment, disability, handicap, and life satisfaction in persons with traumatic brain injury, Heinemann AW, Whiteneck GG, 10(4):54

"You wouldn't want to live like that...," Banja JD, 12(6):92

R

Race *See* Minority groups

Reflex sympathetic dystrophy

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Reflexes

Meeting the seating and mobility needs of the client with traumatic brain injury, Kanyer B, 7(3):81

Rehabilitation programs

Allocating rehabilitation according to need, Banja JD, 11(3):84

An integration of psychopharmacological and rehabilitation approaches to traumatic brain injury rehabilitation, Cope DN, 9(3):1

A clinical and economic perspective on head injury rehabilitation, Cope DN, O'Lear J, 8(4):1

Dedicated management of outcome, quality, and value: Internal case management, Malkmus DD, Johnson P, 7(4):57

The development of an integrated rehabilitation system for persons with traumatic brain injury: The evolution of public policy in New York, Milliren JW, Gordon WA, 9(2):27

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

Ethics, fraud, and the misallocation of rehabilitation resources, Banja JD, 7(3):114

The ethics of gatekeeping in rehabilitation medicine, Caplan A, 12(1):29

Factors that influence costs and length of stay of persons with traumatic brain injury in acute care and inpatient rehabilitation, Lehmkuhl LD, Hall KM, Mann N, Gordon WA, 8(2):88

The impact of managed care on the moral character of rehabilitation institutions, Thobaden JR, 12(1):10

Managed care in traumatic brain injury rehabilitation: Physiatrists' concerns and ethical dilemmas, Bontke CF, 12(1):37

Marketing brain injury rehabilitation services: Toward a more ethical approach, Ulicny GR, 9(4):73

Outcome-oriented rehabilitation: A response to managed care, Schmidt ND, 12(1):44

Patient rights, ethics committees, and the 1992 Joint Commission standards: Implications for traumatic brain injury programs, Banja JD, 7(4):46

Planning considerations for community integrative brain injury programs, Venzie DR, Felicetti T, Cerra-Tyl D, 11(6):51

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Program evaluation and quality improvement systems in brain injury rehabilitation, Johnston MV, Wilkerson DL, 7(4):68

Quality management: Protecting and enhancing quality in brain injury rehabilitation, Frey WR, 7(4):1

The role of rehabilitation in the intensive care unit, Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE, 9(1):32

Rehabilitation readiness

Slow-to-recover patients: Improvement to rehabilitation readiness, Ansell BJ, 8(3):88

The use of quantitative data in treatment planning for minimally conscious patients, DiPasquale MC, Whyte J, 11(6):9

Rehabilitation staff

Differing problem perceptions of staff, survivors, and significant others after brain injury, Malec JF, Machulda MM, Moessner AM, 12(3):1

Improving training methods in brain injury rehabilitation, Mozzoni MP, Bailey JS, 11(1):1

A model for team meetings in nonresidential community-integrated programs, Kneipp S, 10(6):50

The role of medical rehabilitation in vocational reentry, Zasler ND, 12(5):42

A survey of professional and paraprofessional training needs for traumatic brain injury rehabilitation, 8(1):88

Reimbursement for care *See also* Cost of care; Managed care

Changes in reimbursement climate: Relationship among outcome, cost, and payor type in the postacute rehabilitation environment, Ashley MJ, Persel CS, Krych DK, 8(4):30

Economics of a rehabilitation program for patients with a traumatic brain injury requiring long-term care, Barry P, Schafer A, 8(4):48

Ethical dilemmas resulting from insurance coverage for catastrophic rehabilitative care, Cervelli L, Banja JD, 10(1):90

The impact of recent changes in health care insurance on medical practice, Haas JF, 12(1):1

Managing costs and outcome of patients with traumatic brain injury in an HMO setting, Bryant ET, Sundance P, Hobbs A, Jenkins J, Rozance J, 8(4):15

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Shifting burdens in managed care: But to whom?, Banja JD, Moore G, 12(3):91

A vision for the future: An interview with Gerben DeJong, PhD, Prince JM, Haas JF, 12(1):71

Resource allocation

Allocating rehabilitation according to need, Banja JD, 11(3):84

A clinical and economic perspective on head injury rehabilitation, Cope DN, O'Lear J, 8(4):1

Ethics, fraud, and the misallocation of rehabilitation resources, Banja JD, 7(3):114

The ethics of gatekeeping in rehabilitation medicine, Caplan A, 12(1):29

A vision for the future: An interview with Gerben DeJong, PhD, Prince JM, Haas JF, 12(1):71

Respiration

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Return to work *See also* Vocational rehabilitation

The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, Abrams D, Barker LT, Haffey W, Nelson H, 8(4):59

A multicenter longitudinal investigation of return to work and community integration following traumatic brain injury, Sander AM, Kreutzer JS, Rosenthal M, Delmonico R, Young ME, 11(5):70

Return to work for persons with severe traumatic brain injury: A data-based approach to program development, Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS, 10(1):27

Risk assessment

Profile of those at risk for minor head injury, Dicker BG, 7(1):83

Risk assessment and patient autonomy, Banja JD, 9(4):70

Suicide in patients with traumatic brain injury: Risk and prevention, Klonoff PS, Lage GA, 10(6):16

Risperidone

Atypical antipsychotics: Risperidone and clozapine, Elovic E, 11(3):89

S

Schooling

Building social networks for children and adolescents with traumatic brain injury: A school-based intervention, Glang A, Todis B, Cooley E, Wells J, Voss J, 12(2):32

Integrating rehabilitation and education services for school-age children with brain injuries, Savage RC, 12(2):11

Provision of services for students with traumatic brain injury: A survey of Ohio colleges, Harris JR, DePompei R, 12(2):67

School reentry following mild traumatic brain injury: A proposed hospital-to-school protocol, Ylvisaker M, Feeney T, Mullins K, 10(6):42

School reentry following severe traumatic brain injury: Guidelines for educational planning, Ylvisaker M, Feeney T, Maher-Maxwell N, Meserve N, Geary PJ, DeLorenzo JP, 10(6):25

Screening children and adolescents with mild or moderate traumatic brain injury to assist school reentry, Shurtleff HA, Massagli TL, Hays RM, Ross B, Sprunk-Greenfield H, 10(5):64

Tailoring direct instruction techniques for use with elementary students with brain injury, Glang A, Singer G, Cooley E, Tish N, 7(4):93

Transition coordination for students with brain injury: A challenge schools can meet, Blosser J, Pearson S, 12(2):21

The Vocational Assessment Protocol for school-to-work transition programs, Thomas DF, Botterbusch KF, 12(2):48

Seat belts

Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD, 8(2):101

Seat belts, Kolpan KI, 7(3):112

Seating

Meeting the seating and mobility needs of the client with traumatic brain injury, Kanyer B, 7(3):81

Seizures

Anticonvulsant prophylaxis for the prevention of late posttraumatic epilepsy, Reinhard DL, Yablon SA, Bontke CF (Controversies), 8(4):101

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

Felbamate: Is there a role in the prevention and management of posttraumatic epilepsy?, Lazar RB, 10(1):87

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

New antiepileptic drugs, Agosti RM, Katz DI, 11(4):100

Noncognitive side effects of anticonvulsant agents: Monitoring patients with traumatic brain injury, Wroblewski B, 9(4):81

Sensory stimulation

Sensory stimulation: Accepted practice or expected practice?, Sandel ME, Horn LJ, Bontke CF (Controversies), 7(4):115

Sensory systems *See* Chemosensory systems

Service utilization

Productivity and service utilization following traumatic brain injury: Results of a survey by the RSA regional TBI centers, High WM, Jr, Gordon WA, Lehmkuhl LD, Newton CN, Vandergoot D, Thoi L, Courtney L, 10(4):64

Severe brain injury

Choice and routine: Antecedent behavioral interventions for adolescents with severe traumatic brain injury, Feeney TJ, Ylvisaker M, 10(3):67

Comparison of passive P300 brain evoked potentials in normal and severely traumatically brain injured subjects, Rappaport M, Clifford JO, 9(2):94

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

Interpreting responsiveness in persons with severe traumatic brain injury: Beliefs in families and

quantitative evaluations, Phipps EJ, DiPasquale M, Blitz CL, Whyte J, 12(4):52

Interrater reliability of the Coma Recovery Scale, O'Dell MW, Jasin P, Stivers M, Lyons N, Schmidt S, Moore DE, 11(3):61

Lack of awareness of impairment in institutionalized, severely and chronically disabled survivors of traumatic brain injury: A preliminary investigation, Gasquoine PG, Gibbons TA, 9(4):16

A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, Fleming JM, Strong J, Aston R, Hassell M, 12(3):27

Outcome after severe traumatic brain injury: Coma, the vegetative state, and the minimally responsive state, Giacino JT, Zasler ND, 10(1):40

Predictors of living independently after moderate to severe traumatic brain injury: A comparison study, Brzuzy S, Corrigan JD, 11(3):74

Representing the person with severe brain injury, Kolpan KI, 10(2):101

Return to work for persons with severe traumatic brain injury: A data-based approach to program development, Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS, 10(1):27

School reentry following severe traumatic brain injury: Guidelines for educational planning, Ylvisaker M, Feeney T, Maher-Maxwell N, Meserve N, Geary PJ, DeLorenzo JP, 10(6):25

Serving families of persons with severe brain injury in an era of managed care, Hosack KR, Rocchio CA, 10(2):57

Stimulus modality and verbal learning after moderate to severe closed head injury, Constantinidou F, Neils J, 10(4):90

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

Sexuality

Moral sensitivity, sodomy laws, and traumatic brain injury rehabilitation, Banja JD, Banes L, 8(1):116

Use of Depo-Provera to control sexual aggression in persons with traumatic brain injury, Emory LE, Cole CM, Meyer WJ, III, 10(3):47

Sheldon Berrol, MD Senior Lectureship

1994: The problem of lost normality after brain injury, Prigatano GP, 10(3):87

1995: The ethics and efficacy of traumatic brain injury rehabilitation—myths, measurements, and meaning, Rosenthal M, 11(4):88

1996: Prospects for improving outcome by research, Clifton GL, 12(5):88

Siblings *See also* Families

Comparison of families with and without adolescents with traumatic brain injury, Bragg RM, Klockars AJ, Berninger VW, 7(3):94

Siblings of head-injured individuals: A population at risk, Orsillo SM, McCaffrey RJ, Fisher JM, 8(1):102

Sickness Impact Profile

A 1-year longitudinal study of severe traumatic brain injury in Australia using the Sickness Impact Profile, Fleming JM, Strong J, Aston R, Hassell M, 12(3):27

Single photon emission computed tomography

Neuroimaging and neuropsychological functioning following closed head injury: CT, MRI, and SPECT, 7(2):29

Neuroimaging in patients with traumatic brain injury, Newberg AB, Alavi A, 11(6):65

NeuroSPECT correlates of disabling mild head injury: Preliminary findings, Varney NR, Bushnell DL, Nathan M, Kahn D, Roberts R, Rezai K, Walker W, Kirchner P, 10(3):18

Sleep disorders

A protocol for managing pain, sleep disorders, and associated psychological sequelae of presumed mild head injury, Richter KJ, Cowan DM, Kaschalk SM, 10(6):7

Zolpidem for the treatment of insomnia, Glenn MB, 11(2):96

Socialization

The assessment of social problem-solving ability following traumatic brain injury, Kendall E, Shum D, Halson D, Bunning S, Teh M, 12(3):68

Building social networks for children and adolescents with traumatic brain injury: A school-based intervention, Glang A, Todis B, Cooley E, Wells J, Voss J, 12(2):32

Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D, 10(5):80

Damage to the prefrontal cortex leads to decomposition of structured event complexes, Grafman J, Sirigu A, Spector L, Hendler J, 8(1):73

Psychosocial and executive deficits following closed head injury: Implications for orbital frontal cortex, Varney NR, Menefee L, 8(1):32

Self- and family ratings of adaptive behavior after traumatic brain injury: Psychometric scores and frontally generated ERPs, Dywan J, Segalowitz SJ, 11(2):79

Software *See also* Computers

The computer in cognitive rehabilitation: It's not just a tool anymore, Gianutsos R, 7(3):26

Ecological validity of cognitive rehabilitation software, Lynch WJ, 7(3):36

Selecting patients and software for computer-assisted cognitive retraining: Part 1: Screening candidates for treatment, Lynch WJ, 7(1):92

Selecting patients and software for computer-assisted cognitive retraining: Part 2: Key patient variables to consider, Lynch WJ, 7(2):106

Software update, Lynch WJ, 9(2):105

Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, Lynch WJ, 7(4):109

Spasticity

Chemical denervation for the treatment of hypertonia and related motor disorders: Phenol and botulinum toxin, Glenn MB, Elovic E, 12(6):40

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

The formation of heterotopic ossification after traumatic brain injury: A biopsy study with ultrastructural analysis, Keenan MAE, Haider T, 11(4):8

The functional significance of spasticity as assessed by gait analysis, Kerrigan DC, Annaswamy TM, 12(6):29

Histology and intramuscular pressure in spastic muscle, Peter KS, Hsu JD, Keenan MAE, Romansky SG, 11(4):1

Intrathecal baclofen for spastic hypertonia in brain injury, Meythaler JM, 12(1):87

Pharmacology of botulinum toxin and implications for use in disorders of muscle tone, Borg-Stein J, Stein J, 8(3):103

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Selective release of spastic elbow flexors in the patient with brain injury, Keenan MA, Ahearn R, Lazarus M, Perry J, 11(4):57

Surgical correction of lower extremity problems in patients with brain injury, Pinzur MS, 11(4):69

Tizanidine: Another tool in the management of spasticity, Kaplan MS, 12(5):93

Special education *See* Schooling

Speech *See also* Communication

Recovery of functional speech following traumatic brain injury, Dongilli PA, Jr, Hakel ME, Beukelman DR, 7(2):91

Spinal cord injury

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Standards of care *See* Quality of care

State program models

The development of an integrated rehabilitation system for persons with traumatic brain injury: The evolution of public policy in New York, Milliren JW, Gordon WA, 9(2):27

Selected states' public policy responses to traumatic brain injury, Digre PG, Kamen D, Vaughn S, Weinand A, Helgeson S, 9(2):12

Steroids

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

Stimulants

Cognition-enhancing drugs, Cardenas DD, 8(4):112

Epileptic potential of stimulants, dopaminergics, and antidepressants, Wroblewski B, 7(3):109

Two-dimensional quantitative data analysis: Assessing the functional utility of psychostimulants, Laborde A, Whyte J, 12(4):90

Subdural fluid collections

The diagnosis and management of common neurologic sequelae of closed head injury, Bachman DL, 7(2):50

Medical and surgical complications of pediatric brain injury, McLean DE, Kaitz ES, Keenan CJ, Dabney K, Cawley MF, Alexander MA, 10(5):1

Substance abuse

Integrating substance abuse treatment and vocational rehabilitation after traumatic brain injury, Bogner JA, Corrigan JD, Spafford DE, Lamb-Hart GL, 12(5):57

The nature and extent of substance abuse problems in persons with traumatic brain injury, Corrigan JD, Rust E, Lamb-Hart GL, 10(3):29

Neurobehavioral functioning, substance abuse, and employment after brain injury: Implications for vocational rehabilitation, Sander AM, Kreutzer JS, Fernandez CC, 12(5):28

A prospective longitudinal multicenter analysis of alcohol use patterns among persons with traumatic brain injury, Kreutzer JS, Witol AD, Sander AM, Cifu DX, Marwitz JH, Delmonico R, 11(5):58

Suicide

Completed suicide after traumatic brain injury, Tate R, Simpson G, Flanagan S, Coffey M, 12(6):16

Suicide in patients with traumatic brain injury: Risk and prevention, Klonoff PS, Lage GA, 10(6):16

Support services

The Clubhouse: Addressing work-related behavioral challenges through a supportive social community, Jacobs HE, 12(5):14

Living in the community: An examination of the philosophical and practical aspects, Racino JA, Williams JM, 9(2):35

Long-term care and support services for persons with traumatic brain injury, O'Keefe J, 9(2):49

Swallowing disorders

Disorders of nutrition and swallowing: Intervention strategies in the trauma center, Logeman JA, Pepe J, Mackay LE, 9(1):43

Single-subject evaluation designs in rehabilitation: Case studies on inpatient units, Jacobs HE, Hart T, Mory KD, Griffin C, Martin BA, Probst J, 11(1):86

Symptom Checklist-90-R

Affective disorders following mild to moderate brain injury: Interpretive hazards of the SCL-90-R, Woessner R, Caplan B, 10(2):78

T

Technology

The computer in cognitive rehabilitation: It's not just a tool anymore, Gianutsos R, 7(3):26

Computer technology in vocational rehabilitation, Kreutzer JS, West M, Sherron P, Wehman PH, Fry R, 7(3):70

Computer-administered cognitive assessment update, Lynch WJ, 11(2):99

Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, Glisky EL, 7(3):1

Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M, 7(3):13

Computers, assistive devices, and augmentative communication aids: Technology for social inclusion, Ried S, Strong G, Wright L, Wood A, Goldman A, Bogen D, 10(5):80

Ecological validity of cognitive rehabilitation software, Lynch WJ, 7(3):36

Evaluation of a computer-based program for remediation of cognitive-communication skills, Thomas-Stonell N, Johnson P, Schuller R, Jutai J, 9(4):25

Hardware update: The Eyegaze Computer System™, Lynch WJ, 9(4):77

Language representation for the augmentative and alternative communication of adults with traumatic brain injury, Fried-Oken M, Doyle M, 7(3):59

Microcomputer-assisted neuropsychological test analysis, Lynch WJ, 10(2):97

Performance considerations for people with cognitive impairment in accessing assistive technologies, Levine SP, Horstmann HM, Kirsch NL, 7(3):46

The Planning and Execution Assistant and Trainer (PEAT), Levinson R, 12(2):85

Selecting patients and software for computer-assisted cognitive retraining: Part 1: Screening candidates for treatment, Lynch WJ, 7(1):92

Selecting patients and software for computer-assisted cognitive retraining: Part 2: Key patient variables to consider, Lynch WJ, 7(2):106

Software update, Lynch WJ, 9(2):105

Suggestions for the next generation of cognitive rehabilitation software: Part 1: Memory software, Lynch WJ, 7(4):109

Update on a computer-based language prosthesis for aphasia therapy, Lynch WJ, 8(3):107

Virtual reality and cognitive rehabilitation: A brief review of the future, Rizzo AA, Buckwalter JG, Neumann U, 12(6):1

You must remember this: Assistive devices for memory impairment, Lynch WJ, 10(1):94

THINK FIRST

Implementing and evaluating injury prevention programs in the traumatic brain injury model systems of care, Englander J, Cleary S, O'Hare P, Hall KM, Lehmkuhl LD, 8(2):101

Tizanidine

Tizanidine: Another tool in the management of spasticity, Kaplan MS, 12(5):93

Training

Improving training methods in brain injury rehabilitation, Mozzoni MP, Bailey JS, 11(1):1

A survey of professional and paraprofessional training needs for traumatic brain injury rehabilitation, 8(1):88

Transition services *See also* Continuum of care

Children hospitalized for traumatic brain injury: Transition to postacute care, DiScala C, Osberg JS, Savage RC, 12(2):1

Transition coordination for students with brain injury: A challenge schools can meet, Blosser J, Pearson S, 12(2):21

The Vocational Assessment Protocol for school-to-work transition programs, Thomas DF, Botterbusch KF, 12(2):48

Trauma center intervention

Benefits of a formalized traumatic brain injury program within a trauma center, Mackay LE, 9(1):11

Crisis intervention with the family in the trauma setting, Cope ND, Wolfson B, 9(1):67

Disorders of nutrition and swallowing: Intervention strategies in the trauma center, Logeman JA, Pepe J, Mackay LE, 9(1):43

The impact of early orthopedic management on patients with traumatic brain injury, Powell JN, Chapman P, 9(1):57

Intensive care management of severe head injury, Palter MD, Dobkin E, Morgan AS, Previost S, 9(1):20

The role of novel pharmacotherapy in brain injury, Casey KF, McIntosh T, 9(1):82

The role of rehabilitation in the intensive care unit, Schwartz Cowley R, Swanson B, Chapman P, Kitik BA, Mackay LE, 9(1):32

The trauma center as a continuum of care for persons with severe brain injury, Morgan AS, 9(1):1

U

Upper extremity

Recognition and management of upper extremity pain syndromes in the patient with brain injury, Gellman H, Keenan MAE, Botte MJ, 11(4):23

Selective release of spastic elbow flexors in the patient with brain injury, Keenan MA, Ahearn R, Lazarus M, Perry J, 11(4):57

Surgical planning for upper motoneuron dysfunction: The role of motor control evaluation, Mayer NH, Esquenazi A, Wannstedt G, 11(4):37

V

Values *See also* Ethical issues

The impact of managed care on the moral character of rehabilitation institutions, Thobaden JR, 12(1):10

The myth of value-free research, Banja JD, 10(3):96

Outcomes and values, Banja JD, 9(2):111

Values, function, and managed care: An ethical analysis, Banja JD, 12(1):60

Vestibular rehabilitation

The efficacy of vestibular rehabilitation for patients with head trauma, Gizzi M, 10(6):60

Virtual reality

Virtual reality and cognitive rehabilitation: A brief review of the future, Rizzo AA, Buckwalter JG, Neumann U, 12(6):1

Vision therapy

Questions and answers, Ray JS, Neger RE, 10(6):80

Vocational rehabilitation

The Clubhouse: Addressing work-related behavioral challenges through a supportive social community, Jacobs HE, 12(5):14

Computer technology in vocational rehabilitation, Kreutzer JS, West M, Sherron P, Wehman PH, Fry R, 7(3):70

Computer-assisted instruction for patients with traumatic brain injury: Teaching of domain-specific knowledge, Glisky EL, 7(3):1

Computer-assisted interactive task guidance: Facilitating the performance of a simulated vocational task, Kirsch NL, Levine SP, Lajiness-O'Neill R, Schnyder M, 7(3):13

The economics of return to work for survivors of traumatic brain injury: Vocational services are worth the investment, Abrams D, Barker LT, Haffey W, Nelson H, 8(4):59

Integrating substance abuse treatment and vocational rehabilitation after traumatic brain injury, Bogner JA, Corrigan JD, Spafford DE, Lamb-Hart GL, 12(5):57

The interactive community-based model of vocational rehabilitation, La Marche JA, Reed LK, Rich MA, Cash AW, Lucas LH, Boll TJ, 10(4):81

A multicenter longitudinal investigation of return to work and community integration following traumatic brain injury, Sander AM, Kreutzer JS, Rosenthal M, Delmonico R, Young ME, 11(5):70

Neurobehavioral functioning, substance abuse, and employment after brain injury: Implications for vocational rehabilitation, Sander AM, Kreutzer JS, Fernandez CC, 12(5):28

Productivity after neuropsychologically oriented milieu rehabilitation, Prigatano GP, Klonoff PS, O'Brien KP, Amin K, Chiapello D, Shepherd J, Cunningham M, Mora M, 9(1):91

Return to work for persons with severe traumatic brain injury: A data-based approach to program development, Wehman PH, West MD, Kregel J, Sherron P, Kreutzer JS, 10(1):27

The role of medical rehabilitation in vocational reentry, Zasler ND, 12(5):42

Traumatic brain injury vocational rehabilitation: Preliminary findings for the coworker as trainer project, Curl RM, Fraser RT, Cook RG, Clemmons D, 11(1):75

Validation of the Vocational Assessment Protocol, Thomas DF, Menz FE, 12(5):72

The Vocational Assessment Protocol for school-to-work transition programs, Thomas DF, Botterbusch KF, 12(2):48

Vocational rehabilitation and traumatic brain injury: A legislative and public policy perspective, Goodall P, Lawyer HL, Wehman P, 9(2):61

The vocational rehabilitation continuum: Maximizing outcomes through bridging the gap from hospital to community-based services, Buffington ALH, Malec JF, 12(5):1

W

Wheelchairs

Meeting the seating and mobility needs of the client with traumatic brain injury, Kanyer B, 7(3):81

Withdrawal/withholding of treatment

Should we withhold food from patients in a persistent vegetative state?, Bontke CF, Dolan JM, Ivanhoe CB (Controversies), 9(4):62

Termination of nutrition and hydration in the minimally conscious state: Contrasting clinical views, Childs NL, Cranford RE, 12(4):70

"You wouldn't want to live like that...," Banja JD, 12(6):92

Z

Zolpidem

Zolpidem for the treatment of insomnia, Glenn MB, 11(2):96

J9701